Form - IV (See rule 13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30^{th} June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

SI.	Particulars 						
1 .	Particulars of the Occupier						
1.	(i) Name of the authorised person (occupier or						
	operator of facility)		:				
	(ii) Name of HCF or CBMWTF		:				
	(iii) Address for Correspondence						
	(iv) Address of Facility						
	(v)Tel. No, Fax. No		:				
	(vi) E-mail ID		:				
	(vii) URL of Website						
	(viii) GPS coordinates of HCF or CBMWTF	7					
	(ix) Ownership of HCF or CBMWTF		:	(State Government or Private or			
	1	, o mersup or free or oblive it					
	(x). Status of Authorisation under the Bio-	-Medical	:	Authorisation No.:			
	Waste (Management and Handling) Rules						
				valid up to			
	(xi). Status of Consents under Water Act	and Air	:	Valid up to:			
	Act						
2.	Type of Health Care Facility		:				
	(i) Bedded Hospital		:	No. of Beds:			
	(ii) Non-bedded hospital						
		(Clinic or Blood Bank or Clinical Laboratory or					
	other)	Research Institute or Veterinary Hospital or any					
	(iii) License number and its date of expiry						
3.	Details of CBMWTF		:				
J.	(i) Number healthcare facilities cove	ered by	:				
	CBMWTF	ica by					
	(ii) No of beds covered by CBMWTF		:				
	(iii) Installed treatment and disposal cap	acity of	:	Kg per day			
	CBMWTF:	capacity of					
	(iv) Quantity of biomedical waste treated or disposed		:	Kg/day			
	by CBMWTF	•					
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)		:	Yellow Category :			
				Red Category :			
				White:			
				Blue Category:			
5	etails of the Storage, treatment, transportation, processing and Disposal Facility						
	(i) Details of the on-site storage :						
	facility		Capacity:				
				on of on-site storage : (cold storage or er provision)			
1		any ou	ier pro	7 (151011)			

	disposal facilities		Type of treatment equipment	No of unit s	Cap acit y Kg/ day	Quantity treatedo r disposed in kg per
			Incinerators Plasma Pyrolysis Autoclaves Microwave Hydroclave Shredder Needle tip cutter or destroyer Sharps encapsulation or concrete pit Deep burial pits: Chemical disinfection: Any other treatment equipment:		-	annum
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.(iv) No of vehicles used for collection	:	Red Category (like plass	tic, glas	s etc.)	
	and transportation of biomedical waste					
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		Quant gener Incineration Ash ETP Sludge	-	Wh disp	ere posed
	(vi) Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are disposed of	:				
	(vii) List of member HCF not handed over bio-medical waste.					
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period					
7	Details trainings conducted on BMW (i) Number of trainings conducted on BMW Management.					

	(ii) number of personnel trained		
	(iii) number of personnel trained at		
	the time of induction		
	(iv) number of personnel not		
	undergone any training so far		
	(v) whether standard manual for		
	training is available?		
	(vi) any other information)		
8	Details of the accident occurred		
	during the year		
	(i) Number of Accidents occurred		
	(ii) Number of the persons affected		
	(iii) Remedial Action taken (Please		
	attach details if any)		
	(iv) Any Fatality occurred, details.		
9.	Are you meeting the standards of air		
	Pollution from the incinerator? How		
	many times in last year could not met		
	the standards?		
	Details of Continuous online emission		
	monitoring systems installed		
10	Liquid waste generated and treatment		
	methods in place. How many times		
	you have not met the standards in a		
	year?		
11	Is the disinfection method or		
	sterilization meeting the log 4		
	standards? How many times you have		
12	not met the standards in a year?		(Air Dallation Control Designs attached with the
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator)
•			incinerator)
Certi	fied that the above report is for the period	l from	

Name and Signature of the Head of the Institution

Date: Place