

Chunnambar River Water Quality Data - 2025			
Sl. No.	Parameters	March	Standard limit as per the Primary Water Quality Criteria for bathing water - Class of Water B (Water Used for Organised Outdoor Bathing) as per Environment (Protection) Rules, 1986
1	Date of sampling	03.03.2025	
2	Time	12.20 P.M	
3	Temp°C	30.0	
4	pH	8.67	6.5-8.5
5	DO (mg/l)	10.2	5 or more
6	BOD (mg/l)	2.8	3 or less
7	Total Coliform MPN/100 ml	130	
8	Faecal Coliform MPN/100ml	130	500 (Desirable) and 2500 (Max. Permissible)
9	Faecal Streptococci MPN/100ml	220	100 (Desirable) and 500 (Max. Permissible)

Arasalar River Water Quality Data - 2025			
Sl. No.	Parameters	March	Standard limit as per the Primary Water Quality Criteria for bathing water - Class of Water B (Water Used for Organised Outdoor Bathing) as per Environment (Protection) Rules, 1986
1	Date of sampling	04.03.2025	
2	Time	06.30 A.M	
3	Temp°C	29.0	
4	pH	7.42	6.5-8.5
5	DO (mg/l)	6.1	5 or more
6	BOD (mg/l)	2.0	3 or less
7	Total Coliform MPN/100 ml	220	
8	Faecal Coliform MPN/100ml	220	500 (Desirable) and 2500 (Max. Permissible)
9	Faecal Streptococci MPN/100ml	110	100 (Desirable) and 500 (Max. Permissible)

BDL - Below Detectable Limit; DL - Detection Limit
MPN- Most Probable Number