

Chunnambar River Water Quality Data - 2026			
Sl. No.	Parameters	May	Standard limit as per the Primary Water Quality Criteria for bathing water - Class of Water B (Water Used for Organised Outdoor Bathing) as per Environment (Protection) Rules, 1986
1	Date of sampling	07.05.2026	--
2	Time	11.05 A.M	--
3	Temp°C	32.0	--
4	pH	8.48	6.5-8.5
5	DO (mg/l)	8.8	5 or more
6	BOD (mg/l)	6.5	3 or less
7	Total Coliform MPN/100 ml	920	--
8	Faecal Coliform MPN/100ml	350	500 (Desirable) and 2500 (Max. Permissible)
9	Faecal Streptococci MPN/100ml	84	100 (Desirable) and 500 (Max. Permissible)

Arasalar River Water Quality Data - 2026			
Sl. No.	Parameters	May	Standard limit as per the Primary Water Quality Criteria for bathing water - Class of Water B (Water Used for Organised Outdoor Bathing) as per Environment (Protection) Rules, 1986
1	Date of sampling	07.05.2026	--
2	Time	06.40 A.M	--
3	Temp°C	30.0	--
4	pH	8.01	6.5-8.5
5	DO (mg/l)	4.5	5 or more
6	BOD (mg/l)	1.3	3 or less
7	Total Coliform MPN/100 ml	430	--
8	Faecal Coliform MPN/100ml	170	500 (Desirable) and 2500 (Max. Permissible)
9	Faecal Streptococci MPN/100ml	63	100 (Desirable) and 500 (Max. Permissible)

MPN- Most Probable Number