No. 6836/NGT/SLMC/SCI/2024/2-46
GOVERNMENT OF PUDUCIHERRY
DEPARTMENT OF SCIENCE, TECHNOLOGY AND ENVIRONMENT
PUDUCHERRY POLLUTION CONTROL COMMITTEE
3rd Floor, I-Housing Board Complex, Anna Nagar, Puducherry - 5.
Telephone: (0413) 2201256; Telefax: (0413) 2203494

\*\*\*

Puducherry, the

Puducherry, the

Shri. Anup Kumar Srivastava
Executive Director (Tech)
National Mission for Clean Ganga

Shri. Anup Kumar Srivastava
Executive Director (Tech)
National Mission for Clean Ganga
Ministry of Jai Shakti,
Ist Floor, Major Dhyan Chand National Stadium,
India Gate, New Delhi — 110 002.

Sir.

Sub: DSTE/PPCC-Submission of Progress Report on Restoration of Polluted River Stretches-Reg.

Ref: Letter received from MoJS, GOI vide No. Legal/OA No. 673/2018/NMCG/2019 date 08.10.2020.

With reference to the above mentioned subject, Progress Report for the month of April, 2024 is enclosed for kind perusal.

Yours sincerely,

(YASAM LAKSHMI NARAYANA REDDY) DIRECTOR (DSTE)

Encl: as stated above

Copy to:

1. The Member Secretary,
Central Pollution Control Board,
Parivesh Bhawan, C.B.D. Cum-Office Complex,
East Arjun Nagar, Delhi — 110 032.

2. Standing Guard File

0/L 0/L 24/5/2014

DESPATCHED

## Format for submission of Monthly Progress Report in the NGT Matter OA No.673 of 2018 (in compliance to NGT order dated 24.09.2020)

## For the State of Puducherry

I. Overall status of the State (2011)

Total UT of Puducherry Population : 1247953

Puducherry District Population : 950289

 Puducherry Urban Population
 : 657600 (950289x69.20%)

 Puducherry Rural Population
 : 292689 (950289x30.80%)

II. Estimated Sewage Generation (MLD): 71 MLD (URBAN)III. <u>Details of Sewage Treatment Plants</u>: Puducherry District

1.	Existing no. of STPs and Treatment Capacity (in MLD)	3 Nos. of SBR - 51 MLD 2 Nos. of UASB - 5 MLD 2.5 MLD capacity UASB STP at Dubrayapet is in operation on trial basis and the other one at Lawspet is under renovation.
4.4	Net Treatment capacity of STP's	Total - $56 \text{ MLD}$ 56 - 2.5 = 53.5  MLD
2.	Capacity Utilization of existing STPs: (15.75+15.78+15.22) = 46.75 MLD 46.75/53.5= 87.4 %	46.75 MLD (87.4 %)
3.	MLD of sewage being treated through Alternate technology: (71-56=15 MLD)	15 MLD (on site sanitation like septic tank and soak pit etc.)
4.	Gap in Treatment Capacity in MLD: (71-56 =15MLD)	Work order has been awarded on 22.06.2023 to M/s. Eco Protection Engineers Pvt. Ltd., Chennai for construction of 15 MLD STP at Dubraypet. Construction work is in progress.
5.	No. of Operational STPs:	3 Nos.
6.	No. of Complying STPs	STP at Kauvadikuppam is not meeting the standard with respect to Total Phosphorus. In Dubrayapet except Total Nitrogen and Total Phosphorus, other parameters are meeting the standard. At Kanaganeri STP only Faecal Coliform is meeting the Standard.

#### Details of existing STPs in the State

SI. No.	Location	Existing STP Capacity	Capacity being Utilized	Operational Status of STP	Compliance Status of STP
1	Puducherry	56 MLD	87.4 %	3	Nil

## Details of under construction STPs in the State

SI. No.	Location	deallon the plant in		Status of I & D or House sewer connections	Completion TimeLine	
1	Puducherry	15	22	90 %	01.07.2024	
2	Karaikal	. 11	20		01.12.2025	

#### Details of proposed STPs in the State

Sl. No.	Location	Capacity of the STP proposed in MLD	Status of Project (at DPR Stage/under Tendering/Work to be Awarded)	Likely Date of Completion
1.	Puducherry	3 MLD	During the Standing Financial Committee held on 29.01.2024, it was directed to include installation of Ultra Filtration Unit in the DPR. Tender was called for on 23.02.2024 and date of tender opening extended upto 04.04.2024. Technical bid was opened and the same is under scrutiny.	
2.	Mahe	twice and no responsificated and the same single bid is received, Call of tender fixed participated. Among the Engineers Pvt. Ltd, Munot qualified. Financial the tenderer has quoted to tender Rs.4,78,34,1	STP at Mahe, tenders were floated se was received. Third tender was opened on 04.01.2024. As only a	Can be furnished only after finalizing the tender.

U.		to obtain the Administrative Approval and Expenditure
		Sanction from LAD vide I.D.No.4968, dt.12.03.2024.
		To construction of 6 MLD STP at Yanam, tenders were
		floated twice and no response was received. Third tender
		was floated and opened on 31.08.2023 and placed before
		the work board for consideration. Since the tender cost was
3.	Yanam	40% higher than the estimated cost, the same was rejected.
		IV th Call was fixed on 23.02.2024 and V th tender call was
		fixed with the date of opening on 21.03.2024. No response.
		VI call could not be initiated due to Model Code of
		Conduct.

## IV. Details of Industrial Pollution:

1.	No. of industries in the State:	3595
2.	No. of Effluent generating industries in the State:	115
3.	Quantity of effluent generated from the industries in MLD:	4.75 MLD
4.	Quantity of Hazardous Sludge generated from the Industries in TPA:	4828.8 kg/day
5.	Number of industrial units having ETPs:	115
6.	Number of industrial units connected to CETP:	Nil
7.	Number and total capacity of ETPs (details of existing/ under construction/ proposed)	Existing–115 Capacity-4.75 MLD
8.	Compliance status of the ETPs:	Effluent samples were collected from 4 units. Two units are meeting the standards.
9.	Number and total capacity of CETPs (details of existing / under construction /proposed)	Nil
10.	Status of compliance and operation of the CETPs	Nil

Town	No.of industries	Industrial discharge	Status of ETPs	Status of CETPs (existing under construction & proposed)
Puducherry	3271	4746.2 KLD	Existing- 115 nos.	Nil .

## V. Solid Waste Management:

1.	Total number of Urban Local Bodies and their Population.	5 ULB's (7,28,761, Census 2011)								
2.		Tota	l solid v	vaste generation	on - 382 TPD					
		SI. N	0.	ULB	Tota	al waste g	generated (	TPD)		
		1		PM	155					
	Current Municipal Solid	2		OM	155					
	Waste Generation.	3		KM	40					
	waste Generation.									
		4		MM	12					
		5		YM	20					
				Total	382					
3.	Number, Installed	Integra	ted MS	WM is being t	aken up for a	Il types o	f waste by	the ULBs.		
	capacity and utilization of existing MSW processing facilities in TPD (bifurcated by type of	S.No	ULB	Processing	Bio methanation	MRF	MRF through formal sectors	MRF through informal sectors	Total	Percentage of processing
	processing eg., -Waste to	1	PM			4	-	3.05	7.05	4.54%
	Energy (Tonnage and	2	OM	-	1	-	0.5	2.47	3.97	2.38%
	Power Output), Compost Plants (Windrow, Vermi, decentralized pit	3	KM	40 (Bio composting, Vermi, MRF)		-		•	40	100%
	composting),bio- methanation, MRF etc	4	MM	8.0 (Inhouse pipe composting)	-	2	2	-	12.0	100%
		5	YM		C4- 31- 22- 12-12-12-12-12-12-12-12-12-12-12-12-12-1	-	-	1	1	5%
			Total	48.0	1	6	2.5	6.52	64.02	16.76
4.	Action plan to bridge gap between Installed to Capacity and Current gutilization of a processing facilities (if Gap> 20%).	ranspogenerate and con 1. In Swater issued notification when the 2. For Mana of so methal	rtation, ed in the mmune Puduche chatha (d on 29 ed on 0 with the o Law I inery ar first we for the gement lid was unation	processing an	d disposal ard MTs of was gether) or to Door coldangalore. For Ministry of Ement pattern, or vetting on (a has commerty, 2024.  Laraikal, the sued on 22.1 has commert TPD of verification of the commerty of the commercy of	e being in the from e lection of process arrior, Chausing a Draft Co. 12.202 aced and Letter of 1.2022 to aced on micompo	f solid was sing of solid was and Urban Incession A in	d to handle of Puducher ste is being lid waste, le aft Concess Developme agreement h nary work g of solid w  for Integ Square LLF 3 which in h calorific	all the try (urban carried etter of ion Agrant (MoH as been for estab vaste will rated S. P. Hyder cludes 1	ypes of wast n local bodie out by M/s. Award was eement was IU), Gol. In framed and dishment of l be started olid Waste abad. 100% TPD bio-
		3. In Hyder concer surrou works and t	Yanam rabad. T ssionair inded b badly	region, Letter The Land for e on 08.12.20 y water bodie for setting up tation has co	of Award w processing of 23. Yanam is es, marshy late of processin	as issued f solid w a very so nd and m g facility	on 26.10. vaste was mall region angroves Door to	2021 to M/ identified a with an ar Public obj Door colled	and hand ea of on ection h ction of	ded over to ly 30 sq.km indered the solid waste

	10 m	the cur	he is practicing rent concessionain eparately.	g in-house re is taking	pipe g care o	compos of Door	sting wet wa to door, segreg	ste management and ation and dry waste to	
5.	No. and capacity of C&D waste processing Plants in TPD (existing, proposed and under construction).	Municipa		ane pancha of the worl	yats in k.	Puduche	erry and Karail	kal includes C&D wa	
	Total no. of wards, no. of wards having door to	ULB	Number of Wards	Doo	r to Do		Ground Status on Source Segregation		
	door collection service,	PM	42		100%	20)	43 % (15 ward	ds by Recity)	
	no. of wards practicing	OM	37	1	100%		5.4 % (20 war		
	segregation at source.	KM	18		100%		50%		
		YM	14		100%		10%		
		MM	15		100%		and monthly b	in commercial area pasis in residential area	
	I have been a second	(100% s	segregation is repo	rted in all 5	ULB'	s Swathtl	nam SBM porta	ıl)	
7.	Details of MSW treatment facilities	ULB	MSW trea			pacity	Status		
	proposed and under	Pdy	Integrated Muni			oposed			
	construction (no. capacity and technology).  Pdy CP's – Puducherry Commune Panchayat  Kkl CP's – Karaiakal Commune Panchayat	CP's	Solid Waste Pro Project at Puduc commune panch	ocessing cherry nayat		O TPD	Work order has been issued maks. HR Square LLP, Hyderaba for processing of solid wast. Construction of MRF she compost platform an establishment of other equipment and the Processing of wet soli waste has commenced since 22.01.2024.		
		CP's	Solid Waste Pro Project at Puduc commune panch	cessing cherry	15 TPD		Solid Waster was issued of HR Square 100% of so has comme which incl methanation vermicompo valued waster	process and 4 TPD of sting. High calorific e of 5.5 TPD is being o-processing to the	
8.	of difcontrolled	3Nos. of c	ontrolled Landfills	5					
		Puducherr	у			:23.0 a			
		Karaikal				:8.32 a			
						: 2 acre			
		Total				33	.32 acres		
	No. and area (in acres) of legacy waste within 1km buffer of both side of the rivers.	Nil							

10.	No. of drains falling into
	rivers and no. of drains
	having floating
	racks/screens installed to
	prevent solid waste from

falling into the rivers.

No. of drains: 172

All the drains that reaches the Sankaraparani and Arasalar rivers were identified and in-situ remediation of providing Grill gratings and Bar screen are completed in all the 172 drains.

#### Status of ULB wise Management of Solid Waste

Region	Solid waste generated (TPD)	Processed /Recovered (TPD)	Gap (TPD)	Time line
Pondicherry (Urban)	310	Processed -1 Recovered – 9	300	Commenced
Pondicherry (Rural)	70	70		Commenced
Karaikal	65	65	-	Commenced
Mahe	12	12	-	Commenced
Yanam	20	20	-	Commenced
Total	477	197	300	

#### Status of Legacy Waste Management:

SI. No	Region	Accumulated Quantity in MT	Bio mined in MT	Balance in MT	Timeline for completion
1	Puducherry	(Phase – I) 5.53 lakh tons (Phase – II) 3,48,989 MT	5.53 lakh tons	Nil	Completed during April, 2023
		commenced on 13.10.2023	284670	64319	June 2024
2	Karaikal	85350 commenced on 01.06.2023	85350	Nil	Completed on 6 <sup>th</sup> May 2024
3	Yanam	21600	8770	12830	June 2024

#### Mahe Municipality:

• No legacy waste in Mahe Municipality is reported.

## VI. Bio-medical Waste Management:

1	Total Bio-medical generation:	4828.8 kg/day
2,	No. of Hospitals and Health Care Facilities:	442
3	Status of Treatment Facility/CBMWTF:	One Common Bio-Medical Waste Treatment Facility functional.

## VII. Hazardous Waste Management:

1	Total Hazardous Waste generation:	29740 TPA
2	No.of Industries generating Hazardous waste	134 industries obtained authorization.
3	Treatment Capacity of all TSDFs	444
4	Avg. Quantity of Hazardous waste reaching the TSDF and Treated.	TSDF: Land fillable Waste reached – 177.33 MT to M/s. Kalyana Karnataka Waste Management Project Private Limited Karnataka
5	Detail so for-going or proposed TSDF	The TSDF located in neighboring states is being shared.

## VIII. Plastic Waste Management:

1	Total Plastic Waste generation:	31087 TPA
2	Treatment/Measures adopted for reduction or management of plastic waste:	Government of Puducherry has impose total ban on single use plastics with effection 02/08/2019.
		As per the Government of Indi Notification Addendum has been notifie by the Government of Puducherry for imposing additional SUP items like
		(i) Ear buds with plastic sticks, plastic sticks for balloons, candy sticks and ic cream sticks; (ii) Polystyrene [Thermocol] for decoration; (iii) Plates, cups, glasses, cutlery such a forks, spoons, knives, trays, stirrers wrapping or packing films around sweet boxes, invitation cards and cigarette
	Less W. s. iv Managericatio	packets (iv) Plastics or PVC banners less than 100
	es de regular (-1 anse mobres	micron; (v) Non-woven plastic carry bags less than 60 Gram per Square Meter (GSM).
	Fig. 1 art gan con also	Standard Operating Procedure (SOP) for making SUP free Government office has been prepared and circulated to all the Government Departments and Industries.
		Surprise inspections are being carried out.
		As per the direction of MoEF & CC, GO 'Action Plan on Elimination of Single Us Plastic (SUP)" in the Union Territory of Puducherry has been prepared with the approval of Special Task Force (STF).
		As per the order of Hon'ble NGT, Bahou Commune Panchayat (BCP) has bee declared as Single Use Plastic Fre Commune.

Public notice has been issued on 22.02.2022 in Local dailies for elimination of Single Use Plastics in English and vernacular language.

A circular dated 24.02.2022 has been issued to all colleges to declare their campus as SUP free campus as per the direction of CPCB, Delhi.

A consultation meeting on "Elimination of single use plastics' with Local Authorities like District Magistrate, Director, LAD, Supdt. of Police and Commissioners of all Local Bodies was convened on 11.04.2022. Conducted a Technical session on laying of road using waste plastics on 18.04.2022.

A pilot scale road was laid on 19.04.2022 for about 200mts at Edayarpalayam, Ariyankuppam Commune Panchayat in coordination with Prof. Dr.Vasudevaiah, Thiagarajar College of Engineering, Madurai.

Road making using waste plastics at Korkumedu, Ariyankuppam Commune Panchayat.

Hon'ble Chief Minister Inaugurated the LED van on 05.06.2022 for creating awareness on PWM.

5 drives were conducted and 10.95 kgs of SUP items have been seized by Local bodies. Rs.6,500/- was levied as fine.

Implementation of Single Use Plastic (SUP) as per the notification of MoEF &CC, GOI is being strictly implemented by Local bodies and monitored by PPCC.

Interaction meeting with the Local bodies

	State/O1.	the matter of O.A.No.606 of 2018, under
	Chairmanship of Chief Secretary in the State/UT:	23.04.2024, on the compliance status of Hon'ble NGT order, dated 25.01.2024 in
XI	Details of Nodal Officer appointed by Chief Secretary in the State/UT:  Details of meetings carried under the	The Development Commissioner-cum- Senior Nodal Officer, Government of Puducherry  A Review meeting was held on
VI	Datails of Nodel Officer appointed by	completed in all the 172 drains.  The Development Commissioner-cum-
		providing grill grating, sandbar screen are
	action as per NGT order on in-situ treatment:	identified and in-situ remediation of
	drains contributing to river pollution and	Sankaraparani and Arasalar rivers were
X	Identification of polluting sources including	All the drains that reaches the
IX	Details of Alternate Treatment Technology being adopted by the State/UT	Nil
		line Department.
		meeting communicated to the concerned
		held on 10.11.2023. Minutes of the
		Chairmanship of the Chief Secretary was
		U.T of Puducherry under the
		on elimination of Single use Plastic in the
		5 th meeting of Special Task Force (STF)
		Municipality, MoU is under process.
		waste from Pondicherry and Oulgaret
		(MRF) for 20 TPD Recyclable Plastic
		For Setting up Material Recovery Facility
		Karaikal.
		under the Chairmanship of the Collector,
		Apps of CPCB was held on 10.08.2022
		of Karaikal for demo of SUP Portal and
		Interaction meeting with the Local bodies
		APPS of CPCB was held on 13.07.2022.
		Yanam and demo of SUP Portal and
		bodies of Puducherry, Karaikal, Mahe and
		Interaction meeting with the Local
		of CPCB was held on 13.07.2022.
		Yanam and demo of SUP Portal and Apps
		of Puducherry, Karaikal, Mahe 'and

1		the Chairmanship of the Finance Secretary
NIII		cum Senior Nodal Officer.
XIII	Latest water quality of polluted river, distributaries, drains with flow details and ground water quality in the catchment of polluted river	Common STP Water Quality Data, Chunnambar and Arasalar River water quality data are given in <b>Annexure–I.</b>
VIX	Ground water regulation:	Pondicherry Ground Water Authority had closed 6 Nos. of tube wells in Puducherry region and 2 Nos.of tube wells in Karaikal Region during the past 5years due to illegal extraction of ground water.
XV	Good irrigation practices being adopted by the State:	Annexure- II
XVI	Rain Water Harvesting:	The planning authorities while issuing occupancy certificate ascertain that the conditions stipulated in the building permits regarding rain water harvesting measures have been complied with.
		The Puducherry Ground Water Authority does not issues fresh permits/renews permits to any industries/ institutions unless Rain Water Harvesting System is installed in their respective buildings.
		886 Rain Water Harvesting structure are constructed in the U.T of Puducherry by
		Department of Agriculture, Ground Water Authority and PWD.
XVII	Demarcation of Flood plain and removal of Illegal encroachments:	Demarcation of flood plain and removal of illegal encroachments in Karaikal region is to be prepared under FMBAP. The expert team from Central Water Commission, New Delhi has inspected the sites on 02.02.2023 for conducting field survey for sustainable water management in Karaikal Region. After getting necessary expert advice/recommendation from the expert team CWC, New Delhi necessary DPR will

(2)

		be prepared.
XVIII	Maintaining minimum e–flow of river:	Illegal sand miming affect e-flow in the rivers. Hence, orders u/s 144 of CrPc were issued on 1 <sup>st</sup> April, 2019 prohibiting lorries, vans, two wheelers, bullock carts and any similar sand carrying vehicles. Check dams were constructed to regulate the flow.
XIX	Plantation activities along the rivers:	For the development of green belt along Chunnambar, Forest Department has planted 4000 trees.
XX	Development of bio-diversity park:	The mangrove area in Karaikal to an extent of 11-09-30 Hectares belongs to the Government and the rest of the area to an extent of 10-39-00 Hectares belongs to private owners. Deputy Collector (Revenue), Karaikal informed that as the matter is presently under court case, notification of Mangrove Forest area as Biodiversity park will not be feasible till the outcome of the judgement.
XXI	Reuse of Treated Water:	Annexure-III
XXII	Model River being adopted by the State& Action Proposed for achieving the bathing quality standards:	Chunnambar River -Sankarabarani
XXIII	Status of Preparation of Action Plan by the 13 Coastal States:	Action plan was submitted to CPCB dt.24.02.2020. NCCR was requested to carry out marine sampling in the first consultative meeting held on 05.07.2022 and subsequently reminded vide mail dt. 11.10.2022.
XXIV	Regulation of Mining Activities in the State/UT:	Illegal sand miming affect e-flow in the rivers. Hence, orders u/s 144 of CrPc were issued on 1 <sup>st</sup> April, 2019 prohibiting lorries, vans, two wheelers, bullock carts and any similar sand carrying vehicles. Check dams were constructed to regulate the flow.
XXV	Action against identified polluters, law violators and officers responsible for failure for vigorous monitoring.	_

	Ci	unnambar River	Water Quality Data - 2024	
S.No	Parameters	Apr	Standard limit as per the Primary Water Quality Criteria for bathing water - Class of Water B (Water Used for Organised Outdoor Bathing) as per Environment (Protection) Rules, 1986	
1	Date of sampling	01.04.2024		
2	Time	12.55 PM		
3	Temp°C	31.0	- Tan	
4	рН	9.21	6.5-8.5	
5	DO (mg/l)	10.6	5 or more	
6	BOD (mg/l)	7.5	3 or less	
7	Total Coliform MPN/100 ml	70		
8	Faecal Coliform MPN/100ml	70	500 (Desirable) and 2500 (Max. Permissible)	
9	Faecal Streptococci MPN/100ml	130	100 (Desirable) and 500 (Max. Permissible)	
		Arasalar River W	ater Quality Data - 2024	
S.No	Parameters	Apr	Standard limit as per the Primary Water Quality Criteria for bathing water - Class of Water B (Water Used for Organised Outdoor Bathing) as per Environment (Protection) Rules, 1986	
1	Date of sampling	01.04.2024		
2 -	Time	8.00 AM		
3	Temp°C	30.0		
4	pН	8.39	6.5-8.5	
5	DO (mg/l)	7.0	5 or more	
6	BOD (mg/l)	2.8	. 3 or less	
7	Total Coliform MPN/100 ml	140		
	T 10 110		500 (Desirable) and 2500 (Max. Permissible)	
8	Faecal Coliform MPN/100ml	140	300 (Desirable) and 2500 (Max. Permissible)	

BDL - Below Detectable Limit; DL - Detection Limit
MPN- Most Probable Number



#### No. 33/PPCC/REP/SCI-II/2024 ENVIRONMENTAL ANALYTICAL LABORATORY DEPARTMENT OF SCIENCE, TECHNOLOGY AND ENVIRONMENT PUDUCHERRY POLLUTION CONTROL COMMITTEE NO. 189, GARAGE BUILDING, IYYANAR KOIL STREET,

MARIE OULGARET, PUDUCHERRY - 605 009. Telephone: (0413) 2276222



Puducherry, dt. 03.05.2024

#### TEST REPORT

Sampling Location

: PWD-STP

Karuvadikuppam

Sample Id

: DSTE/PPCC/W/2231

Report No.

: 80/2024

Sample Description

Outlet (SBR - 1)

Date of Sampling

: 25.04.2024, 11.10 A.M.

& Time

Sample Quantity in litres

: 3.2 L

Sampling Plan and

APHA 23rd Edition

Method

2017, 1060 B & C

Nature of Sampling

Grab

Sample Collected by

DSTE-PPCC

Test Commenced on

25.04.2024

Test Completed On

29.04.2024

SL No.	Test Parameters	Protocol	Results	Standard Limit
01	Temperature(°C)	APHA 23 <sup>rd</sup> Edition 2017, 2550 B Laboratory and Field Method	31.0	<del></del>
02	рН @ 25 °C	APHA 23 <sup>rd</sup> Edition 2017, 4500-H <sup>+</sup> B Electrometric Method	7.29	5.5 to 9.0
03	Biochemical Oxygen Demand (BOD) (mg/l) @ 27 °C for 3 Days	IS 3025 (Part 44) – 1993 Reaff : 2009 3 -Day BOD Test	2.1	10
04	Total Suspended Solids (mg/l)	APHA 23 <sup>rd</sup> Edition 2017, 2540 D Gravimetric Method	5.0	20
05	Chemical Oxygen Demand (COD) (mg/l)	IS 3025 (Part 58) : 2006 (Reaffirmed 2012)	8.0	.50

Standard limit: As prescribed by Central Pollution Control Board (CPCB) in Hon'ble NGT order in O.A. No. 1069/2018 dated 30.04.2019.

Authorised Signatory for Chemical

(G. Rukmani) Scientist

Copy to:

- 1. Scientist, DSTE.
- 2 JE-II, DSTE.
- 3. Standing Guard File.

--- End of Report---

Page 1 of 1



## SMS LABS SERVICES PRIVATE LIMITED

## TEST REPORT



TC-6118

ULR - TC611824000008924F Report No: EN24040143-01

Page 1 of 1 Report Date: 02 May 2024

Customer Name

: M/s. THE MEMBER SECRETARY PUDUCHERRY POLLUTION CONTROL COMMITTEE

Customer Address

3rd Floor, PHB Building, Anna Nagar, Puducherry - 5

Sample Name

Sample Quantity

: I Lir x I No,

Sample Received on

100 mL x 1 No ; 27 Apr 2024

Sample Description

: Water

Reference

Test Started on

: 27 Apr 2024

Sample Identification

: Customer Letter Dated 25.04.2024 : Sample Code: 2231

Test Completed on

: 02 May 2024

Sample Drawn By

Customer

TEST RESULTS

Parameter	Test Method	Unit	Results
ital			
Faecal coliforms	IS 1622	MPN/100mL	<2
icai			
Total Nitrogen as N	SMSLA/WT/SOP/034	mg/t.	6.9
Total Phosphorous as P	APHA 23rd Edition:4500 P 6,D 2017	mg/L	1.3
	read  Faecal coliforms  ical  Total Nitrogen as N	Parameter Test Method  fical  Faccal colifornis IS 1622  ical  Total Nitrogen as N SMSLA/WT/SOP/034	Parameter Test Method Unit  fical  Faccal coliforus IS 1622 MPN/100mL  teal  Total Nitrogen as N SMSLA/WT/SOP/034 mg/t.

MOTE: MPN: Most Probable Number, <2 can be taken as absent.

/\*\*\*\*\*\* End of the Report \*\*\*\*

M. Sarathkumar

J. Wohammed Shabir Authorized Signatory-Biological Authorized Signatory-Chemical

Laurentory Address: 39/6, Thiravallur High Road, Puduchatran Post, Thiramazhisai Via, Poonamallee Taluk, Chennal - 600124.

Note. Test results relate only to the items tested. Test Report shall not be reproduced in full or part without the approval of SMS-Labs. Non-Perishable remnant samples will be dispused 15 days from the date of receipt unless otherwise agreed with the customer except in case of regulatory samples, which will be retained for a specific period as per regulatory requirements, while perishable and environmental termant samples will be disposed consequently upon completion of testing. Samples are not drawn by laboratory cabbas or otherwise sailed. A sunstactory test report in no way implies that a product so tested is approved by NABL. The Laboratory accepts no liability with regard to the origin or source from winch the sample(s) is are said to be extracted.



# No. 33/PPCC/REP/SCI-II/2024 ENVIRONMENTAL ANALYTICAL LABORATORY DEPARTMENT OF SCIENCE, TECHNOLOGY AND ENVIRONMENT PUDUCHERRY POLLUTION CONTROL COMMITTEE NO. 189, GARAGE BUILDING, IYYANAR KOIL STREET,

O. 189, GARAGE BUILDING, IYYANAR KOIL STREET MARIE OULGARET, PUDUCHERRY – 605 009. Telephone: (0413) 2276222



Puducherry, dt. 03.05.2024

#### TEST REPORT

Sampling Location

: PWD-STP

Dubrayapet

Sample Id

: DSTE/PPCC/W/2234

Report No.

: 83/2024

Sample Description

Outlet (SBR-1)

Date of Sampling

25.04.2024, 12.10 P.M.

& Time

Sample Quantity in

: 3.2 L

Sampling Plan and

APHA 23<sup>rd</sup> Edition

Method

2017, 1060 B & C

Nature of Sampling

Grab

Sample Collected by

DSTE-PPCC

Test Commenced on

25.04.2024

Test Completed On

29.04.2024

SI. No.	Test Parameters	Protocol	Results	Standard Limit
01	Temperature(°C)	APHA 23 <sup>rd</sup> Edition 2017, 2550 B Laboratory and Field Method	32.0	<b>-</b>
02	pH @ 25 °C APHA 23 <sup>rd</sup> Edition 2017, 4500-H <sup>+</sup> B Electrometric Method		7.39	5.5 to 9.0
03	Biochemical Oxygen Demand (BOD) (mg/l) @ 27 °C for 3 Days	IS 3025 (Part 44) – 1993 Reaff: 2009 3 -Day BOD Test	5.0	10
04	Total Suspended Solids (mg/l)	APHA 23 <sup>rd</sup> Edition 2017, 2540 D Gravimetric Method	9.0	20
05	Chemical Oxygen Demand (COD) (mg/l)	IS 3025 (Part 58) : 2006 (Reaffirmed 2012)	16,1	50,

Standard limit: As prescribed by Central Pollution Control Board (CPCB) in Hon'ble NGT order in O.A. No. 1069/2018 dated 30.04.2019.

Authorised Signatory for Chemical

(G. Rukmani)

Scientist

Copy to:

- 1. Scientist, DSTE.
- 2 JLA-II. PPCC.
- 3. Standing Guard File.

---End of Report---

Page 1 of 1



## SMS LABS SERVICES PRIVATE LIMITED

## TEST REPORT



TC-6118

ULR - TC611824000008929F Report No: EN24040143-04

Page 1 of 1 Report Date: 02 May 2024 :

Customer Name

M/s. THE MEMBER SECRETARY PUDUCHERRY POLLUTION CONTROL COMMITTEE

Customer Address

3rd Floor, PHB Building, Anna Nagar, Puducherry - 5

Sample Name

: 1 LIFX I No.

Sample Quantity

100 mL x 1 No

Sample Description

Water

Sample Received on

: 27 Apr 2024

Customer Letter Dated 25.04.2024 Sample Code: 2234.

Test Started on Test Completed on : 27 Apr 2024 : 02 May 2024

Sample Identification Sample Drawn By

Customer

TEST PRSHITS

		I DOLINDOUAL		
S.NO	Payameter	Test Method	Unit	Results
Biok	ii eal			
i	Faecul coliforms	IŞ 1622	MPN/100mL	<2
Chen	rical			
10. 20.	Total Nitrögen as N	SMS1.A/WT/SOP/034	mg/L	14
3	Total Phosphorous as P	APHA 23rd Edition:4500 P B,D 2017	mg/L	2.3

Note: MPN: Most Probable Number. <2 can be taken as absent.

\*\*\* End of the Report \*\*\*\*\*

J.Mohammed Shabir Authorized Signatory-Biological

M. Sarathkumar Authorized Signatory-Chemical

Jaharutary Address: 39/6, Tairuvallur High Road, Puduchatram Post, Thiramazhisai Via, Poonzmallee Taluk, Chennai - 600124.

Hote. Yest resolve takes only to the items tested. Test Report shall not be reproduced in full or part without the approval of SMS Labs. Non-Perishable remnant samples will be inspansed 15 days from the date of receipt untess otherwise agreed with the customer except in case of regulatory samples, which will be retained for a specific period as per egulatory requirements, white perishable and environmental remnant samples will be disposed consequently upon completion of testing. Samples are not drawn by laboratory adeas or otherwise stated. A satisfactory test report in slowary implies that a product so tested is approved by NABL. The Laboratory accepts no liability with regard to the origin or concer from which the sample(s) is/ are said to be extracted.



#### No. 33/PPCC/REP/SCI-II/2024 ENVIRONMENTAL ANALYTICAL LABORATORY DEPARTMENT OF SCIENCE, TECHNOLOGY AND ENVIRONMENT PUDUCHERRY POLLUTION CONTROL COMMITTEE

NO. 189, GARAGE BUILDING, IYYANAR KOIL STREET, MARIE OULGARET, PUDUCHERRY – 605 009. Telephone: (0413) 2276222



Puducherry, dt. 03.05.2024

#### TEST REPORT

Sampling Location

PWD-STP

Near Kanagan Lake

Sample Id

DSTE/PPCC/W/2235

Report No.

: 84/2024

Sample Description -

Outlet (SBR-1)

Date of Sampling

25.04.2024, 1.10 P.M.

& Time

Sample Quantity in

Nature of Sampling

Test Commenced on

: 3.2 L

Sampling Plan and

APHA 23rd Edition

litres

Sampling Plan and Method

2017, 1060 B & C

Grab

Sample Collected

DSTE-PPCC

25.04.2024

by Test Completed On

29.04.2024

SI. No.	Test Parameters	Protocol	Results	Standard Limit
01	Temperature(°C)	APHA 23 <sup>rd</sup> Edition 2017, 2550 B Laboratory and Field Method	32.0	The second secon
02	pH @ 25 ℃	APHA 23 <sup>rd</sup> Edition 2017, 4500-H <sup>+</sup> B Electrometric Method	7.70	5.5 to 9.0
03	Biochemical Oxygen Demand (BOD) (mg/l) @ 27 °C for 3 Days	IS 3025 (Part 44) – 1993 Reaff: 2009 3 -Day BOD Test	29,5	10
04	Total Suspended Solids (mg/l)	APHA 23 <sup>rd</sup> Edition 2017, 2540 D Gravimetric Method	25.0	20
05	Chemical Oxygen Demand (COD) (mg/l)	IS 3025 (Part 58) : 2006 (Reaffirmed 2012)	80.3	50

Standard limit: As prescribed by Central Pollution Control Board (CPCB) in Hon'ble NGT order in O.A. No. 1069/2018 dated 30.04.2019.

Authorised Signatory for Chemical

(G. Rukmani) Scientist

Copy to:

1. Scientist, DSTE.

2. JE-H. DSTE.

3. Standing Guard File.

---End of Report---

Page 1 of 1

## SMS LABS SERVICES PRIVATE LIMITED



## TEST REPORT



TC-6118

ULR - TC611824000008931F Report No: EN24040143-05

Page Lof1 Report Date: 02 May 2024

Customer Name

: M/s. THE MEMBER SECRETARY PUDUCHERRY POLLUTION CONTROL COMMITTEE

Customer Address

3rd Floor, PHB Building, Anna Nugar, Puducherry - 5

Sample Name

: I Lux I No.

Water

Sample Quantity

100 mL x 1 No

; Water

Sample Received on

: 27 Apr 2024

Sample Description

Test Started on

: 27 Apr 2024

Sample Identification : Sample Code: 2235

: Customer Letter Dated 25,04,2024

Test Completed on

: 02 May 2024

Sample Drawn By

Customer

#### TEST RESULTS

140111400410				
S,NO	Parameter	Test Method	Unit	Results
Biglo				
ì	Fuecal califorms	IS 1622	MPN/100ml.	<2
Chen	ient			
2	Total Nitrogen as N	SMSLA/WT/SOP/034	mg/L	16
3	Fouri Phosphorous as P	APHA 23rd Edition;4500 P B <sub>4</sub> D 2017	mg/L	2.5

Note: MPN: Most Probable Number, <2 can be taken as absent.

/\*\*\*\*\*\*\*\*\*\* End of the Report \*\*\*\*\*\*\*\*\*/

L.Mohammed Shabir Authorized Signatory-Biological

M. Sarathkumar Authorized Signatory-Chemical

rabbattory Andress, 39/6, Thravallur High Road, Puduchatram Post, Thiremazhisai Via, Poonamallee Taluk, Chemai - 600124.

#### ADOPTION OF GOOD IRRIGATION PRACTICE

- 1. It is proposed to cover more area under precision farming.
- 2 System of Rice Intensification (SRI) is popularized among the farming community as a water saving measure.
- 3. Sustainable Sugarcane Initiative (SSI) for reducing water consumption in sugarcane crops is also being popularized.
- 4. Attractive subsidy assistance is being extended to farmers for installation of Drip/Sprinkler irrigation devices.
- 5. Attractive subsidy assistance is being extended to farmers for laying underground pipelines for conveyance of irrigation water.



## Reuse of Treated Water

Station	Purpose	Quantity	
Lawspet STP	Industrial usage	0.8 MLD	
·	Fodder Grass raising		
	Coconut Plantation	6.0 MLD	
	Silk cotton trees	0.0 1/12/2	
	Natural recharging through impounding reservoir	9 MLD	
Dubrayapet STP	To Pondy Marina Hotel	0.3 MLD	
	Total	16.1 MLD	