No. 6836/NGT/SLMC/SCI/2023/ 2 9 H GOVERNMENT OF PUDUCIHERRY

DEPARTMENT OF SCIENCE, TECHNOLOGY AND ENVIRONMENT PUDUCHERRY POLLUTION CONTROL COMMITTEE

3rd Floor, I-Housing Board Complex, Anna Nagar, Puducherry - 5. Telephone: (0413) 2201256; Telefax: (0413) 2203494

Puducherry, the 2 0 MAR 2023

To

Shri.D.P.Mathuria
Executive Director (Tech)
National Mission for Clean Ganga
Ministry of Jal Shakti,
P' Floor, Major Dhyan Chand National Stadium,
India Gate, New Delhi — 110 002.

Sir,

Sub: DSTE/PPCC-Submission of Progress Report on Restoration of Polluted River

Stretches-Reg.

Ref: Your Letter No. Legal/OA No. 673/2018/NMCG/2019 date 08.10.2020.

With reference to the above mentioned subject, Progress Report for the month of February, 2023 is enclosed for kind perusal.

Yours sincerely,

(Dr.N.RAMESH) Member Secretary PPCC

Enc1: as stated above

Copy to:

 The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, C.B.D. Cum-Office Complex, East Arjun Nagar, Delhi — 110 032.

2. Standing Guard File

Format for submission of Monthly Progress Report in the NGT Matter OANo.673of2018 (incompliance toNGTorderdated24.09.2020)

For the State of Puducherry

I. Overall status of the State (2011)

Total Puducherry Population : 1247953

Puducherry District Population : 950289

Puducherry Urban Population : 657600 (950289x69.20%)
Puducherry Rural Population : 292689 (950289x30.80%)

II. Estimated Sewage Generation(MLD): 71 MLD (URBAN)

III. Details of Sewage Treatment Plant:

1.	Existing no. of STPs and Treatment Capacity (in MLD): at Puducherry Net Treatment capacity of STP's 56 - 5 = 51 MLD	3 Nos. of SBR - 51 MLD 2 Nos. of UASB - 5 MLD (under maintenance) Total - 56 MLD
2.	Capacity Utilization of existing STPs: 15.47+15.44+12.13=43.24 MLD 43.24/51=84.78%	43.24 MLD (84.78%)
	MLD of sewage being treated through Alternate technology: (71-56=15MLD)	15 MLD (on site sanitation like septic tank and soak pit etc.,)
4.	Gap in Treatment Capacity in MLD: (71-56 =15MLD)	15 MLD Tender for setting up of 15MLD was opened on 31.01.2023. Tender will be submitted to Works Board for approval.
5.	No. of Operational STPs:	3 Nos.
6.	No. of Complying STPs with respect to pH, TSS, COD & BOD	3 Nos.

Details of each existing STP in the State

Sl. No.	Location	Existing STP Capacity	Capacity being Utilized	Operational Status of STP	Compliance Status of STP
1	Puducherry	56 MLD (5 MLD UASB is under maintenance)	84.78%	3	3
2	Karaikal	-	-	-	-
3	Mahe	-	-	-	-
4	Yanam	-	-	-	-

Details of under construction STPs in the State

Sl. No.	Location	Capacity of the plant in KLD	1 II y bicai	Status of I & D or House sewer connections	Completion TimeLine	
	Nil					

Details of proposed STPs in the State

Sl. No.	Location	Capacity of the STP proposed in MLD	Status of Project (at DPR Stage/under Tendering/Work to be Awarded)	Likely Date of Completion
1.	Puducherry	3 MLD	preparation. The DPR prepared by	Can be furnished only after finalizing the tender.
2.	Karaikal	11 MLD	11 MLD STP for Karaikal tendered, opened and it is proposed to be	

		1 ' 1 MODICO DO ADD (TIL)
		submitted to WORKS BOARD. (This
		tender includes the Arasalar river
		pollution abatement and as STP
		requirement informed by UT of
		Puducherry to NGT)
		Action is being taken to prepare DPR for 500 KLD and it is
3.	Mahe	proposed to submit to Government.
		The site for construction of 6 MLD STP is still under searching
	***	by the YANAM authority. Once finalized the DPR will be
4.	Yanam	by the TANAM authority. Once infanzed the DFR will be
		prepared in-house and submitted within 15 days.

As the amount of Rs. 10.00 crores could not be utilized within the current financial year (2022-23), it is proposed to claim the above said amount in advance and deposit it into the Government account under the head "8443-Civil deposits", as assured by the Chief Secretary before the NGT.

Idol immersion

- Idol immersion in U.T. of Puducherry is not carried out in fresh water bodies.
- Training program to the concerned regulatory authorities for ensuring effective implementation of revised guidelines for idol immersion was conducted by PPCC on 25.08.2021.
- Revised CPCB guidelines were also communicated on 11th August 2022 to the Collector,
 Puducherry and Karaikal Regions, to the Sr. Superintendent of Police (L&O), to the
 Superintendent of Police, Karaikal and to the Secretary, Sri Vinayaga Chaturthi Vizha
 Peravai, Puducherry and to the Local Administration Department, Puducherry to issue
 necessary instruction to the concerned to follow the guidelines.
- PPCC officials inspected Vinayaga idols manufacturing units on 19.08.2022 and found the
 idols were manufactured with waste paper, tapioca powder and water soluble colours.
 Revised CPCB guidelines were also issued to the manufacturer of idols by PPCC.
- Public Notice regarding environmental friendly idol immersion was published in leading newspapers on 13.08.2022.
- A meeting was conducted by the Collector on 07.09.2022 for the strict implementation of guidelines till the end of festival.

IV. <u>Details of Industrial Pollution:</u>

1.	No. of industries in the State:	3595
2.	No. of Effluent generating industries in the State:	97
3.	Quantity of effluent generated from the industries in MLD:	4.75 MLD
4.	Quantity of Hazardous Sludge generated from the Industries in TPD:	10 TPD
5.	Number of industrial units having ETPs:	97
6.	Number of industrial units connected to CETP:	Nil
7.	Number and total capacity of ETPs (details of existing/ under construction/ proposed)	Existing–97 Capacity-4.75MLD
8.	Compliance status of the ETPs:	97
9.	Number and total capacity of CETPs (details of existing / under construction /proposed)	Nil
10.	Status of compliance and operation of the CETPs	Nil

Town	No.of industries	Industrial discharge	Status of ETPs	Status of CETPs(existing, underconstruction& proposed)
Puducherry	3271	4746.2KLD	Existing-97	Nil

V. Solid Waste Management:

1.	Total number of Urban Local Bodies and their	Annexure	т	
	Population.			
2.	Current Municipal Solid Waste Generation.	382.5 TPD		
3.	Number, Installed capacity and utilization of existing MSW processing facilities in TPD	Composting	33.5TPD	
	(bifurcated by type of processing eg., -Waste to Energy (Tonnage and Power Output), Compost	VermiComposting	1TPD	
	Plants (Windrow, Vermi, decentralized pit	Bio-gas	2TPD	
	composting), bio-methanation, MRF etc.	Material		
	composting),010-methanation, with etc.	recovered/Recycled	34TPD	
4.	Action plan to bridge gap between Installed	Proposed to have Energy F	Recovery Plant.	
	Capacity and Current Utilization of processing	Tenders finalized by PUD	A for Integrated	
		Solid Waste Manageme	ent System in	
	facilities (if Gap> 20%).	Yanam and Letter of Awa	rd issued to M/s	
		Square LLP, Hyde	rabad. Work	
		commenced from 08.12.20	21	
5.	No. and capacity of C&D waste processing	There is no processing plant	of C&D	
	Plants in TPD (existing, proposed and under	Waste.		
	construction).	At present C&D waste is be	ing collected and	
		stored in earmarked area.	ang conceted and	
		C&D waste Generation – 29	35 TPD	
		A DPR is completed for set		
		waste processing plant at	0 1	
		DBFOOT basis.		
6.	Total no. of wards, no. of wards having door to	Door to Door collection is	prosticed in all	
	door collection service, no. of wards practicing	Door to Door collection is wards.	practiced in an	
	segregation at source.			
	segregation at source.	Source segregation is carried out in 14		
	Datails of MSW treatment facilities proposed and	wards.		
7.	Details of MSW treatment facilities proposed and under construction (no. capacity and technology).			
		2		
8.	No. and area (in acres) of uncontrolled	3Nos. of controlled Landfill	S	
	Garbage dumpsites and Sanitary Landfills.	Puducherry :23.0 acre		
		Karaikal :8.32 acre		
		Yanam :0.618 acre		
		Total 31.938Acres		
9.	No. and area (in acres) of legacy waste within 1km	Nil		
10	buffer of both side of the rivers.			
10.	No. of drains falling into rivers and no. of drains	No. of drains: 172		
	having floating racks/screens installed to prevent	All the drains that reaches t	he Sankaranarani	
	solid waste from falling into the rivers.	and Arasalar rivers were i	-	
		situ remediation of providi		
		and Bar screen are comple		
		drains.		

Status of ULB wise Management of Solid Waste

ULB	Total MSW generation in TPD	Total MSW being processed in TPD	Existing MSW facilities	Utilization Capacity of the existing MSW facilities	Proposed MSW Facilities & Completion Time line
5	382.5	58.02 TPD	3	15.1 %	6 months

Note:

- Action has been initiated for disposal of legacy waste from the existing Kurumbapet dumping site, through Bio-remediation & Bio-mining with complete reclamation of the dumpsite land in compliance with Solid Waste Management Rules, 2016, by M/s Zigma Global Environ Solution Pvt. Ltd., Erode. PPCC has issued authorisation for processing of Legacy waste under SWM Rules, 2016, on 07.01.2022.
- Out of 6.5 lakhs tons of legacy waste accumulated in the U.T. of Puducherry, 4.79 lakhs tons
 have been cleared by bio-mining so far. An amount of Rs. 48.27 Crores has been identified
 and earmarked exclusively for disposal of the legacy waste. The work is progressing in full
 swing in Puducherry and will be completed by March 2023.
- Concessionaire has been engaged in Yanam and work will be completed by April 2023. The processing of waste may commence from June 2023
- 77,850 MT of legacy waste is accumulated in Paravaipet, Karaikal Municipality. Tender for the legacy waste has been floated for Karaikal and will also be completed by April 2023.
- Mahe Region has already been declared as Zero Waste Region as in-house composting is being practiced. 2 TPD of non-bio waste is being sent to MRF located in Pallur. Thus no legacy waste is accumulated.
- The legacy waste accumulated in the UT of Puducherry will be cleared by April 2023.

With regard to solid waste processing in UT of Puducherry, 100% processing has been achieved both in Karaikal and Mahe Municipality. With respect to Yanam Municipality, the work order has been issued. The operator has started the collection and segregation from the source itself. The land has been identified for setting up the processing plant which will be completed shortly and the processing will start by December 2022. As far as Puducherry region is concerned, RFP already been floated for setting up of processing plant at Kurumampet for 350 TPD and the

letter for award will be issued by December2022. With these measures, the management of solid waste Management on day-to-day basis will be streamlined in the UT of Puducherry. Requisite funds of Rs. 50.00 Crores have been adequately earmarked under the State budget and SBM for setting up of the processing plants.

Bio-methanation Plant of 1 TPD capacity was installed with the financial assistance of Puducherry Pollution Control Committee (PPCC) in the year 2018. Methane gas generated is used for lighting purpose in the solid waste disposal yard. Dry waste of 1 TPD is used for RDF preparation and 31.2 TPD of dry waste is recovered and recycled by the informal sector.

VI. Bio-medical Waste Management:

1	Total Bio-medical generation:	4638kg/day
2	No. of Hospital sand Health Care Facilities:	387
3	Status of Treatment Facility/CBMWTF:	One Common Bio-Medical Waste Treatment Facility functional.

VII. Hazardous Waste Management:

1	Total Hazardous Waste generation:	31101 TPA		
2	No.of Industries generating Hazardous waste	139 industries obtained		
		authorization.		
3	Treatment Capacity of all TSDFs	-		
4	Avg. Quantity of Hazardous waste reaching the TSDF sand Treated.	TSDF: Land fillable Waste reached- M/s. Mother Earth Enviro Tech, Bangalore –Nil		
5	Detail so for-going or proposed TSDF	The TSDF located in neighboring states is being shared.		

VIII. Plastic Waste Management:

1	Total Plastic Waste generation:	25185 TPA
2	Treatment/Measures adopted for reduction or	GovernmentofPuducherryhasimposedtotalb
	management of plastic waste:	anonsingleuseplasticswitheffectfrom02/08/
		2019.
		As per the Government of India
		Notification Addendum has been notified
		by the Government of Puducherry for
		imposing additional SUP items like
		(i) Ear buds with plastic sticks, plastic
		sticks for balloons, candy sticks and ice
		cream sticks;
		(ii) Polystyrene [Thermocol] for
		decoration;
		(iii) Plates, cups, glasses, cutlery such as
		forks, spoons, knives, trays, stirrers,
		wrapping or packing films around sweet
		boxes, invitation cards and cigarette
		packets
		(iv) Plastics or PVC banners less than 100
		micron;
		(v) Non-woven plastic carry bags less than 60 Gram per Square Meter (GSM).
		oo Gram per Square Meter (GSM).
		Standard Operating Procedure (SOP) for
		making SUP free Government office has
		been prepared and circulated to all the
		Government Departments and Industries.
		Surprise inspections are being carried out.
		As per the direction of MoEF & CC, GOI,
		"Action Plan on Elimination of Single Use
		Plastic (SUP)" in the Union Territory of
		Puducherry has been prepared with the
		approval of Special Task Force (STF).
		As per the order of Hon'ble NGT, Bahour
		Commune Panchayat (BCP) has been
		declared as Single Use Plastic Free
		Commune.
		Commune.

Public notice has been issued on 22.02.2022 in Local dailies for elimination of Single Use Plastics in English and vernacular language.

A circular dated 24.02.2022 has been issued to all colleges to declare their campus as SUP free campus as per the direction of CPCB, Delhi.

A consultation meeting on "Elimination of single use plastics' with Local Authorities like District Magistrate, Director, LAD, Supdt. of Police and Commissioners of all Local Bodies was convened on 11.04.2022. Conducted a Technical session on laying of road using waste plastics on 18.04.2022.

A pilot scale road was laid on 19.04.2022 for about 200mts at Edayarpalayam, Ariyankuppam Commune Panchayat in coordination with Prof. Dr.Vasudevaiah, Thiagarajar College of Engineering, Madurai.

Road making using waste plastics at Korkumedu, Ariyankuppam Commune Panchayat.

Hon'ble Chief Minister Inaugurated the LED van on 05.06.2022 for creating awareness on PWM.

50 drives were made and 24.6 kg of SUP items have been seized by Local bodies. Rs.4600/- was levied as fine.

Implementation of Single Use Plastic (SUP) as per the notification of MoEF&CC, GOI is being strictly implemented by Local bodies and monitored by PPCC.

Interaction meeting with the Local bodies
of Puducherry, Karaikal, Mahe and
Yanam and demo of SUP Portal and Apps
of CPCB was held on 13.07.2022.
Interaction meeting with the Local
bodies of Puducherry, Karaikal, Mahe and
Yanam and demo of SUP Portal and
APPS of CPCB was held on 13.07.2022.
Interaction meeting with the Local bodies
of Karaikal, for demo of SUP Portal and
Apps of CPCB was held on 10.08.2022.
under the Chairmanship of the Collector,
Karaikal.
For Setting up Material Recovery
Facility (MRF) for 20 TPD Recyclable
Plastic waste from Pondicherry and Oulgaret
Municipality, MoU is under process.
4 th meeting of Special Task Force (STF) on
elimination of Single use Plastic in the U.T

of Puducherry under the Chairmanship of the

Chief Secretary was held on 02.11.2022.

IX	Details of Alternate Treatment Technology being adopted by the State/UT	Nil
X	Identification of polluting sources including drains contributing to river pollution and action as per NGT order on in-situ treatment:	All the drains that reaches the Sankaraparani and Arasalar rivers were identified and in-situ remediation of providing grill grating, sandbar screen are completed in all the 172drains.
XI	Details of Nodal Officer appointed by Chief Secretary in the State/UT:	The Development Commissioner-cum- Senior Nodal Officer, Government of Puducherry
XII	Details of meetings carried under the Chairmanship of Chief Secretary in the State/UT:	Ist Review meeting on compliance status of the Hon'ble NGT Directions in the matter of OA No.606/2018 was held on 27.10.2022 under the Chairmanship of Development Commissioner-cum-Senior

		Nodal Officer. 2 nd Review meeting is scheduled on 12.01.2023.
XIII	Latest water quality of polluted river, distributaries, drains with flow details and ground water quality in the catchment of polluted river;	Common STP Water Quality Data and River water quality data of Chunnambar and Arasalar are given in Annexure–II.
XIV	Ground water regulation:	Pondicherry Ground Water Authority had closed 6Nos. of tube wells in Puducherry region and 2Nos.of tube wells in Karaikal Region during the past 5yearsdue to illegal extraction of ground water.
XV	Good irrigation practices being adopted by the State:	Annexure- III
XVI	Rain Water Harvesting:	The planning authorities while issuing occupancy certificate ascertain that the conditions stipulated in the building permits regarding rain water harvesting measures have been complied with.
		The Puducherry Ground Water Authority does not issues fresh permits/renews permits to any industries/ institutions unless Rain Water Harvesting System is installed in their respective buildings.
		882 Rain Water Harvesting structure are constructed in the U.T of Puducherry by Department of Agriculture. No. of Rain Water Harvesting structure by
XVII	Demarcation of Flood plain and removal of Illegal encroachments:	PWD - 262. Annexure – IV
XVIII	Maintaining minimum –flow of river:	Special Task Team has been constituted under the chairmanship of Deputy Collector in each District for curtailing illegal sand mining and its transportation. 44 Cases have been booked against illegal sand miners and Rs. 9.1.lakhs were collected as fine during 2021-2022. 144 has been imposed on illegal sand mining prone area.

XIX	Plantation activities along the rivers:	For the development of green belt along Chunnambar, Forest Department has planted 4000 trees.
XX		On the Bank of Arasalar River, 11-99-30 hectares of Mangrove forest has been demarked as bio- diversity park. Letter dt. 12.09.2022 has been sent to Forest Department and dt.24.11.2022 to the District Collector, Karaikal requesting to Notify the Mangrove area to an extent of 11-99-30 hectares belonging to Government of Puducherry as Bio-diversity Park as per the relevant Forest Act. Signboard has been installed. Biodiversity Assessment in the Mangrove Forest of Karaikal is carried out for the period July 2021 to June, 2022.
XXI	Reuse of Treated Water:	Annexure-V
XXII	Model River being adopted by the State& Action Proposed for achieving the bathing quality standards:	Chunnambar River -Sankarabarani
XXIII	Status of Preparation of Action Plan by	Action plan submitted to CPCB
	the13 Coastal States:	dt.24.02.2020. Stake holder consultation meeting was conducted with officials of Government of Puducherry and NCCR on 05.07.2022. NCCR has agreed for technical support in preparing the coastal action plan by monitoring the coastal water as requested by PPCC.
XXIV	Regulation of Mining Activities in the	Special Task Team has been constituted
	State/UT:	under the Chairmanship of Deputy Collector in each district for curtailing illegal sand mining and its transportation. 44 cases have been booked against illegal sand miners and Rs.9.1 lakhs were collected as fine. 144 has been imposed in illegal sand mining prone area.
XXV	Action against identified polluters, law violators and officers responsible for failure for vigorous monitoring.	-

Details of Solid Waste Generation in Urban Local Bodies (Municipalities)

Sl. No	Name of the Municipality	Total Population as per census2011	Total Quantity of waste generation in TPD
1.	Puducherry	2,44,700	155
2.	Oulgaret	3,00,104	155
3.	Karaikal	86,838	40
4.	Mahe	41,816	12.5
5.	Yanam	55,628	12
	Tota	382.5	

Chunnambar River Water Quality Data - 2023					
S.No	Parameters	Feb-23	Standard limit as per the Primary Water Quality Criteria for bathing water - Class of Water B		
1	Date of sampling	27.02.2023			
2	Time	2.05 PM			
3	Temp°C	30°C			
4	рН	9.18	6.5-8.5		
5	DO (mg/l)	13.7	5 or more		
6	BOD (mg/l)	5.0	3 or less		
7	Total Coliform MPN/100 ml	170			
8	Faecal Coliform MPN/100ml	<1.8	500 (Desirable) and 2500 (Max. Permissible)		
9	Faecal Streptococci MPN/100ml	<1.8	100 (Desirable) and 500 (Max. Permissible)		
	Arasalar R	iver Water Qua	lity Data		
S.No	Parameters	Feb-23	Standard limit as per the Primary Water Quality Criteria for bathing water - Class of Water B		
1	Date of sampling	21.02.2023			
2	Time	6.20 AM			
3	Temp°C	29°C			
4	рН	7.37	6.5-8.5		
5	DO (mg/l)	4.3	5 or more		
6	BOD (mg/l)	BDL (DL: 1.0)	3 or less		
7	Total Coliform MPN/100 ml	280			
8	Faecal Coliform MPN/100ml	70	500 (Desirable) and 2500 (Max. Permissible)		
9	Faecal Streptococci MPN/100ml	<1.8	100 (Desirable) and 500 (Max. Permissible)		

BDL - Below Detectable Limit; DL - Detection Limit
MPN- Most Probable Number

Date: 14.02.2023



Report No.: TR/WTL/PHD/PWD/PDY/2023/W-0068

ULR-TC758021000000062F

TEST REPORT

Customer Name & Address: The Assistant Engineer,

Drainage Sub Division, PHD, PWD, Puducherry.

Customer Reference

: Test request dt:06.02.2023

Page 1 of 2

SAMPLE DETAILS

Sample Code	: 2023/W-0068	Sampled by	: Customer	
Sample Name	: Waste Water	Sampled on	: 06.02.2023	
Sample Description	: Waste Water		. Kannannai STB Outlet	
Temperature at the time of receipt	: 28.2°C	Sampling Location	: Kanaganeri STP Outlet	
Identification by Customer	: Sample 4	Sampling Procedure		
Sample Condition	; Fit for analysis	Sample Received on	: 06.02.2023	
Test Started on	: 06.02.2023	Test Completed on	: 14.02.2023	

Test Started on **TEST RESULTS** NGT Standards for treated Sewage for SI.N Units Results **Test Method** discharge into surface **Test Parameter** 0 water APHA, 23rd Edition, 2017, 4500-H+B 7.47 5.5 to 9 pH @ 25°C 1 Less than 10 mg/L <10 APHA, 23rd Edition, 2017, 2540 D 2 Total Suspended Solids @ 103 - 105°C 14 3 Chemical Oxygen Demand Not more than 50 APHA, 23rd Edition, 2017, 5220 B mg/L Biochemical Oxygen Demand Less than 10 mg/L 3.0 IS 3025 Part44; (1994); RA2014 4 (3 days at 27°C) Total Phosphate as PO4 APHA, 23rd Edn, 2017, 4500-P B, C mg/L 4.36 5

Authorized Signatory

Vimala Venkatachalam BIOCHEMIST

WATER TESTING LABORATORY PUBLIC HEALTH DIVISION

Copy Submitted to: The Executive Engineer, P.H.D., P.W.D., Puducherry.

- 1. The test result relevant only to the item tested.
- 2. The tested report shall not be reproduced in full or part without written approval of WTL-PHD PWD.
- 3. The laboratory is not responsible for the authenticity of photocopied test report.
- 4. The test item will not be retained for more than 15 days from the date of issue of test report except in case as required by applicable regulations.
- 5. The laboratory is not responsible for any legal dispute that may arise in future if the sample was not drawn by the laboratory personnel.

Report No.: TR/WTL/PHD/PWD/PDY/2022/W-0068(Annexe)

Date: 14.02.2023

TEST REPORT

Customer Name & Address : The Assistant Engineer,

Drainage Sub Division, PHD, PWD, Puducherry.

Customer Reference

: Test request dt:06.02.2023

Page 2 of 2

SAMPLE DETAILS Sampled by

Sampled on

Sample Code : 2023/W-0068 Sample Name

: Waste Water

: Customer

Sample Description

: Waste Water

: 06.02.2023

Temperature at the time of

: 28.2°C

Sampling Location

: Kanaganeri STP Outlet

receipt Identification by Customer

: Sample 4

Sampling Procedure

Sample Condition

: Fit for analysis

Sample Received on

: 06.02.2023

Test Started on : 06.02.2023

Test Completed on

: 14.02.2023

T	E	C	T	D	=	0	11	1	T	C
	1-	J		1	-	O	U	_		0

SI.N O	Test Parameter	Test Method	Units	Results
1	Phosphorus as P	APHA, 23rd Edn, 2017, 4500-P B, C	mg/L	1.4
2.	Faecal Coliforms	WHO Guideliness for drinking water Quality - Vol3	MPN/ 100 ml	<200 MPN/100ml

Authorized Signatory

Vimala Venkatachalam BIOCHEMIST

WATER TESTING LABORATORY PUBLIC HEALTH DIVISION

Copy Submitted to: The Executive Engineer. P.H.D., P.W.D., Puducherry.

- 1. The test result relevant only to the item tested.
- 2. The tested report shall not be reproduced in full or part without written approval of WTL-PHD PWD.
- 3. The laboratory is not responsible for the authenticity of photocopied test report.
- 4. The test item will not be retained for more than 15 days from the date of issue of test report except in case as required by applicable regulations.
- 5. The laboratory is not responsible for any legal dispute that may arise in future if the sample was not drawn by the laboratory personnel.

Date: 14.02.2023



Report No.: TR/WTL/PHD/PWD/PDY/2023/W-0066

ULR-TC758021000000060F

TEST REPORT

Customer Name & Address : The Assistant Engineer,

Drainage Sub Division, PHD, PWD, Puducherry.

Customer Reference

: Test request dt:06.02.2023

Page 1 of 2

SAMPLE DETAILS

Sample Code

: 2023/W-0066

Sampled by

: Customer

Sample Name

: Waste Water

Sampled on

: 06.02.2023

Sample Description

: Waste Water

Sampling Location

: Lawspet STP outlet

Temperature at the time of

receipt

: 28.0°C

Identification by Customer

: Sample 2

Sampling Procedure

: 06.02.2023

Sample Condition

: Fit for analysis

Sample Received on

: 14.02.2023

Test Started on

: 06.02.2023

Test Completed on

TEST RE	SULTS
---------	-------

SI.N O	Test Parameter	Test Method	Units	Results	NGT Standards for treated Sewage for discharge into surface water
1	pH @ 25°C	APHA, 23rd Edition, 2017, 4500-H+B	-	7.64	5.5 to 9
2	Total Suspended Solids @ 103 - 105°C	APHA, 23rd Edition, 2017, 2540 D	mg/L	<10	Less than 10
	Chemical Oxygen Demand	APHA, 23rd Edition, 2017, 5220 B	mg/L	18	Not more than 50
4	Biochemical Oxygen Demand (3 days at 27°C)	IS 3025 Part44; (1994); RA2014	mg/L	6.0	Less than 10
5	Total Phosphate as PO4	APHA, 23rd Edn, 2017, 4500-P B, C	mg/L	4.12	-

Authorized Signatory

Vimala Venkatachalam BIOCHEMIST WATER TESTING LABORATORY PUBLIC HEALTH DIVISION

Copy Submitted to: The Executive Engineer, P.H.D., P.W.D., Puducherry.

Terms and Conditions:

1. The test result relevant only to the item tested.

2. The tested report shall not be reproduced in full or part without written approval of WTL-PHD PWD.

3. The laboratory is not responsible for the authenticity of photocopied test report.

4. The test item will not be retained for more than 15 days from the date of issue of test report except in case as required by applicable regulations.

5. The laboratory is not responsible for any legal dispute that may arise in future if the sample was not drawn by the laboratory personnel.

Report No.: TR/WTL/PHD/PWD/PDY/2022/W-0066(Annexe)

Date: 14.02.2023

TEST REPORT

Customer Name & Address : The Assistant Engineer,

Drainage Sub Division, PHD, PWD, Puducherry.

Customer Reference

: Test request dt:06.02.2023

Page 2 of 2

SAMPLE DETAILS

		TEAT DEALU TO		
Test Started on	: 06.02.2023	Test Completed on	: 14.02.2023	
Sample Condition	: Fit for analysis	Sample Received on	: 06.02.2023	
Identification by Customer	: Sample 2	Sampling Procedure		
Temperature at the time of receipt	; 28.0°C	Sampling Location	: Lawspet STP outlet	
Sample Description	: Waste Water	Caralina Landina	A Lewspot CTD outlot	
Sample Name	: Waste Water	Sampled on	: 06.02.2023	
Sample Code	: 2023/W-0066	Sampled by	: Customer	

TEST RESULTS

SI.N O	Test Parameter	Test Method	Units	Results	
1	Phosphorus as P	APHA, 23rd Edn, 2017, 4500-P B, C	mg/L	1.3	
2	Faecal Coliforms	WHO Guideliness for drinking water Quality - Vol3	MPN/ 100 ml	<200 MPN/100ml	

Authorized Signatory

Vimala Venkatachalam BIOCHEMIST WATER TESTING LABORATORY PUBLIC HEALTH DIVISION

Copy Submitted to:
The Executive Engineer,
P.H.D.,P.W.D., Puducherry.

- 1. The test result relevant only to the item tested.
- 2. The tested report shall not be reproduced in full or part without written approval of WTL-PHD PWD.
- 3. The laboratory is not responsible for the authenticity of photocopied test report.
- 4. The test item will not be retained for more than 15 days from the date of issue of test report except in case as required by applicable regulations.
- 5. The laboratory is not responsible for any legal dispute that may arise in future if the sample was not drawn by the laboratory personnel.

Date: 14.02.2023



Report No.: TR/WTL/PHD/PWD/PDY/2023/W-0070 ULR-TC758021000000064F

TEST REPORT

Customer Name & Address ? The Assistant Engineer,

Drainage Sub Division, PHD, PWD, Puducherry.

Customer Reference

: Test request dt:06.02.2023

Page 1 of 2

SAMPLE DETAILS

Sampled by : Customer : 2023/W-0070 Sample Code : 06.02.2023 : Waste Water Sampled on Sample Name : Waste Water Sample Description

Temperature at the time of

: 28.1°C

Sampling Location

: Dubrayapet STP Outlet

receipt

Identification by Customer

: Sample 6

Sampling Procedure Sample Received on

: 06.02.2023

Sample Condition Test Started on

: Fit for analysis : 06.02.2023

Test Completed on

: 14.02.2023

COT DECLII TO

SI.N O	Test Parameter	Test Method	Units	Results	NGT Standards for treated Sewage for discharge into surface water
1	рН @ 25°C	APHA, 23rd Edition, 2017, 4500-H+B	10 T (S)	7.42	5.5 to 9
2	Total Suspended Solids @ 103 - 105°C	APHA, 23rd Edition, 2017, 2540 D	mg/L	<10	Less than 10
3	Chemical Oxygen Demand	APHA, 23rd Edition, 2017, 5220 B	mg/L	16	Not more than 50
4	Biochemical Oxygen Demand (3 days at 27°C)	IS 3025 Part44; (1994); RA2014	mg/L	5.0	Less than 10
5	Total Phosphate as PO4	APHA, 23rd Edn, 2017, 4500-P B, C	mg/L	4.21	

Authorized Signatory

Vimala Venkatachalam BIOCHEMIST WATER TESTING LABORATORY PUBLIC HEALTH DIVISION

Copy Submitted to: The Executive Engineer, P.H.D., P.W.D., Puducherry.

- 1. The test result relevant only to the item tested.
- The tested report shall not be reproduced in full or part without written approval of WTL-PHD PWD.
- 3. The laboratory is not responsible for the authenticity of photocopied test report.
- 4. The test item will not be retained for more than 15 days from the date of issue of test report except in case as required by applicable regulations.
- 5. The laboratory is not responsible for any legal dispute that may arise in future if the sample was not drawn by the laboratory personnel.

Report No.: TR/WTL/PHD/PWD/PDY/2022/W-0070(Annexe)

Date: 14.02.2023

TEST REPORT

Customer Name & Address : The Assistant Engineer,

Drainage Sub Division, PHD, PWD, Puducherry.

Customer Reference

: Test request dt:06.02.2023

Page 2 of 2

SAMPLE DETAILS

: Customer Sample Code : 2023/W-0070 Sampled by : 06.02.2023 : Waste Water Sampled on Sample Name Sample Description : Waste Water Sampling Location : Dubrayapet STP Outlet Temperature at the time of : 28.1°C receipt Identification by Customer : Sample 6 Sampling Procedure : 06.02.2023 Sample Condition : Fit for analysis Sample Received on Test Started on : 06.02.2023 : 14.02.2023 Test Completed on

TEST RESULTS

	TEST RESULTS						
SI.N O	Test Parameter	Test Method	Units	Results			
1	Phosphorus as P	APHA, 23rd Edn, 2017, 4500-P B, C	mg/L	1.4			
2	Faecal Coliforms	WHO Guideliness for drinking water Quality - Vol3	MPN/ 100 ml	<200 MPN/100ml			

Authorized Signatory

Vimala Venkatachalam

BIOCHEMIST
WATER TESTING LABORATORY
PUBLIC HEALTH DIVISION

11. Umider

Copy Submitted to:
The Executive Engineer,
P.H.D.,P.W.D., Puducherry.

- 1. The test result relevant only to the item tested.
- 2. The tested report shall not be reproduced in full or part without written approval of WTL-PHD PWD.
- 3. The laboratory is not responsible for the authenticity of photocopied test report.
- 4. The test item will not be retained for more than 15 days from the date of issue of test report except in case as required by applicable regulations.
- 5. The laboratory is not responsible for any legal dispute that may arise in future if the sample was not drawn by the laboratory personnel.

ADOPTION OF GOODIRRIGATIONPRACTICE

- 1. It is proposed to cover more area under precision farming.
- 2 System of Rice Intensification (SRI) is popularized among the farming community as a water saving measure.
- 3. Sustainable Sugarcane Initiative (SSI) for reducing water consumption in sugarcane crops is also being popularized.
- 4. Attractive subsidy assistance is being extended to farmers for installation of Drip/Sprinkler irrigation devices.
- 5. Attractive subsidy assistance is being extended to farmers for laying underground pipelines for conveyance of irrigation water.

ANNEXURE-IV

PROTECTIONANDMANAGEMENTOFFLOODPLAINZONES(FPZ)

Sl. No.	Key components of proposed action plans for restoration of identified polluted river stretches in States/UTs	Proposed Achievable Target	Proposed Time Targets for Compliance	Present status and or Pendency in terms of %	Remarks
1.	Flood Plain Zone protection and its management	Proposal submitted for approval of 50.00Crore.	2020-2025	The Karaikal Region is receiving water from the Seven Cauvery distributaries from Tamilnadu. The flood / excess water due to rainfall run off will be released and regulated by Tamilnadu Irrigation Division from the upper reaches through these seven distributaries. The river banks and the inspection tracks are almost strengthened to receive the flood water from upper reaches in Tamilnadu and to dispose safely to the Ocean (Bay of Bengal). However flood protection scheme works has been included under Flood Management and Border Area Program for an amount of Rs. 50 Crore in the proposal for the period from 2020-2025 for getting approval from Government. The details are enclosed, in which for protecting the Arasalar river bank an estimate for an amount of Rs.10.00 Crore is earmarked to protect the Left Bank of Arasalar river above tail end regulator at Melaoduthurai.	After getting approval of works under Flood Management and Border Area Programme, DPR will be submitted

ANNEXURE-V

Reuse of Treated Water

Station	Purpose	Quantity	
Lawspet STP	Industrial usage	0.8 MLD	
	Fodder Grass raising		
	Coconut Plantation	6.0 MLD	
	Silk cotton trees		
	Natural recharging through impounding reservoir		
Dubrayapet STP	To Pondy Marina Hotel	0.3 MLD	
	Total	16.10 MLD	

An Ultrafiltration Plant of 0.50 MLD capacity for treating the STEW from Dubrayapet STP has already been installed at Dubrayapet and pumping mains for conveying the treated water at Botanical Garden and Bharathi Park has been laid at a total cost of `2.06 Crores under AMRUT scheme has been implemented as Pilot project and is to be commissioned immediately by which 0.50 MLD of Tertiary Treated Water will be reused in public parks. The system is ready and awaited for drawl of treated used water by Puducherry Municipality and Agriculture Department.