## No. 6836/NGT/SLMC/SCI/2024/ 748 GOVERNMENT OF PUDUCIHERRY

# DEPARTMENT OF SCIENCE, TECHNOLOGY AND ENVIRONMENT PUDUCHERRY POLLUTION CONTROL COMMITTEE

3<sup>rd</sup> Floor, I-Housing Board Complex, Anna Nagar, Puducherry - 5. Telephone: (0413) 2201256; Telefax: (0413) 2203494

\*\*\*

Puducherry, the 3 0 AUG 2024

To

Shri. Anup Kumar Srivastava
Executive Director (Tech)
National Mission for Clean Ganga
Ministry of Jai Shakti,
Ist Floor, Major Dhyan Chand National Stadium,
India Gate, New Delhi — 110 002.

Sir,

Sub: DSTE/PPCC-Submission of Monthly Progress Report on Restoration of Polluted River Stretches-Reg.

Ref: Letter received from MoJS, GOI vide No. Legal/OA No. 673/2018/NMCG/2019 date 08.10.2020.

With reference to the above mentioned subject, Progress Report for the month of July, 2024 is enclosed for kind perusal.

Yours sincerely,

(YASAM LAKSHMI NARAYANA REDDY) DIRECTOR

(DSTE)

Encl: as stated above

Copy to:

 The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, C.B.D. Cum-Office Complex, East Arjun Nagar, Delhi — 110 032.

2. Standing Guard File

# Format for submission of Monthly Progress Report in the NGT Matter OA No.673 of 2018 (in compliance to NGT order dated 24.09.2020)

### For the State of Puducherry

I. Overall status of the State (2011)

Total UT of Puducherry Population : 1247953

Puducherry District Population : 950289

Puducherry Urban Population : 657600 (950289x69.20%)

Puducherry Rural Population : 292689 (950289x30.80%)

II. Estimated Sewage Generation (MLD): 71 MLD (URBAN)III. Details of Sewage Treatment Plants: Puducherry District

1.	Existing no. of STPs and Treatment Capacity (in MLD)  Net Treatment capacity of STP's	3 Nos. of SBR - 51 MLD 2 Nos. of UASB - 5 MLD Total - 56 MLD
2.	Capacity Utilization of existing STPs: (16.23+16.02+16.22+5) = 53.47 MLD 53.47/56= 95.48 %	53.47 MLD (95.48 %)
3.	MLD of sewage being treated through Alternate technology: (71-56=15 MLD)	15 MLD (on site sanitation like septic tank and soak pit etc.)
4.	Gap in Treatment Capacity in MLD: (71-56 =15MLD)	The construction of 15 MLD STP in Puducherry was commenced on 27.07.2023. Roof slab laid for 3 blocks and foundation work completed for 14 units out of 16 units. Procurement of electrochemical work is in progress, SBR unit pile work is also in progress. The construction will be completed by March, 2025.
5.	No. of Operational STPs:	5 Nos.
6.	No. of Complying STPs	Three STPs of 17 MLD capacity meets the NGT prescribed standards of pH, Total Suspended Solids, BOD, COD and Fecal Coliform.

# **Details of existing STPs in the State**

Sl. No.	Location	Existing STP Capacity	Capacity being Utilized	Operation al Status of STP	Compliance Status of STP
1	Puducherry	56 MLD	95.48 %	5	3

# **Details of under construction STPs in the State**

Sl. No.	Location	Capacity of the plant in MLD	Physical Progress in%	Status of I & D or House sewer connections	Completion TimeLine
1	Puducherry	15	50	90 %	Mar, 2025
2	Karaikal	11	35	-	Mar, 2025

# **Details of proposed STPs in the State**

Sl. No.	Location	Capacity of the STP proposed in MLD  Status of Project (at DPR Stage/under Tendering/Work to be Awarded)		Likely Date of Completion
1.	Puducherry	3 MLD	30.06.2025	
2.	Mahe	Tender is under MLD STP in Ma	30.06.2025	
3.	Yanam	Tender is floated STP in Yanam since the site for area. The estimated at the ear		

# IV. Details of Industrial Pollution:

1.	No. of industries in the State:	3595
2.	No. of Effluent generating industries in the State:	115
3.	Quantity of effluent generated from the industries in MLD:	4.75 MLD
4.	Quantity of Hazardous Sludge generated from the Industries in TPA:	4828.8 kg/day
5.	Number of industrial units having ETPs:	115
6.	Number of industrial units connected to CETP:	Nil
7.	Number and total capacity of ETPs (details of existing/ under construction/ proposed)	Existing–115 Capacity-4.75 MLD
8.		Eleven industries were monitored. Four industries are not meeting the standards. Directions have been issued to all the four non-compliance industries.
9.	Number and total capacity of CETPs (details of existing / under construction /proposed)	Nil
10.	Status of compliance and operation of the CETPs	Nil

Town	No. of industries	Industrial discharge	Status of ETPs	Status of CETPs (existing, under construction & proposed)
Puducherry	3271	4746.2 KLD	Existing- 115 nos.	Nil

# V. Solid Waste Management:

1.	Total number of Urban Local Bodies and their Population.	5 ULB's (7,28,761, Census 2011)					
2.	Current Municipal Solid	Total solid waste	e generation - 539 TPD				
	Waste Generation.	Sl. No.	ULB	Total waste generated (TPD)			
		1	Puducherry Region- Urban	300			
		2	Puducherry Region- Rural	135			
		3	Karaikal Region- Urban	45			
		4	Karaikal Region- Rural	25			
		5	Mahe Municipality (MM)	12			
		6	Yanam Municipality (YM)	22			
			Total	539			

3.	Number, Installed capacity	Integra	ted MSW	/M is being t	taken up for a	all type	es of wast	te by the ULBs.		
	and utilization of existing MSW processing facilities in TPD (bifurcated by type of processing eg., -Waste	Sl. No.	ULB	Processing Compostin g	Bio methanation	MR F	MRF throug h formal sectors	MRF through informal sectors	Total	Percentage of processing
	to Energy (Tonnage and Power Output), Compost		Puduch rry Region	252	-	2	1 (120)	-	372	1000%
	Plants (Windrow, Vermi, decentralized pit composting), biomethanation, MRF etc.,	2	KM	39 (Bio compostin g, Vermi, MRF)	1	-	8	4	40	100%
		3	MM	8.0 (Inhouse pipe compostin g)	-	2	2	-	12.0	100%
		4	YM			Y	et to start 1	processing		
			Total	299.0	1	4	130	4	424	
4.	between Installed							ied out by of Award Agreement (MoHU), thas been work for g of solid lid Waste abad. 41% es 1 TPD d waste of only 30 objection of		
5	No. and capacity of C&D	solid waste and transportation has commenced since 08.12.2021. Processing has commenced on 20.01.2024.  4. Mahe is practicing in-house pipe composting wet waste management and the current concessionaire is taking care of Door to door, segregation and dry waste to MRF separately.  on Municipalities and commune panchayats in Puducherry and Karaikal includes C&D waste management in their scope of the work.								

6	Total no. of wards, no. of wards having door to door collection service, no. of	ULB	Number of Wards		Door to Door collection (DTDC)		Ground Status on Source Segregation	
	wards practicing segregation at source.		42 100%			43 % (15 wa		rds by Recity)
		ОМ	37	100%		5.4	4 % (20 wa	ards by OM)
		KM	18	100%		50	%	
		YM	14	100%		10	%	
		MM	15	100%				s in commercial area basis in residential area
		(100% seg	regation is repo	rted in all 5 ULB's	Swathth	ıam	SBM port	al)
7.	Details of MSW treatment facilities proposed and under	ULB		tment facilities oposed	Capaci propos			Status
	construction (no. capacity and technology).  Pdy CP's – Puducherry Commune Panchayat  Kkl CP's – Karaiakal Commune Panchayat	Pdy CP's  Kkl CP's	Waste Proce Puducherry co	Municipal Solid essing Project at mmune panchayat Municipal Solid	70 TP	M/s. HR Square L for processing of Construction of compost plat establishment of ot & machineries has and the Processing waste has com 22.01.2024.		platform and nent of other equipments eries has been completed Processing of wet solid as commenced since 4.
				essing Project at mmune panchayat			was issu M/s. HR 100% of has communich in methanati- vermicom valued wasent for	ste Management project ed on 22.11.2022 to Square LLP, Hyderabad. solid waste processing menced on 15.10.2023 ncludes 1 TPD bioon process and 4 TPD of posting. High calorific aste of 5.5 TPD is being co-processing to the ment factory.
8.	No. and area (in acres) of uncontrolled	3Nos. of co	ntrolled Landfil	ls				
	Garbage dumpsites and Sanitary Landfills.	Puducherry Karaikal Yanam Total		:23.0 a :8.32 a :2 acre :33.32	ecre			
9.	No. and area (in acres) of legacy waste within 1km buffer of both side of the rivers.	Nil			1.32.02			
10.	rivers and no. of drains having floating	All the drain	No. of drains: 172 All the drains that reaches the Sankaraparani and Arasalar rivers were identified and in-situ emediation of providing Grill gratings and Bar screen are completed in all the 172 drains.					

## Status of ULB wise Management of Solid Waste

Region	Solid waste generated (TPD)	Processed /Recovered (TPD)	Gap (TPD)	Time line
Pondicherry (Urban)	300	300	-	Commenced on ongoing
Pondicherry (Rural)	135	135	-	Commenced on ongoing
Karaikal	70	70	-	Commenced on ongoing
Mahe	12	12	-	Commenced on ongoing
Yanam	22	Yet to start	-	
Total	539	517	-	

## **Status of Legacy Waste Management:**

Sl.	Region	Accumulated Quantity in	Bio mined in	Balance	Timeline for
No.	Region	MT	MT	in MT	completion
		(Phase – I) 5.53 lakh tons	5.53 lakh tons	Nil	Completed on 30 <sup>th</sup>
1	Duduaharry				April, 2023
1	Puducherry	(Phase – II) 3,48,989 MT			Completed on
		commenced on 13.10.2023	322128	Nil	15.08.2024
2	V :11	85350 commenced on	95250	NT:1	Completed on 31 <sup>st</sup>
2	Karaikal	01.06.2023	85350	Nil	May 2024
3	Yanam	21600	15588	6012	15.08.2024

# Mahe Municipality:

• No legacy waste in Mahe Municipality is reported.

# VI. Bio-medical Waste Management:

1	Total Bio-medical generation:	4828.8 kg/day		
2	No. of Hospitals and Health Care Facilities:	450		
		One Common Bio-Medical		
3	Status of Treatment Facility/CBMWTF:	Waste Treatment Facility		
3	Status of Treatment Paemity/CDWW 11.	functional.		

# VII. Hazardous Waste Management:

1	Total Hazardous Waste generation:	29740 TPA
2	No.of Industries generating Hazardous waste	134 industries obtained authorization.
3	Treatment Capacity of all TSDFs	-
4	Avg. Quantity of Hazardous waste reaching the TSDF and Treated.	TSDF: Land fillable Waste disposed – 0 MT to M/s. Kalyana Karnataka Waste Management Project Private Limited (M/s. Mother Earth Environ Tech private limited), Karnataka. (Since NOC is awaited from KSPCB for disposal).
5	Detail so for-going or proposed TSDF	The TSDF located in neighboring states is being shared.

# VIII. Plastic Waste Management:

1	Total Plactic Wasta generation:	62276 TPA
2	Total Plastic Waste generation:  Treatment/Measures adopted for reduction or management of plastic waste:	Government of Puducherry has imposed total ban on single use plastics with effect from 02/08/2019.  As per the Government of India Notification Addendum has been notified by the Government of Puducherry for imposing additional SUP items like
		(i) Ear buds with plastic sticks, plastic sticks for balloons, candy sticks and ice cream sticks; (ii) Polystyrene [Thermocol] for decoration; (iii) Plates, cups, glasses, cutlery such as forks, spoons, knives, trays, stirrers, wrapping or packing films around sweet boxes, invitation cards and cigarette packets (iv) Plastics or PVC banners less than 100 micron; (v) Non-woven plastic carry bags less than 60 Gram per Square Meter (GSM).
		Standard Operating Procedure (SOP) for making SUP free Government office has been prepared and circulated to all the Government Departments and Industries.  Surprise inspections are being carried out.
		As per the direction of MoEF & CC, GOI, "Action

Plan on Elimination of Single Use Plastic (SUP)" in the Union Territory of Puducherry has been prepared with the approval of Special Task Force (STF).

As per the order of Hon'ble NGT, Bahour Commune Panchayat (BCP) has been declared as Single Use Plastic Free Commune.

Public notice has been issued on 22.02.2022 in Local dailies for elimination of Single Use Plastics in English and vernacular language.

A circular dated 24.02.2022 has been issued to all colleges to declare their campus as SUP free campus as per the direction of CPCB, Delhi.

A consultation meeting on "Elimination of single use plastics' with Local Authorities like District Magistrate, Director, LAD, Supdt. of Police and Commissioners of all Local Bodies was convened on 11.04.2022.

Conducted a Technical session on laying of road using waste plastics on 18.04.2022.

A pilot scale road was laid on 19.04.2022 for about 200mts at Edayarpalayam, Ariyankuppam Commune Panchayat in co-ordination with Prof. Dr.Vasudevaiah, Thiagarajar College of Engineering, Madurai.

Road making using waste plastics at Korkumedu, Ariyankuppam Commune Panchayat.

Hon'ble Chief Minister Inaugurated the LED van on 05.06.2022 for creating awareness on PWM.

10 drives were conducted and 67.5 kgs of SUP items have been seized by Local bodies. Rs. 7500/-was levied as fine.

Implementation of Single Use Plastic (SUP) as per the notification of MoEF &CC, GOI is being

		strictly implemented by Local bodies and monitored by PPCC.
		Interaction meeting with the Local bodies of Puducherry, Karaikal, Mahe and Yanam and demo of SUP Portal and Apps of CPCB was held on 13.07.2022.  Interaction meeting with the Local bodies of Puducherry, Karaikal, Mahe and Yanam and demo of SUP Portal and APPS of CPCB was held on 13.07.2022.  Interaction meeting with the Local bodies of Karaikal for demo of SUP Portal and Apps of CPCB was held on 10.08.2022 under the Chairmanship of the Collector, Karaikal.  For Setting up Material Recovery Facility (MRF) for 20 TPD Recyclable Plastic waste from Pondicherry and Oulgaret Municipality, MoU is under process.  5th meeting of Special Task Force (STF) on elimination of Single use Plastic in the U.T of Puducherry under the Chairmanship of the Chief Secretary was held on 10.11.2023. Minutes of
		the meeting communicated to the concerned line  Department.
IX	Details of Alternate Treatment Technology being adopted by the State/UT	Nil Nil
X	Identification of polluting sources including drains contributing to river pollution and action as per NGT order on in-situ treatment:	All the drains that reaches the Sankaraparani and Arasalar rivers were identified and in-situ remediation of providing grill grating, sandbar screen are completed in all the 172 drains.
XI	Details of Nodal Officer appointed by Chief Secretary in the State/UT:	The Development Commissioner-cum- Senior Nodal Officer, Government of Puducherry

XII	Details of meetings carried under the Chairmanship of Chief Secretary in the State/UT:	The Chief Secretary appeared before the Hon'ble NGT and submitted the affidavit on 25.07.2024 in the matter of OA No. 606/2018.		
XIII	Latest water quality of polluted river, distributaries, drains with flow details and ground water quality in the catchment of polluted river	Common STP Water Quality Data, Chunnambar and Arasalar River water quality data are given in <b>Annexure–I.</b>		
XIV	Ground water regulation:	Pondicherry Ground Water Authority had closed 6 Nos. of tube wells in Puducherry region and 2 Nos. of tube wells in Karaikal Region during the past 5years due to illegal extraction of ground water.		
XV	Good irrigation practices being adopted by the State:	Annexure- II		
XVI	Rain Water Harvesting:	The planning authorities while issuing occupancy certificate ascertain that the conditions stipulated in the building permits regarding rain water harvesting measures have been complied with.		
		The Puducherry Ground Water Authority does not issues fresh permits/renews permits to any industries/ institutions unless Rain Water Harvesting System is installed in their respective buildings.		
		886 Rain Water Harvesting structure are constructed in the U.T of Puducherry by Department of Agriculture, Ground Water Authority and PWD.		
XVII	Demarcation of Flood plain and removal of Illegal encroachments:	Demarcation of flood plain and removal of illegal encroachments in Karaikal region is to be prepared under FMBAP. The expert team from Central Water Commission, New Delhi has inspected the sites on 02.02.2023 for conducting field survey for sustainable water management in Karaikal Region. After getting necessary expert advice/recommendation from the expert team CWC, New Delhi necessary DPR will be prepared.		

XVIII	Maintaining minimum e–flow of river:	Illegal sand miming affect e-flow in the rivers. Hence, orders u/s 144 of CrPc were issued on 1 <sup>st</sup> April, 2019 prohibiting lorries, vans, two wheelers, bullock carts and any similar sand carrying vehicles. Check dams were constructed to regulate the flow.
XIX	Plantation activities along the rivers:	For the development of green belt along Chunnambar, Forest Department has planted 4000 trees.
XX	Development of bio-diversity park:	The mangrove area in Karaikal to an extent of 11-09-30 Hectares belongs to the Government and the rest of the area to an extent of 10-39-00 Hectares belongs to private owners. Deputy Collector (Revenue), Karaikal informed that as the matter is presently under court case, notification of Mangrove Forest area as Bio-diversity park will not be feasible till the outcome of the judgement.
XXI	Reuse of Treated Water:	Annexure-III
XXII	Model River being adopted by the State& Action Proposed for achieving the bathing quality standards:	Chunnambar River - Sankarabarani
XXIII	Status of Preparation of Action Plan by the 13 Coastal States:	Action plan was submitted to CPCB dt.24.02.2020.
XXIV	Regulation of Mining Activities in the State/UT:	Illegal sand miming affect e-flow in the rivers. Hence, orders u/s 144 of CrPc were issued on 1 <sup>st</sup> April, 2019 prohibiting lorries, vans, two wheelers,
		bullock carts and any similar sand carrying vehicles. Check dams were constructed to regulate the flow.

# GOVERNMENT OF PUDUCHERRY WATER TESTING LABORATORY P.H.D., P.W.D., PUDUCHERRY

Report No.: TR/WTL/PHD/PWD/PDY/2024/W-1168

ULR-TC758024000000751F

Date: 08.07.2024

TEST REPORT Customer Name & Address : The Assistant Engineer,

Drainage Sub Division, PHD, PWD, Puducherry.

**Customer Reference** 

: Letter dated:02.07.2024

Page 1 of 1

		SAMPLE DETAILS				
Sample Code	: 2024/W-1168	Information provided by the Customer				
Product Category	Pollution & Environment	Sampled by	: Customer			
Sample Name	: Waste Water (Outlet)					
Temperature at the time of Receipt	: 31.3°C	Sample Description	:			
Sample Condition	: Fit for analysis	- Sample Bedonption	: Waste Water (Outlet)			
Sample Received on	: 02.07.2024	Sampling Location	: Lawspet STP Outlet			
Test Started on	: 02.07.2024	Date of Sampling	: 02.07.2024			
Test Completed on		Identification by Customer	: Sample 2			

TEST RESULTS							
SI.No.	Test Parameter	Test Method	Units	Results	NGT Standards for treated Sewage for discharge into surface water		
1	pH @ 25°C	APHA, 23rd Edition,2017,4500-H+B		8.01	5.5 to 9		
2	Total Suspended Solids @ 103 - 105°C	APHA, 23rd Edition, 2017, 2540 D	mg/L	<10	Less than 10		
3	Chemical Oxygen Demand	APHA, 23rd Edition, 2017, 5220 B	mg/L	18.9	Not more than 50		
4	Biochemical Oxygen Demand (3 days at 27°C)	IS 3025 Part44; (1994); RA2014	mg/L	7	Less than 10		

.....End of Report.....

**Authorized Signatory** Ullunda

Vimala Venkatachalam BIOCHEMIST WATER TESTING LABORATORY PUBLIC HEALTH DIVISION

### Copy submitted to:

The Executive Engineer, PHD., PWD., Puducherry.

- Terms and Conditions:

  1. The test result relevant only to the item tested.

  2. The tested report shall not be reproduced in full or part without written approval of WTL-PHDPWD.

  3. The laboratory is not responsible for the authenticity of photocopied test report.

  4. The test item will not be retained for more than 15 days from the date of issue of test report except in case as required by applicable regulations.

  5. The laboratory is not responsible for any legal dispute that may arise in future if the sample was not drawn by the laboratory personnel.

# GOVERNMENT OF PUDUCHERRY WATER TESTING LABORATORY P.H.D., P.W.D., PUDUCHERRY

Report No.: TR/WTL/PHD/PWD/PDY/2024/W-1168(Annexe)

**Test Parameter** 

Date: 08.07.2024

### TEST REPORT

Faecal Coliforms

Customer Name & Address: The Assistant Engineer, Drainage Sub Division, PHD, PWD, Puducherry.

Page 1 of 1

Results

60 MPN/100ml

**Customer Reference** 

SI.No.

1

: Letter dated:02.07.2024

SAMPLE DETAILS

Sample Code	: 2024/W-1168 Information provided by the Customer		
Product Category	Pollution & Environment	Sampled by	: Customer
Sample Name	: Waste Water (Outlet)	Sampling Procedure	: <del>-</del>
Temperature at the time of Receipt	: 31.3°C	Sample Description	: Waste Water (Outlet)
Sample Condition	: Fit for analysis	Sampling Location	: Lawspet STP Outlet
Sample Received on	: 02.07.2024	Sampling Location	. Lawsper o'r oddor
Test Started on	: 02.07.2024	Date of Sampling	: 02.07.2024
Test Completed on	: 08.07.2024	Identification by Customer	: Sample 2
		TEST DESILITE	
		TEST RESULTS	

Quality - Vol3	

.....End of Report.....

**Test Method** 

WHO Guideliness for drinking water

**Authorized Signatory** 

Units

MPN/100 ml

Vimala Venkatachalam

Vilindo

BIOCHEMIST WATER TESTING LABORATORY
PUBLIC HEALTH DIVISION

Copy submitted to:

The Executive Engineer, PHD., PWD., Puducherry.

- Terms and Conditions:

  1. The test result relevant only to the item tested.

  2. The tested report shall not be reproduced in full or part without written approval of WTL-PHDPWD.

  3. The laboratory is not responsible for the authenticity of photocopied test report.

  4. The test item will not be retained for more than 15 days from the date of issue of test report except in case as required by applicable regulations.

  5. The laboratory is not responsible for any legal dispute that may arise in future if the sample was not drawn by the laboratory personnel.

## GOVERNMENT OF PUDUCHERRY WATER TESTING LABORATORY P.H.D., P.W.D., PUDUCHERRY



Report No.: TR/WTL/PHD/PWD/PDY/2024/W-1170

ULR-TC758024000000753F

Date: 08.07.2024

### TEST REPORT

Customer Name & Address: The Assistant Engineer,

Drainage Sub Division, PHD, PWD, Puducherry.

Page 1 of 1

**Customer Reference** 

: Letter dated:02.07.2024

SAMPLE DETAILS Information provided by the Customer

Sample Code	
Product Category	
Sample Name	

Environment : Waste Water (Outlet)

: 2024/W-1170

Pollution &

Sampled by Sampling Procedure

: Waste Water (Outlet)

Temperature at the time of Receipt

: 31.2°C

Sample Description Sampling Location

: Dubrayapet STP Outlet

Sample Condition Sample Received on Test Started on

Test Completed on

: Fit for analysis : 02.07.2024 : 02.07.2024

Date of Sampling

: 02.07.2024

: 08.07.2024 Identification by Customer : Sample 4

: Customer

SI.No.	Test Parameter	Test Method	Units	Results	NGT Standards for treated Sewage for discharge into surface water
1	pH @ 25°C	APHA, 23rd Edition,2017,4500-H+B	-	7.98	5.5 to 9
2	Total Suspended Solids @ 103 - 105°C	APHA, 23rd Edition, 2017, 2540 D	mg/L	<10	Less than 10
3	Chemical Oxygen Demand	APHA, 23rd Edition, 2017, 5220 B	mg/L	13.9	Not more than 50
4	Biochemical Oxygen Demand (3 days at 27°C)	IS 3025 Part44; (1994); RA2014	mg/L	4	Less than 10

.....End of Report.....

**Authorized Signatory** 

V. Vinde Vimala Venkatachalam BIOCHEMIST WATER TESTING LABORATORY PUBLIC HEALTH DIVISION

Copy submitted to:

The Executive Engineer, PHD., PWD., Puducherry.

- Terms and Conditions:

  1. The test result relevant only to the item tested.

  2. The tested report shall not be reproduced in full or part without written approval of WTL-PHDPWD.

  3. The laboratory is not responsible for the authenticity of photocopied test report.

  4. The test item will not be retained for more than 15 days from the date of issue of test report except in case as required by applicable regulations.

  5. The laboratory is not responsible for any legal dispute that may arise in future if the sample was not drawn by the laboratory personnel.

## GOVERNMENT OF PUDUCHERRY WATER TESTING LABORATORY P.H.D., P.W.D., PUDUCHERRY

Report No.: TR/WTL/PHD/PWD/PDY/2024/W-1170(Annexe)

Date: 08.07.2024

### TEST REPORT

Customer Name & Address: The Assistant Engineer,

Drainage Sub Division, PHD, PWD, Puducherry.

**Customer Reference** : Letter dated:02.07.2024 Page 1 of 1

SAMPLE DETAILS

Sample Code : 2024/W-1170 Information provided by the Customer Pollution & Product Category Sampled by : Customer Environment Sample Name : Waste Water (Outlet) Sampling Procedure Temperature at the time of : 31.2°C Sample Description : Waste Water (Outlet) Receipt Sample Condition : Fit for analysis Sampling Location : Dubrayapet STP Outlet Sample Received on : 02.07.2024 Test Started on : 02.07.2024 Date of Sampling : 02.07.2024 Test Completed on Identification by Customer : 08.07.2024 : Sample 4

TEST RESULTS SI.No **Test Parameter Test Method** Units Results WHO Guideliness for drinking water Faecal Coliforms 1 MPN/100 ml 50 MPN/100ml

.....End of Report.....

**Authorized Signatory** U Vernet

Vimala Venkatachalam

BIOCHEMIST WATER TESTING LABORATORY
PUBLIC HEALTH DIVISION

Copy submitted to: The Executive Engineer, PHD., PWD., Puducherry.

Terms and Conditions:

1. The test result relevant only to the item tested.

2. The tested report shall not be reproduced in full or part without written approval of WTL-PHDPWD.

3. The laboratory is not responsible for the authenticity of photocopied test report.

4. The test item will not be retained for more than 15 days from the date of issue of test report except in case as required by applicable regulations.

5. The laboratory is not responsible for any legal dispute that may arise in future if the sample was not drawn by the laboratory personnel.

# GOVERNMENT OF PUDUCHERRY WATER TESTING LABORATORY P.H.D., P.W.D., PUDUCHERRY



Report No.: TR/WTL/PHD/PWD/PDY/2024/W-1172 ULR-TC758024000000755F

Date: 08.07.2024

Customer Name & Address : The Assistant Engineer,
Drainage Sub Division, PHD, PWD, Puducherry.

Customer Reference : Letter dated:02.07.2024

TEST REPORT

Page 1 of 1

Not more than 50

Less than 10

Customer Reference

			SAMPLE DETAILS			
Sampl	le Code	: 2024/W-1172	Information provided by the Customer			
Product Category		Pollution & Environment	Sampled by	: Custor	mer	
Sample Name Temperature at the time of Receipt Sample Condition		: Waste Water (Outlet) : 31.4°C : Fit for analysis : 02.07.2024	Sampling Procedure	: : Waste Water (Outlet) : Kanaganeri STP Outlet		
			Sample Description			
			Sampling Location			
Sample Received on Test Started on		: 02.07.2024	Date of Sampling	: 02.07.2024		
Test Completed on		: 08.07.2024	Identification by Customer	: Sample 6		
			TEST RESULTS			
SI.No.	Test P	arameter	Test Method	Units	Results	NGT Standards for treated Sewage for discharge into surface water
1	pH @ 25°C		APHA, 23rd Edition,2017,4500-H+B	-	7.93	5.5 to 9
-	Total Suspended Solids @ 103 - 105°C		APHA, 23rd Edition, 2017, 2540 D	mg/L	<10	Less than 10

IS 3025 Part44; (1994); RA2014 .....End of Report.....

APHA, 23rd Edition, 2017, 5220 B

**Authorized Signatory** 

39.8

23

mg/L

mg/L

Vivida

Vimala Venkatachalam BIOCHEMIST WATER TESTING LABORATORY PUBLIC HEALTH DIVISION

Copy submitted to:
The Executive Engineer,
PHD., PWD., Puducherry.

Chemical Oxygen Demand

(3 days at 27°C)

Biochemical Oxygen Demand

3

Terms and Conditions:

1. The lest result relevant only to the item tested.

2. The tester opport shall not be reproduced in full or part without written approval of WTL-PHDPWD.

3. The laboratory is not responsible for the authenticity of photocopied test report.

4. The test item will not be retained for more than 15 days from the date of issue of test report except in case as required by applicable regulations.

5. The laboratory is not responsible for any legal dispute that may arise in future if the sample was not drawn by the laboratory personnel.

# GOVERNMENT OF PUDUCHERRY WATER TESTING LABORATORY P.H.D., P.W.D., PUDUCHERRY

Report No.: TR/WTL/PHD/PWD/PDY/2024/W-1172(Annexe)

Date: 08.07.2024

### TEST REPORT

Customer Name & Address: The Assistant Engineer,

Drainage Sub Division, PHD, PWD, Puducherry.

**Customer Reference** : Letter dated:02.07.2024 Page 1 of 1

SAMPLE DETAILS

Sample Code Product Category : 2024/W-1172 Pollution & Environment : Waste Water (Outlet) Sampling Procedure

Information provided by the Customer Sampled by

: Customer

Sample Name Sample Name
Temperature at the time of : 31.4°C

Sample Description

: Waste Water (Outlet)

Sample Condition Sample Received on : Fit for analysis : 02.07.2024

Sampling Location

: Kanaganeri STP Outlet

Test Started on : 02.07.2024 Test Completed on : 08.07.2024

Date of Sampling Identification by Customer : 02.07.2024 : Sample 6

_		TEST RESULTS		
SI.No.	Test Parameter	Test Method	Units	Results
1	Faecal Coliforms	WHO Guideliness for drinking water Quality - Vol3	MPN/100 ml	400 MPN/100ml

.....End of Report.....

**Authorized Signatory** 

V. Mush Vimala Venkatachalam BIOCHEMIST WATER TESTING LABORATORY PUBLIC HEALTH DIVISION

Copy submitted to: The Executive Engineer, PHD., PWD., Puducherry.

- Items and Conditions:

  1. The test result relevant only to the item tested.

  2. The tested report shall not be reproduced in full or part without written approval of WTL-PHDPWD.

  3. The laboratory is not responsible for the authenticity of photocopied test report.

  4. The test item will not be retained for more than 15 days from the date of issue of test report except in case as required by applicable regulations.

  5. The laboratory is not responsible for any legal dispute that may arise in future if the sample was not drawn by the laboratory personnel.

Chunnambar River Water Quality Data - 2024					
S.No	Parameters	July	Standard limit as per the Primary Water Quality Criteria for bathing water - Class of Water B (Water Used for Organised Outdoor Bathing) as per Environment (Protection) Rules, 1986		
1	Date of sampling	01.07.2024			
2	Time	01.30 P.M			
3	Temp°C	30.0			
4	рН	9.26	6.5-8.5		
5	DO (mg/l)	10.9	5 or more		
6	BOD (mg/l)	9.0	3 or less		
7	Total Coliform MPN/100 ml	350			
8	Faecal Coliform MPN/100ml	94	500 (Desirable) and 2500 (Max. Permissible)		
9	Faecal Streptococci MPN/100ml	38	100 (Desirable) and 500 (Max. Permissible)		
	A	rasalar River W	ater Quality Data - 2024		
S.No	Parameters	July	Standard limit as per the Primary Water Quality Criteria for bathing water - Class of Water B (Water Used for Organised Outdoor Bathing) as per Environment (Protection) Rules, 1986		
1	Date of sampling	01.07.2024			
2	Time	6.30 A.M			
3	Temp°C	31.0			
4	pН	7.90	6.5-8.5		
5	DO (mg/l)	7.7	5 or more		
6	BOD (mg/l)	1.8	3 or less		
7	Total Coliform MPN/100 ml	350			
8	Faecal Coliform MPN/100ml	130	500 (Desirable) and 2500 (Max. Permissible)		
9	Faecal Streptococci MPN/100ml	84	100 (Desirable) and 500 (Max. Permissible)		

BDL - Below Detectable Limit; DL - Detection Limit MPN- Most Probable Number

### **ADOPTION OF GOOD IRRIGATION PRACTICE**

- 1. It is proposed to cover more area under precision farming.
- 2. System of Rice Intensification (SRI) is popularized among the farming community as a water saving measure.
- 3. Sustainable Sugarcane Initiative (SSI) for reducing water consumption in sugarcane crops is also being popularized.
- 4. Attractive subsidy assistance is being extended to farmers for installation of Drip/Sprinkler irrigation devices.
- 5. Attractive subsidy assistance is being extended to farmers for laying underground pipelines for conveyance of irrigation water.

# **ANNEXURE-III**

# **Reuse of Treated Water**

Station	Purpose	Quantity	
Lawspet STP	Industrial usage	0.8 MLD	
	Fodder Grass raising		
	Coconut Plantation	6.0 MLD	
	Silk cotton trees		
	Natural recharging through impounding reservoir	9 MLD	
Dubrayapet STP	To Pondy Marina Hotel	0.3 MLD	
	Total	16.1 MLD	