No. M-17057/25/NGT/MPR/SCI/2025/ **500**GOVERNMENT OF PUDUCIHERRY DEPARTMENT OF SCIENCE, TECHNOLOGY AND ENVIRONMENT PUDUCHERRY POLLUTION CONTROL COMMITTEE

3rd Floor, I-Housing Board Complex, Anna Nagar, Puducherry - 5. Telephone: (0413) 2201256; Telefax: (0413) 2203494

Puducherry, the 3 0 MAY 2025

To

Shri. Anup Kumar Srivastava
Executive Director (Tech)
National Mission for Clean Ganga
Ministry of Jai Shakti,
Ist Floor, Major Dhyan Chand National Stadium,
India Gate, New Delhi — 110 002.

Sir,

Sub: DSTE/PPCC-Submission of Progress Report on Restoration of Polluted River Stretches-Reg.

Ref: Letter received from MoJS, GoI vide no. Legal/OA No. 673/2018/NMCG/2019 date 08.10.2020.

With reference to the above mentioned subject, Progress Report for the month of April, 2025 is enclosed for kind perusal.

Yours sincerely,

(Dr. N. Ramesh) Member Secretary PPCC

Encl: as stated above

Copy to:

- The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, C.B.D. Cum-Office Complex, East Arjun Nagar, Delhi — 110 032.
- 2. Standing Guard File

Format for submission of Monthly Progress Report in the NGT Matter OA No.673 of 2018 (in compliance to NGT order dated 24.09.2020)

For the State of Puducherry

I. Overall status of the State (2011)

Total UT of Puducherry Population : 1247953

Puducherry District Population : 950289

Puducherry Urban Population : 657600 (950289x69.20%)

Puducherry Rural Population : 292689 (950289x30.80%)

II. Estimated Sewage Generation (MLD): 71 MLD (URBAN)III. <u>Details of Sewage Treatment Plants:</u> Puducherry District

1.	Existing no. of STPs and Treatment Capacity (in MLD) Net Treatment capacity of STP's	3 Nos. of SBR - 51 MLD 2 Nos. of UASB - 5 MLD Total - 56 MLD
2.	Capacity Utilization of existing STPs: $(17.39 + 17.10 + 18.09) = 52.58$ MLD $52.58 / 56 = 93.89\%$	52.58 MLD (93.89%)
3.	MLD of sewage being treated through Alternate technology: (71-56=15 MLD)	15 MLD (on site sanitation like septic tank and soak pit etc.)
4.	Gap in Treatment Capacity in MLD: (71-56 =15MLD)	15 MLD (on site sanitation like septic tank and soak pit etc.). Work order for 15 MLD capacity STP on EPC mode has been issued on 22.06.2023. Out of 16 units 7 units has been completed. SBR Tank base slab was laid and compound wall work is in progress. 95% of procurement of electromechanical items was supplied and further work is in progress.
5.	No. of Operational STPs:	5 Nos.
6.	No. of Complying STPs	Three STPs of 17 MLD capacity meets the standards of pH, Total Suspended Solids, BOD, COD, Fecal Coliform, Total Nitrogen and Total Phosphorus as prescribed by the Central Pollution Control Board in Hon'ble NGT order in O.A. No. 1069 /2018 dated 30.04.2019.

Details of existing STPs in the State

Sl. No.	Location	Existing STP Capacity	Capacity being Utilized	Operational Status of STP	Compliance Status of STP
1	Puducherry	56 MLD	93.89 %	5	3

Details of under construction STPs in the State

Sl. No.	Location	Capacity of the plant in MLD		Status of I & D or House sewer connections	Completion TimeLine
1	Puducherry	15	84	90 %	June, 2025
2	Karaikal	11	72	-	June, 2025

Details of proposed STPs in the State

Sl. No.	Location	Capacity of the STP proposed in MLD	Status of Project (at DPR Stage/under Tendering/Work to be Awarded)	Likely Date of Completion
1.	Puducherry	3 MLD	The retender called for 3 MLD using SBR Technology with FSTP at Kanuvapet was opened on 29-11-2024. Financial bid was opened on 08-02-2025 and the same was submitted to the competent authority for approval. Tender under process.	Can be furnished only after finalizing
2.	Mahe	Tender has been finalised for the construction of 0.5 MLD STP in Mahe. Work to be awarded.		Dec, 2025
3.	Yanam	1	As directed by the Work Advisory Board, the lowest tenderer assued negotiation letter. Further process of tender approval is introgress.	

IV. Details of Industrial Pollution:

1.	No. of industries in the State:	3595
2.	No. of Effluent generating industries in the State:	115
3.	Quantity of effluent generated from the industries in MLD:	4.75 MLD
4.	Quantity of Hazardous Sludge generated from the Industries in TPA:	4828.8 kg/day
5.	Number of industrial units having ETPs:	115
6.	Number of industrial units connected to CETP:	Nil
7.	Number and total capacity of ETPs (details of existing/ under construction/ proposed)	Existing–115 Capacity-4.75 MLD
8.	Compliance status of the ETPs:	Monitored six industries. Two industry are not meeting the standards.
9.	Number and total capacity of CETPs (details of existing / under construction /proposed)	Nil
10.	Status of compliance and operation of the CETPs	Nil

Town	No. of industries	Industrial discharge	Status of ETPs	Status of CETPs (existing, under construction & proposed)
Puducherry	3271	4746.2 KLD	Existing- 115 nos.	Nil

V. Solid Waste Management:

1.	Total number of Urban Local Bodies and their Population.	5 ULB's (7,28,761, Census 2011)			
2.	Current Municipal Solid	T. (1.17.1			
	Waste Generation.	Total solid waste generation – 417 TPD			
		Sl. No.	ULB	Total waste generated (TPD)	
		1	PM	173	
		2	OM	149	
		3	KM	60	
		4	MM	12	
		5	YM	23	
			Total	417	

	and utilization of existing MSW processing facilities in TPD (bifurcated by type of processing eg., -Waste to Energy (Tonnage and	Sl. No.	UL B	Processi ng	Bio methan ation	MRF	MRF through formal sectors	MRF throug h inform al sectors	Total	Percent of processi ng
	Power Output), Compost Plants (Windrow, Vermi,	1	PM	Bio compost & MRF	-	152	21	-	173	100%
	decentralized pit composting), bio-	2	OM	Bio compost & MRF	-	141	8	-	149	100%
	methanation, MRF etc.,	3	KM	Bio composting, vermi, MRF	-	30	4	2	36	58%
		4	MM	(Inhouse pipe	-	10	2	-	12	100%
		5	YM	composting)	-	-	-	2	2	5.5%
			Total	-	-	328	37	6	371	70.70%
		2. For Mana Hyder which vermi co-production of the common	the digement rabad. In the component of the component of the contraction of the contracti	istrict of I of the project 48 % of ludes 1 osting. Hing to the region with d and man of procession has a soon.	Karaikal, was issue solid was reported to the solid was reported to th	on the Letter and on 2: aste procession-methatic values are of Awabad. The result to concession of only 3 Public objects. Door to ceed since the pipe content of the p	of Award 2.11.2022 essing has nation p	issued of procession 08.12 purrounde ndered the bllection of 2021. P	grated So HR Squ leed on . and 4 D is being on 26.10 ing of so .2023. Y d by wat e works of solid v rocessing	lid Waster LLP, July 2024 TPD of g sent for 0.2021 to blid waster anam is a ser bodies, badly for waster and g to be sement and
5		Municipalities and commune panchayats in Puducherry and Karaikal includes C&D waste management in their scope of the work.								
6	Total no. of wards, no. of wards having door to door	ULB		mber of Wards		r to Dooi ion (DTE		Ground S Seg	regation	
	collection service, no. of wards practicing			42 37		100% 100%			5% 5.4%	
	segregation at source.	KM		18		100%			10%	
		YM		14		100%			10%	

7.	Details of MSW treatment facilities proposed and under	ULB	MSW treatment facilities proposed	Capacity proposed	Status
	construction (no. capacity and technology). CBG – Compressed Bio gas	Municipality	CBG - 180 TPD RDF - 60 TPD Pyrolysis - 60 TPD C & D Plant - 40 TPD Bio mass - 30 TPD City compost -100 TPD (Manure from CBG)	500 TPD	Under Construction
8.	No. and area (in acres) of uncontrolled	3Nos. of cor	ntrolled Landfills		
	Garbage dumpsites and Sanitary Landfills.	Puducherry Karaikal Yanam Total		:23.0 acre :8.32 acre :2 acre :33.32 acr	
9.	No. and area (in acres) of legacy waste within 1km buffer of both side of the rivers.	Nil		.33.32 acr	es
10.	No. of drains falling into rivers and no. of drains having floating racks/screens installed to prevent solid waste from falling into the rivers.	and in-situ	s: 172 as that reaches the Sankaraparani a remediation of providing Grin all the 172 drains.		

Status of Legacy Waste Management:

Sl.	Region	Accumulated Quantity in	Bio mined in	Balance	Timeline for
No.	Region	MT	MT	in MT	completion
		(Phase - I) 5.53 lakh tons	5.53 lakh tons	Nil	Completed on 30 th
1	Puducherry				April, 2023
1	Fuductiony	(Phase – II) 3,48,989 MT			Completed on
		commenced on 13.10.2023	3,48,989	Nil	15.08.2024
2	Karaikal	85350 commenced on 01.06.2023	85350	Nil	Completed on 31st May 2024
3	Yanam	21600	21600	Nil	Completed during Feb, 2025

No legacy waste in Mahe Municipality is reported.

VI. Bio-medical Waste Management:

1	Total Bio-medical generation:	4828.8 kg/day
2	No. of Hospitals and Health Care Facilities:	450
3	Status of Treatment Facility/CBMWTF:	One Common Bio-Medical Waste Treatment Facility functional.

VII. Hazardous Waste Management:

1	Total Hazardous Waste generation:	35737 TPA
2	No. of Industries generating Hazardous waste	149 industries obtained authorisation.
3	Treatment Capacity of all TSDFs	-
4	Avg. Quantity of Hazardous waste reaching the TSDF and Treated.	TSDF: Land fillable Waste disposed – 0 MT to M/s. Kalyana Karnataka Waste Management Project Private Limited (M/s. Mother Earth Environ Tech private limited), Karnataka. (NOC is awaited from KSPCB for disposal).
5	Detail so for-going or proposed TSDF	The TSDF located in neighboring states is being shared.

VIII. Plastic Waste Management:

Treatment/Measures adopted for reduction or management of plastic waste: Government of Puducherry has imposed on single use plastics with effect from 02/ As per the Government of India No
Addendum has been notified by the Gov of Puducherry for imposing additional St like (i) Ear buds with plastic sticks, plastic s balloons, candy sticks and ice cream st (ii) Polystyrene [Thermocol] for decoration (iii) Plates, cups, glasses, cutlery such spoons, knives, trays, stirrers, wrap packing films around sweet boxes, invitation and cigarette packets (iv) Plastics or PVC banners less than 100 (v) Non-woven plastic carry bags less Gram per Square Meter (GSM). Standard Operating Procedure (SOP) for SUP free Government office has been and circulated to all the Government Depand Industries. Surprise inspections are being carried out.

As per the direction of MoEF & CC, GOI, "Action Plan on Elimination of Single Use Plastic (SUP)" in the Union Territory of Puducherry has been prepared with the approval of Special Task Force (STF).

As per the order of Hon'ble NGT, Bahour Commune Panchayat (BCP) has been declared as Single Use Plastic Free Commune.

Public notice has been issued on 22.02.2022 in Local dailies for elimination of Single Use Plastics in English and vernacular language.

A circular dated 24.02.2022 has been issued to all colleges to declare their campus as SUP free campus as per the direction of CPCB, Delhi.

A consultation meeting on "Elimination of single use plastics' with Local Authorities like District Magistrate, Director, LAD, Supdt. of Police and Commissioners of all Local Bodies was convened on 11.04.2022.

Conducted a Technical session on laying of road using waste plastics on 18.04.2022.

A pilot scale road was laid on 19.04.2022 for about 200mts at Edayarpalayam, Ariyankuppam Commune Panchayat in co-ordination with Prof. Dr. Vasudevaiah, Thiagarajar College of Engineering, Madurai.

Road making using waste plastics at Korkumedu, Ariyankuppam Commune Panchayat.

Hon'ble Chief Minister Inaugurated the LED van on 05.06.2022 for creating awareness on PWM.

30 drives were conducted and 27 kgs of SUP items have been seized by Local bodies. Rs.10,200/- was levied as fine.

Two units were closed on 25.02.2025 for violation of G.O.Ms.No.18/Envt/2019, dated 02.08.2019.

		Single Use Plastic (SUP) as per the notification of
		MoEF &CC, GOI is being strictly implemented by
		Local bodies and monitored by PPCC.
		Interaction meeting with the Local bodies of
		Puducherry, Karaikal, Mahe and Yanam and
		demo of SUP Portal and Apps of CPCB was held
		on 13.07.2022.
		Interaction meeting with the Local bodies of
		Puducherry, Karaikal, Mahe and Yanam and
		demo of SUP Portal and APPS of CPCB was
		held on 13.07.2022.
		Interaction meeting with the Local bodies of
		Karaikal for demo of SUP Portal and Apps of
		CPCB was held on 10.08.2022 under the
		Chairmanship of the Collector, Karaikal.
		For Setting up Material Recovery Facility (MRF)
		for 20 TPD Recyclable Plastic waste from
		Pondicherry and Oulgaret Municipality, MoU is
		under process.
		5 th meeting of Special Task Force (STF) on
		elimination of Single use Plastic in the U.T of
		Puducherry under the Chairmanship of the Chief
		Secretary was held on 10.11.2023. Minutes of
		the meeting communicated to the concerned line
		Department.
IX	Details of Alternate Treatment	
	Technology being adopted by the	Nil
X	State/UT Identification of polluting sources	
Λ	including drains contributing to river	All the drains that reaches the Sankaraparani and
		Arasalar rivers were identified and in-situ
	pollution and action as per NGT order	remediation of providing grill grating, sandbar
	on in-situ treatment:	screen are completed in all the 172 drains.
XI	Details of Nodal Officer	
	appointed by Chief Secretary in	The Development Commissioner-cum- Senior Nodal Officer, Government of Puducherry
	the State/UT:	,

XII	Details of meetings carried under the	Conducted a Review meeting on submission of 4 th
	Chairmanship of Chief Secretary in the State/UT:	Six monthly Progress report to the Hon'ble NGT
	the State/O1:	on 04.03.2025 in the chamber of Chief Secretary,
		Puducherry.
		RRC meeting was held on 04.07.2024 under the
		Chairmanship of the Secretary (ST&E) to prepare
		and execute the Action Plan for Restoration of
		Gautami-Godavari and Coringa river. Action plan
		has been submitted to CPCB dt.22.07.2024. Meeting
		was also convened by Member Secretary, PPCC on
		21.10.2024 to review the status of implementation of
		Action Plan.
XIII	Latest water quality of polluted river, distributaries, drains with flow details and ground water quality in the catchment of polluted river	Common STP Water Quality Data, Chunnambar and Arasalar River water quality data are given in Annexure–I.
XIV	Ground water regulation:	Pondicherry Ground Water Authority had closed 6 Nos. of tube wells in Puducherry region and 2 Nos. of tube wells in Karaikal Region during the past 5years due to illegal extraction of ground water.
XV	Good irrigation practices being adopted by the State:	Annexure- II
XVI	Rain Water Harvesting:	The planning authorities while issuing occupancy certificate ascertain that the conditions stipulated in the building permits regarding rain water harvesting measures have been complied with.
		The Puducherry Ground Water Authority does not issues fresh permits/renews permits to any industries/ institutions unless Rain Water Harvesting System is installed in their respective buildings.
		886 Rain Water Harvesting structure are constructed in the U.T of Puducherry by Department of Agriculture, Ground Water Authority and PWD.

XVII	Demarcation of Flood plain and	Demarcation of flood plain and removal of illegal
	removal of Illegal encroachments:	encroachments in Karaikal region is to be prepared
	megai encroaciments.	under FMBAP. The expert team from Central
		Water Commission, New Delhi has inspected the
		sites on 02.02.2023 for conducting field survey for
		sustainable water management in Karaikal Region.
		After getting necessary expert
		advice/recommendation from the expert team
		•
XX /III	M	CWC, New Delhi necessary DPR will be prepared.
XVIII	Maintaining minimum e–flow of river:	Illegal sand miming affect e-flow in the rivers. Hence, orders u/s 144 of CrPc were issued on 1 st April, 2019 prohibiting lorries, vans, two wheelers, bullock carts and any similar sand carrying vehicles. Check dams were constructed to regulate the flow.
XIX	Plantation activities along the rivers:	For the development of green belt along Chunnambar, Forest Department has planted 4000 trees.
XX	Development of bio-diversity park:	The mangrove area in Karaikal to an extent of 11-
		09-30 Hectares belongs to the Government and
		the rest of the area to an extent of 10-39-00 Hectares belongs to private owners. Deputy
		Collector (Revenue), Karaikal informed that as the
		matter is presently under court case, notification
		of Mangrove Forest area as Bio-diversity park
		will not be feasible till the outcome of the
XXI	Reuse of Treated Water:	judgement. Annexure-III
XXII	Model River being adopted by the State	Amileaute-111
	& Action Proposed for achieving the bathing quality standards:	Chunnambar River - Sankarabarani
XXIII	Status of Preparation of Action Plan	Consultation meeting with NCCR, Chennai was held on 19.08.2024 P.M. in the chamber of the
	by the13 Coastal States:	Chairman, PPCC w.r.t Preparation of revised Coastal Pollution Action Plan (CPAP) for UT of Puducherry. Draft revised Action plan has been prepared and it is under review.
XXIV	Regulation of Mining Activities	Illegal sand miming affect e-flow in the rivers.
	in the State/UT:	Hence, orders u/s 144 of CrPc were issued on 1 st April, 2019 prohibiting lorries, vans, two wheelers, bullock carts and any similar sand carrying vehicles. Check dams were constructed to regulate the flow.
XXV	Action against identified polluters, law violators and officers responsible for	-
	failure for vigorous monitoring.	



SMS LABS SERVICES PRIVATE LIMITED **TEST REPORT**



TC-6118

ULR - TC611825000021856F

Page 1 of 1

Report No: ENO250430009-02

Report Date: 05 May 2025

Customer Name

: M/s. 17 MLD Sewage Treatment Plant-Kanaganeri

Customer Address

: Kanaganeri, Kathirkamam Puducherry-605 009.

Sample Name

Sample Quantity

: 2Ltr x 1No

Sample Description

: STP Outlet Water

Sampling Date

: 29 Apr 2025

Reference

: STP Outlet Water

Sample Received on

: 30 Apr 2025

Sample Identification : 2

: Test Request Form Dated 29.04.2025

Test Started on

: 30 Apr 2025

Sample Drawn By

: Laboratory

Test Completed on

: 05 May 2025

Sample Location

: STP Area Sampling Procedure : SMSLA/EN/SOP/001, SMSLA/MB/SOP/06

TEST RESULTS

s.no	Parameter	Test Method	Unit	Results	As per NGT Limit
Biolog	gical				
1	Faecal Coliforms	APHA 24th Edition 9221 Cl E - 2023	MPN/100mL	33	Desirable - 100 Permissible - 230
Chem	ical				
2	BOD at 27°C for 3 days	IS 3025 (Part 44) - 2023	mg/L	7.0	10 Max
3	COD	IS 3025 (Part 58) - 2023	mg/L	32	50 Max
4	Total Nitrogen as N	SMSLA/WT/SOP/034 - 2024	mg/L	3.4	10 Max
5	Total Phosphorous as P	APHA 24th Edition 4500 P B, D - 2023	mg/L	0.14	1.0 Max
Physic	cal				
6	pH at 25°C	S°C APHA 24th Edition 4500 H+ B - 2023		7.16	5.5 - 9.0
7	Total Suspended Solids (TSS)	APHA 24th Edition 2540 D - 2023	mg/L	11	20 Max

Note: MPN: Most Probable Number.

Remarks: The STP Outlet Water Sample Conforms to the NGT Discharge limit for the Parameters tested above.

/***** End of the Report ********/

Authorized Signatory-Biological

M.C. M. Sarathkumar **Authorized Signatory-Chemical**

Laboratory Address: 39/6, Thiruvallur High Road, Puduchatram Post, Thirumazhisai Via, Poonamallee Taluk, Chennai - 600124.

Note: Test results relate only to the items tested. Test Report shall not be reproduced in full or part without the approval of SMS Labs. Non-Perishable remnant samples will be disposed 15 days from the date of receipt unless otherwise agreed with the customer except in case of regulatory samples, which will be retained for a specific period as per regulatory requirements; while perishable and environmental remnant samples will be disposed consequently upon completion of testing. Samples are not drawn by laboratory unless or otherwise stated. A satisfactory test report in no way implies that a product so tested is approved by NABL. The Laboratory accepts no liability with regard to the origin or source from which the sample(s) is/ are said to be extracted.



SMS LABS SERVICES PRIVATE LIMITED

TEST REPORT



TC-6118

ULR - TC611825000021854F

Report No: ENO250430010-02

Page 1 of 1

Report Date: 05 May 2025

Customer Name

: M/s. 17 MLD Sewage Treatment Plant-Laurspet

Customer Address

: Lawspet, Pondicherry.

Sample Name

: STP Outlet Water

Sample Quantity

: 2Ltr x 1No

Sample Description

: STP Outlet Water

Sampling Date

: 29 Apr 2025

Sample Received on

: 30 Apr 2025

Reference Sample Identification

: Test Request Form Dated 29.04.2025 : 2

Test Started on Test Completed on

: 30 Apr 2025 : 05 May 2025

Sample Drawn By Sample Location

Sampling Procedure

: Laboratory

: STP Area

: SMSLA/EN/SOP/001, SMSLA/MB/SOP/06

TEST RESULTS

S.NO	Parameter	Test Method	Unit	Results	As per NGT Limit
Biolog	gical				
1	Faecal Coliforms	APHA 24th Edition 9221 Cl E - 2023	MPN/100mL	70	Desirable - 100 Permissible - 230
Chem	ical				
2	BOD at 27°C for 3 days	IS 3025 (Part 44) - 2023	mg/L	6.0	10 Max
3	COD	IS 3025 (Part 58) - 2023	mg/L	29	50 Max
4	Total Nitrogen as N	SMSLA/WT/SOP/034 - 2024	mg/L	4.2	10 Max
5	Total Phosphorous as P	APHA 24th Edition 4500 P B, D - 2023	mg/L	0.15	1.0 Max
Physic	cal		'		
6	6 pH at 25°C APHA 24th Edition 4500 H+ B - 2023			7.20	5.5 - 9.0
7	Total Suspended Solids (TSS)	APHA 24th Edition 2540 D - 2023	mg/L	8.0	20 Max

: MPN : Most Probable Number.

Remarks: The STP Outlet Water Sample Conforms to the NGT Discharge limit for the Parameters tested above.

/****** End of the Report ********/

S. Durga bai **Authorized Signatory-Biological**

M. Sarathkumar **Authorized Signatory-Chemical**

Laboratory Address: 39/6, Thiruvallur High Road, Puduchatram Post, Thirumazhisai Via, Poonamallee Taluk, Chennai – 600124.

Laboratory Address: 39/6, Thritvallur High Road, Puduchatram Post, Thritumazhisai Via, Poonamalie Taliuk, Chennai – 000124.

Note: Test results relate only to the items tested. Test Report shall not be reproduced in full or part without the approval of SMS Labs. Non-Perishable remnant samples will be disposed 15 days from the date of receipt unless otherwise agreed with the customer except in case of regulatory samples, which will be relatined for a specific period as per regulatory requirements; while perishable and environmental remnant samples will be disposed consequently upon completion of testing. Samples are not drawn by laboratory unless or otherwise stated. A satisfactory test report in no way implies that a product so tested is approved by NABL. The Laboratory accepts no liability with regard to the origin or source from which the sample(s) is/ are said to be extracted.



SMS LABS SERVICES PRIVATE LIMITED

TEST REPORT



TC-6118

Page 1 of 1

ULR - TC611825000021929F

Report No: ENO250430011-02

Report Date: 05 May 2025

Customer Name

: M/s. 17 MLD Sewage Treatment Plant-Dubrayapet

Customer Address

: Near New Light House, Dubrayapet, Puducherry-605001.

Sample Name

: STP Outlet Water

Sample Quantity

: 2Ltr x 1No

Sample Description

Sampling Date

: 29 Apr 2025

: STP Outlet Water

Sample Received on

: 30 Apr 2025

Reference

: Test Request Form Dated 29.04.2025

Test Started on

: 30 Apr 2025

Sample Identification Sample Drawn By

: 2 : Laboratory

Test Completed on

Sample Location

: STP Area

: 05 May 2025

Sampling Procedure : SMSLA/EN/SOP/001, SMSLA/MB/SOP/06

TEST RESULTS

s.no	Parameter	Test Method	Unit	Results	As per NGT Limit
Biolog	gical				
1	Faecal Coliforms	APHA 24th Edition 9221 Cl E - 2023	MPN/100mL	40	Desirable - 100 Permissible - 230
Chem	ical				
2	BOD at 27°C for 3 days	IS 3025 (Part 44) - 2023	mg/L	4.5	10 Max
3	COD	IS 3025 (Part 58) - 2023	mg/L	21	50 Max
4	Total Nitrogen as N	SMSLA/WT/SOP/034 - 2024	mg/L	7.4	10 Max
5	Total Phosphorous as P	APHA 24th Edition 4500 P B, D - 2023	mg/L	0.64	1.0 Max
Physic	cal				
6	pH at 25°C	APHA 24th Edition 4500 H+ B - 2023		7.41	5.5 - 9.0
7	Total Suspended Solids (TSS)	APHA 24th Edition 2540 D - 2023	mg/L	3.0	20 Max

Note: MPN: Most Probable Number.

Remarks: The STP Outlet Water Sample Conforms to the NGT Discharge limit for the Parameters tested above.

/****** End of the Report ********/

S. Dunga bai **Authorized Signatory-Biological**

M.C. M. Sarathkumar **Authorized Signatory-Chemical**

	Chunnambar River Water Quality Data - 2025					
Sl. Parameters		April	Standard limit as per the Primary Water Quality Criteria for bathing water - Class of Water B (Water Used for Organised Outdoor Bathing) as per Environment (Protection) Rules, 1986			
1	Date of sampling	01.04.2025				
2	Time	01.00 P.M				
3	Temp°C	32.0				
4	рН	8.61	6.5-8.5			
5	DO (mg/l)	9.2	5 or more			
6	BOD (mg/l)	3.3	3 or less			
7	Total Coliform MPN/100 ml	70				
8	Faecal Coliform MPN/100ml	<1.8	500 (Desirable) and 2500 (Max. Permissible)			
9	Faecal Streptococci MPN/100ml	<1.8	100 (Desirable) and 500 (Max. Permissible)			

	Arasalar River Water Quality Data - 2025					
Sl. No.	Parameters April Wa		Standard limit as per the Primary Water Quality Criteria for bathing water - Class of Water B (Water Used for Organised Outdoor Bathing) as per Environment (Protection) Rules, 1986			
1	Date of sampling	01.04.2025				
2	Time	06.30 A.M				
3	Temp°C	30.0				
4	рН	7.19	6.5-8.5			
5	DO (mg/l)	5.2	5 or more			
6	BOD (mg/l)	BDL (DL:1.0)	3 or less			
7	Total Coliform MPN/100 ml	110				
8	Faecal Coliform MPN/100ml	<1.8	500 (Desirable) and 2500 (Max. Permissible)			
9	Faecal Streptococci MPN/100ml	<1.8	100 (Desirable) and 500 (Max. Permissible)			

BDL - Below Detectable Limit; DL - Detection Limit
MPN- Most Probable Number

ADOPTION OF GOOD IRRIGATION PRACTICE

- 1. It is proposed to cover more area under precision farming.
- 2. System of Rice Intensification (SRI) is popularized among the farming community as a water saving measure.
- 3. Sustainable Sugarcane Initiative (SSI) for reducing water consumption in sugarcane crops is also being popularized.
- 4. Attractive subsidy assistance is being extended to farmers for installation of Drip/Sprinkler irrigation devices.
- 5. Attractive subsidy assistance is being extended to farmers for laying underground pipelines for conveyance of irrigation water.

ANNEXURE-III

Reuse of Treated Water

Station	Purpose	Quantity
Lawspet STP	Industrial usage	0.8 MLD
	Fodder Grass raising	
	Coconut Plantation	6.0 MLD
	Silk cotton trees	
	Natural recharging through impounding reservoir	9 MLD
Dubrayapet STP	To Pondy Marina Hotel	0.3 MLD
	Total	16.1 MLD