No. 6836/NGT/SLMC/SCI/2024/ 387-GOVERNMENT OF PUDUCIHERRY

DEPARTMENT OF SCIENCE, TECHNOLOGY AND ENVIRONMENT PUDUCHERRY POLLUTION CONTROL COMMITTEE

3rd Floor, I-Housing Board Complex, Anna Nagar, Puducherry - 5. Telephone: (0413) 2201256; Telefax: (0413) 2203494

Puducherry, the 2 9 OCT 2024

To

Shri. Anup Kumar Srivastava
Executive Director (Tech)
National Mission for Clean Ganga
Ministry of Jai Shakti,
Ist Floor, Major Dhyan Chand National Stadium,
India Gate, New Delhi — 110 002.

Sir,

Sub: DSTE/PPCC-Submission of Monthly Progress Report on Restoration of Polluted River Stretches-Reg.

Ref: Letter received from MoJS, GOI vide No. Legal/OA No. 673/2018/NMCG/2019 date 08.10.2020.

With reference to the above mentioned subject, Progress Report for the month of September, 2024 is enclosed for kind perusal.

Yours sincerely,

(YASAM LAKSHMI NARAYANA REDDY)

DIRECTOR (DSTE)

Enc1: as stated above

Copy to:

- The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, C.B.D. Cum-Office Complex, East Arjun Nagar, Delhi – 110 032.
- 2. Standing Guard File.

Format for submission of Monthly Progress Report in the NGT Matter

OA No.673 of 2018 (in compliance to NGT order dated 24.09.2020)

For the State of Puducherry

I. Overall status of the State (2011)

Total UT of Puducherry Population : 1247953

Puducherry District Population : 950289

 Puducherry Urban Population
 : 657600 (950289x69.20%)

 Puducherry Rural Population
 : 292689 (950289x30.80%)

II. Estimated Sewage Generation (MLD): 71 MLD (URBAN)III. <u>Details of Sewage Treatment Plants:</u> Puducherry District

1.	Existing no. of STPs and Treatment Capacity (in MLD) Net Treatment capacity of STP's	3 Nos. of SBR - 51 MLD 2 Nos. of UASB - 5 MLD Total - 56 MLD
2.	Capacity Utilization of existing STPs: (16.37+16.80+17.32+ 5) = 55.49 MLD 55.49/56= 99.08 %	55.49 MLD (99.08 %)
3.	MLD of sewage being treated through Alternate technology: (71-56=15 MLD)	15 MLD (on site sanitation like septic tank and soak pit etc.)
4.	Gap in Treatment Capacity in MLD: (71-56 =15MLD)	The construction of 15 MLD STP in Puducherry was commenced on 27.07.2023. Roof slab laid for 3 blocks and foundation work completed for 14 units out of 16 units. Procurement of electromechanical work is in progress. SBR unit pile work completed for I st tank and further work is in progress.
5.	No. of Operational STPs:	5 Nos.
6.	No. of Complying STPs	Three STPs of 17 MLD capacity meets the standards of pH, Total Suspended Solids, BOD and COD as prescribed by the Central Pollution Control Board in Hon'ble NGT order in O.A. No. 1069/2018 dated 30.04.2019.

Details of existing STPs in the State

Sl. No.	Location	Existing STP Capacity	Capacity being Utilized	Operation al Status of STP	Compliance Status of STP
1	Puducherry	56 MLD	99.08 %	5	3

Details of under construction STPs in the State

Sl. No.	Location	Capacity of the plant in MLD	Physical Progress in%	Status of I & D or House sewer connections	Completion TimeLine
1	Puducherry	15	55	90 %	Mar, 2025
2	Karaikal	11	45	-	Mar, 2025

Details of proposed STPs in the State

Sl. No.	Location	Capacity of the STP proposed in MLD	Status of Project (at DPR Stage/under Tendering/Work to be Awarded)	Likely Date of Completion
1.	Puducherry	3 MLD Tender floated on 27.07.2024.		30.06.2025
2.	Mahe	Tender is finali STP in Mahe. W	30.06.2025	
3.	Yanam	Tender is floated STP in Yanam. since the site for area. The estima floated at the ear	30.06.2025	

IV. <u>Details of Industrial Pollution:</u>

1.	No. of industries in the State:	3595		
2.	No. of Effluent generating industries in the State:	115		
3.	Quantity of effluent generated from the industries in MLD:	4.75 MLD		
4.	Quantity of Hazardous Sludge generated from the Industries in TPA: 4828.8 kg/day			
5.	Number of industrial units having ETPs:	115		
6.	Number of industrial units connected to CETP:	Nil		
7.	Number and total capacity of ETPs (details of existing/ under construction/ proposed)	Existing–115 Capacity-4.75 MLD		
8.	Compliance status of the ETPs:	Monitored one industry. Meeting the standards.		
9.	Number and total capacity of CETPs (details of existing / under construction /proposed)	Nil		
10.	Status of compliance and operation of the CETPs Nil			

Town	No. of industries	Industrial discharge	Status of ETPs	Status of CETPs (existing, under construction & proposed)
Puducherry	3271	4746.2 KLD	Existing- 115 nos.	Nil

V. Solid Waste Management:

1.	Total number of Urban Local Bodies and their Population.	5 ULB's (7,28,761, Census 2011)					
2.	Current Municipal Solid	Total solid waste	e generation - 539 TPD				
	Waste Generation.	Sl. No.	ULB	Total waste generated (TPD)			
		1	Puducherry Region- Urban	300			
		2	Puducherry Region- Rural	135			
		3	Karaikal Region- Urban	45			
		4	Karaikal Region- Rural	25			
		5	Mahe Municipality (MM)	12			
		6	Yanam Municipality (YM)	22			
			Total	539			

3.	Number, Installed capacity	Integra	ted MSW	M is being t	aken up for a	all type	es of wast	e by the ULBs.		
	and utilization of existing MSW processing facilities in TPD (bifurcated by type of processing eg., -Waste	Sl. No.	ULB	Processing Compostin g	Bio methanation	MR F	MRF throug h formal sectors	MRF through informal sectors	Total	Percentage of processing
	to Energy (Tonnage and Power Output), Compost	1	Puduch rry Region	252	-	2	1 (120)	-	372	1000%
	Plants (Windrow, Vermi, decentralized pit composting), biomethanation, MRF etc.,	2	KM	39 (Bio compostin g, Vermi, MRF)	1	-	8	4	40	100%
		3	MM	8.0 (Inhouse pipe compostin g)	-	2	2	-	12.0	100%
		4	YM	<u> </u>		Y	et to start p	processing		
			Total	299.0	1	4	130	4	424	
4.	between Installed Capacity and Current	Capacity and Current generated in the ULBs from entire UT of Puducherry (urban local bodies and commune stillization of processing panchayats together)								
	sq.km surrounded by water bodies, marshy land and mangroves. Public objection hindered the works badly for setting up of processing facility. Door to Door collection solid waste and transportation has commenced since 08.12.2021. Processing commenced on 20.01.2024. 4. Mahe is practicing in-house pipe composting wet waste management the current concessionaire is taking care of Door to door, segregation and dry was MRF separately.						ollection of essing has ment and			
5	No. and capacity of C&D waste processing Plants in TPD (existing, proposed and under construction).			nd commune their scope o		in Pud	lucherry a	and Karaikal inc	cludes C&	zD waste

6	Total no. of wards, no. of wards having door to door collection service, no. of	ULB	Number of Wards	Door to Doc collection (DT				l Status on Source Segregation
	wards practicing segregation at source.		42 100%			43	3 % (15 wards by Recity)	
		OM	37	100%		5.4	4 % (20 wa	ards by OM)
		KM	18	100%		50	9%	
		YM	14	100%		10	%	
		MM	15	100%				s in commercial area basis in residential area
		(100% seg	regation is repo	rted in all 5 ULB's	Swathth	nam	SBM port	al)
7.	Details of MSW treatment facilities proposed and under	ULB		tment facilities oposed	Capaci			Status
	construction (no. capacity and technology). Pdy CP's – Puducherry Commune Panchayat Kkl CP's – Karaiakal Commune Panchayat	Pdy CP's Kkl CP's	Integrated Municipal Solid Waste Processing Project at Puducherry commune panchayat Integrated Municipal Solid		70 TPD M/s. HR for proc Construc compost establish & machi and the waste 22.01.20 15 TPD The Lett		M/s. HR for proce Constructicompost establishm & machin and the I waste h 22.01.202	platform and nent of other equipments eries has been completed Processing of wet solid as commenced since
				essing Project at mmune panchayat			was issu M/s. HR i 100% of has comi which ir methanati vermicom valued wa sent for	ed on 22.11.2022 to Square LLP, Hyderabad. solid waste processing menced on 15.10.2023
8.	No. and area (in acres) of uncontrolled	3Nos. of co	ntrolled Landfill	ls				
	Garbage dumpsites and Sanitary Landfills.	Puducherry Karaikal Yanam Total			:23.0 acre :8.32 acre :2 acre :33.32 acres			
9.	No. and area (in acres) of legacy waste within 1km buffer of both side of the rivers.	Nil						
10.	rivers and no. of drains having floating	All the drain	No. of drains: 172 All the drains that reaches the Sankaraparani and Arasalar rivers were identified and in-situ emediation of providing Grill gratings and Bar screen are completed in all the 172 drains.					

Status of ULB wise Management of Solid Waste

Region	Solid waste generated (TPD)	Processed /Recovered (TPD)	Gap (TPD)	Time line
Pondicherry (Urban)	300	300	-	Commenced on ongoing
Pondicherry (Rural)	135	135	-	Commenced on ongoing
Karaikal	70	70	-	Commenced on ongoing
Mahe	12	12	-	Commenced on ongoing
Yanam	22	Yet to start	-	
Total	539	517	-	

Status of Legacy Waste Management:

Sl.	Region	Accumulated Quantity in	Bio mined in	Balance	Timeline for
No.	Kegion	MT	MT	in MT	completion
		(Phase – I) 5.53 lakh tons	5.53 lakh tons	Nil	Completed on 30 th April, 2023
1	Puducherry	(Phase – II) 3,48,989 MT commenced on 13.10.2023	322128	Nil	Completed on 15.08.2024
2	Karaikal	85350 commenced on 01.06.2023	85350	Nil	Completed on 31 st May 2024
3	Yanam	21600	15588	6012	

Mahe Municipality:

• No legacy waste in Mahe Municipality is reported.

VI. Bio-medical Waste Management:

1	Total Bio-medical generation:	4828.8 kg/day	
2	No. of Hospitals and Health Care Facilities:	450	
		One Common Bio-Medical	
2	Status of Treatment Facility/CBMWTF:	Waste Treatment Facility	
3	Status of Treatment Pacinty/CBIVIVV II.	functional.	

VII. Hazardous Waste Management:

1	Total Hazardous Waste generation:	29740 TPA
2	No.of Industries generating Hazardous waste	134 industries obtained authorization.
3	Treatment Capacity of all TSDFs	-
4	Avg. Quantity of Hazardous waste reaching the TSDF and Treated.	TSDF: Land fillable Waste disposed – 0 MT to M/s. Kalyana Karnataka Waste Management Project Private Limited (M/s. Mother Earth Environ Tech private limited), Karnataka. (Since NOC is awaited from KSPCB for disposal).
5	Detail so for-going or proposed TSDF	The TSDF located in neighboring states is being shared.

VIII. Plastic Waste Management:

1	Total Plactic Wasta generation:	62276 TPA
2	Total Plastic Waste generation: Treatment/Measures adopted for reduction or management of plastic waste:	Government of Puducherry has imposed total ban on single use plastics with effect from 02/08/2019. As per the Government of India Notification Addendum has been notified by the Government of Puducherry for imposing additional SUP items like
		(i) Ear buds with plastic sticks, plastic sticks for balloons, candy sticks and ice cream sticks; (ii) Polystyrene [Thermocol] for decoration; (iii) Plates, cups, glasses, cutlery such as forks, spoons, knives, trays, stirrers, wrapping or packing films around sweet boxes, invitation cards and cigarette packets (iv) Plastics or PVC banners less than 100 micron; (v) Non-woven plastic carry bags less than 60 Gram per Square Meter (GSM).
		Standard Operating Procedure (SOP) for making SUP free Government office has been prepared and circulated to all the Government Departments and Industries.
		Surprise inspections are being carried out. As per the direction of MoEF & CC, GOI, "Action

Plan on Elimination of Single Use Plastic (SUP)" in the Union Territory of Puducherry has been prepared with the approval of Special Task Force (STF).

As per the order of Hon'ble NGT, Bahour Commune Panchayat (BCP) has been declared as Single Use Plastic Free Commune.

Public notice has been issued on 22.02.2022 in Local dailies for elimination of Single Use Plastics in English and vernacular language.

A circular dated 24.02.2022 has been issued to all colleges to declare their campus as SUP free campus as per the direction of CPCB, Delhi.

A consultation meeting on "Elimination of single use plastics' with Local Authorities like District Magistrate, Director, LAD, Supdt. of Police and Commissioners of all Local Bodies was convened on 11.04.2022.

Conducted a Technical session on laying of road using waste plastics on 18.04.2022.

A pilot scale road was laid on 19.04.2022 for about 200mts at Edayarpalayam, Ariyankuppam Commune Panchayat in co-ordination with Prof. Dr. Vasudevaiah, Thiagarajar College of Engineering, Madurai.

Road making using waste plastics at Korkumedu, Ariyankuppam Commune Panchayat.

Hon'ble Chief Minister Inaugurated the LED van on 05.06.2022 for creating awareness on PWM.

20 drives were conducted and 7.65 kgs of SUP items have been seized by Local bodies. Rs.5400/-was levied as fine.

Implementation of Single Use Plastic (SUP) as per the notification of MoEF &CC, GOI is being

		strictly implemented by Local bodies and
		monitored by PPCC.
		Interaction meeting with the Local bodies of
		Puducherry, Karaikal, Mahe and Yanam and
		demo of SUP Portal and Apps of CPCB was held
		on 13.07.2022.
		Interaction meeting with the Local bodies of
		Puducherry, Karaikal, Mahe and Yanam and
		demo of SUP Portal and APPS of CPCB was
		held on 13.07.2022.
		Interaction meeting with the Local bodies of
		Karaikal for demo of SUP Portal and Apps of
		CPCB was held on 10.08.2022 under the
		Chairmanship of the Collector, Karaikal.
		For Setting up Material Recovery Facility (MRF)
		for 20 TPD Recyclable Plastic waste from
		Pondicherry and Oulgaret Municipality, MoU is
		under process.
		5th meeting of Special Task Force (STF) on
		elimination of Single use Plastic in the U.T of
		Puducherry under the Chairmanship of the Chief
		Secretary was held on 10.11.2023. Minutes of
		the meeting communicated to the concerned line
		Department.
IX	Details of Alternate Treatment	
	Technology being adopted by the	Nil
X	State/UT Identification of polluting sources	
Λ		All the drains that reaches the Sankaraparani and
	including drains contributing to river	Arasalar rivers were identified and in-situ
	pollution and action as per NGT order	remediation of providing grill grating, sandbar
	on in-situ treatment:	screen are completed in all the 172 drains.
XI	Details of Nodal Officer	
	appointed by Chief Secretary in	The Development Commissioner-cum- Senior Nodal Officer, Government of Puducherry
	the State/UT:	1.00ml Officer, Covernment of Luduction y
XII	Details of meetings carried under the Chairmanship of Chief Secretary in	The Chief secretary appeared before the Hon'ble NGT (through hybrid mode) on 25.09.2024 and
	community of chief becreatly in	(mosg. njona mose) on 2010/1202 i alia

	the State/UT:	explained the present status of Solid and Liquid waste management in the matter of O.A.No.606 of 2018.
XIII	Latest water quality of polluted river, distributaries, drains with flow details and ground water quality in the catchment of polluted river	Common STP Water Quality Data, Chunnambar and Arasalar River water quality data are given in Annexure–I.
XIV	Ground water regulation:	Pondicherry Ground Water Authority had closed 6 Nos. of tube wells in Puducherry region and 2 Nos. of tube wells in Karaikal Region during the past 5years due to illegal extraction of ground water.
XV	Good irrigation practices being adopted by the State:	Annexure- II
XVI	Rain Water Harvesting:	The planning authorities while issuing occupancy certificate ascertain that the conditions stipulated in the building permits regarding rain water harvesting measures have been complied with.
		The Puducherry Ground Water Authority does not issues fresh permits/renews permits to any industries/ institutions unless Rain Water Harvesting System is installed in their respective buildings.
		886 Rain Water Harvesting structure are constructed in the U.T of Puducherry by Department of Agriculture, Ground Water Authority and PWD.
XVII	Demarcation of Flood plain and removal of Illegal encroachments:	Demarcation of flood plain and removal of illegal encroachments in Karaikal region is to be prepared under FMBAP. The expert team from Central Water Commission, New Delhi has inspected the sites on 02.02.2023 for conducting field survey for sustainable water management in Karaikal Region. After getting necessary expert advice/recommendation from the expert team CWC, New Delhi necessary DPR will be prepared.

3737777	3.6.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.	
XVIII	Maintaining minimum e–flow of river:	Illegal sand miming affect e-flow in the rivers. Hence, orders u/s 144 of CrPc were issued on 1 st April, 2019 prohibiting lorries, vans, two wheelers, bullock carts and any similar sand carrying vehicles. Check dams were constructed to regulate the flow.
XIX	Plantation activities along the rivers:	For the development of green belt along Chunnambar, Forest Department has planted 4000 trees.
XX	Development of bio-diversity park:	The mangrove area in Karaikal to an extent of 11-09-30 Hectares belongs to the Government and the rest of the area to an extent of 10-39-00 Hectares belongs to private owners. Deputy Collector (Revenue), Karaikal informed that as the matter is presently under court case, notification of Mangrove Forest area as Bio-diversity park will not be feasible till the outcome of the judgement.
XXI	Reuse of Treated Water:	Annexure-III
XXII	Model River being adopted by the State& Action Proposed for achieving the bathing quality standards:	Chunnambar River - Sankarabarani
XXIII	Status of Preparation of Action Plan by the 13 Coastal States:	Consultation meeting with NCCR, Chennai was held on 19.08.2024 P.M. in the chamber of the Chairman, PPCC w.r.t Preparation of revised Coastal Pollution Action Plan (CPAP) for UT of Puducherry. Preparation of Action plan is under process.
XXIV	Regulation of Mining Activities in the State/UT:	Illegal sand miming affect e-flow in the rivers. Hence, orders u/s 144 of CrPc were issued on 1 st April, 2019 prohibiting lorries, vans, two wheelers, bullock carts and any similar sand carrying vehicles. Check dams were constructed to regulate the flow.
XXV	Action against identified polluters, law violators and officers responsible for failure for vigorous monitoring.	-

GOVERNMENT OF PUDUCHERRY WATER TESTING LABORATORY P.H.D., P.W.D., PUDUCHERRY

Report No.: TR/WTL/PHD/PWD/PDY/2024/W-1888

ULR-TC758024000001066F

Date: 23.09.2024

TEST REPORT

Customer Name & Address : The Assistant Engineer, Drainge Sub Division, PWD, Puducherry.

Page 1 of 1

Customer Reference

: Letter No.Nil, dt.16.09.2024

SAMPLE DETAILS 2024/W-1888

Information provided by the Customer Sampled by : Customer

Pollution & Product Category Environment Sample Name : Waste Water (Outlet)

Sampling Procedure

Temperature at the time of

Sample Description

: Waste Water (Outlet)

Receipt Sample Condition

Sample Code

: Fit for analysis

: Kanaganeri STP Outlet

Sample Received on

: 16.09.2024

: 16.09.2024

Test Started on : 16.09.2024 Test Completed on : 23.09.2024

Date of Sampling Identification by Customer

: Sample 2

Sampling Location

	TEST RESULTS				
SI.No.	Test Parameter	Test Method	Units	Results	NGT Standards for treated Sewage for discharge into surface water
1	pH @ 25°C	APHA, 23rd Edition,2017,4500-H+B	-	7.27	5.5 to 9
2	Total Suspended Solids @ 103 - 105°C	APHA, 23rd Edition, 2017, 2540 D	mg/L	<10	Less than 10
3	Chemical Oxygen Demand	APHA, 23rd Edition, 2017, 5220 B	mg/L	11.7	Not more than 50
4	Biochemical Oxygen Demand (3 days at 27°C)	IS 3025 Part44; (1994); RA2014	mg/L	7.20	Less than 10

.....End of Report.....

Authorized Signatory L. Anita Ben BIOCHEMIST WATER TESTING LAB PUBLIC HEALTH DIVISION P.W.D. PUDUCHERRY.

Copy submitted to:

The Executive Engineer, PHD., PWD., Puducherry.

- Terms and Conditions:

 1. The test result relevant only to the item tested.

 2. The test result relevant only to the item tested.

 3. The test report shall not be reproduced in full or part without written approval of WTL-PHDPWD.

 3. The laboratory is not responsible for the authenticity of photocopied test report.

 4. The test item will not be retained for more than 15 days from the date of issue of test report except in case as required by applicable regulations.

 5. The laboratory is not responsible for any legal dispute that may arise in future if the sample was not drawn by the laboratory personnel.

GOVERNMENT OF PUDUCHERRY WATER TESTING LABORATORY P.H.D., P.W.D., PUDUCHERRY

Report No.: TR/WTL/PHD/PWD/PDY/2024/W-1892

ULR-TC758024000001070F

Date: 23.09.2024

TEST REPORT

Customer Name & Address : The Assistant Engineer,

Drainge Sub Division, PWD, Puducherry.

Page 1 of 1

Customer Reference

Sample Code

Product Category

: Letter No.Nil, dt.16.09.2024

SAMPLE DETAILS

Information provided by the Customer : 2024/W-1892 Pollution &

: Customer Sampled by Environment

Sample Name : Waste Water (Outlet) Sampling Procedure : Waste Water (Outlet)

Temperature at the time of Sample Description Receipt

Sample Condition : Fit for analysis Sampling Location : Lawspet STP Outlet

Sample Received on : 16.09.2024 : 16.09.2024 : 16.09.2024 Date of Sampling Test Started on

: 23.09.2024 Identification by Customer : Sample 6 Test Completed on

	TEST RESULTS					
SI.No.	Test Parameter	Test Method	Units	Results	NGT Standards for treated Sewage for discharge into surface water	
1	pH @ 25°C/	APHA, 23rd Edition,2017,4500-H+B		7.41	5.5 to 9	
2	Total Suspended Solids @ 103 - 105°C	APHA, 23rd Edition, 2017, 2540 D	mg/L	<10	Less than 10	
3	Chemical Oxygen Demand	APHA, 23rd Edition, 2017, 5220 B	mg/L	13.6	Not more than 50	
4	Biochemical Oxygen Demand	IS 3025 Part44; (1994); RA2014	mg/L	3.6	Less than 10	

.....End of Report.....

Z. to to des

L. Anita Ben BIOCHEMIST WATER TESTING LAB PUBLIC HEALTH DIVISION P.W.D. PUDUCHERRY.

Copy submitted to: The Executive Engineer, PHD., PWD., Puducherry.

Terms and Conditions:

1. The test result relevant only to the item tested.

2. The tested report shall not be reproduced in full or part without written approval of WTL-PHDPWD.

3. The laboratory is not responsible for the authenticity of photocopied test report.

4. The test item will not be retained for more than 15 days from the date of issue of test report except in case as required by applicable regulations.

5. The laboratory is not responsible for any legal dispute that may arise in future if the sample was not drawn by the laboratory personnel.

GOVERNMENT OF PUDUCHERRY WATER TESTING LABORATORY P.H.D., P.W.D., PUDUCHERRY

Report No.: TR/WTL/PHD/PWD/PDY/2024/W-1890

ULR-TC758024000001068F

Date: 23.09.2024

TEST REPORT

Customer Name & Address : The Assistant Engineer,

Drainge Sub Division, PWD, Puducherry.

: Letter No.Nil, dt.16.09.2024 **Customer Reference**

Page 1 of 1

SAMPLE DETAILS

Information provided by the Customer 2024/W-1890 Sample Code Pollution & : Customer Sampled by Product Category Environment

Sample Name Temperature at the time of

Sample Description

: Waste Water (Outlet)

Receipt

: Fit for analysis

Sampling Location

Sampling Procedure

: Dubrayapet STP Outlet

Sample Condition Sample Received on

: 16.09.2024 : 16.09.2024

: Waste Water (Outlet)

Date of Sampling

: 16.09.2024

Test Started on Test Completed on : 23.09.2024

Identification by Customer

: Sample 4

1631 0	ompleted on : 23.09.2024	TEST RESULTS			
SI.No.	Test Parameter	Test Method	Units		NGT Standards for treated Sewage for discharge into surface water
1	pH @ 25°C	APHA, 23rd Edition,2017,4500-H+B	-	7.38	5.5 to 9
2	Total Suspended Solids @ 103 - 105°C	APHA, 23rd Edition, 2017, 2540 D	mg/L	<10	Less than 10
	Chemical Oxygen Demand	APHA, 23rd Edition, 2017, 5220 B	mg/L	13.6	Not more than 50
3	Biochemical Oxygen Demand (3 days at 27°C)	IS 3025 Part44; (1994); RA2014	mg/L	3.6	Less than 10

.....End of Report.....

L. Authorized Signatory

L. Anita Ben BIOCHEMIST WATER TESTING LAB

PUBLIC HEALTH DIVISION P.W.D. PUDUCHERRY.

Copy submitted to:

The Executive Engineer, PHD., PWD., Puducherry.

Terms and Conditions:

1. The test result relevant only to the item tested.

2. The tested report shall not be reproduced in full or part without written approval of WTL-PHDPWD.

3. The laboratory is not responsible for the authenticity of photocopied test report.

4. The test item will not be retained for more than 15 days from the date of issue of test report except in case as required by applicable regulations.

5. The laboratory is not responsible for any legal dispute that may arise in future if the sample was not drawn by the laboratory personnel.

	Chunnambar River Water Quality Data - 2024						
S.No Parameters September		September	Standard limit as per the Primary Water Quality Criteria for bathing water - Class of Water B (Water Used for Organised Outdoor Bathing) as per Environment (Protection) Rules, 1986				
1	Date of sampling	02.09.2024					
2	Time	04.30 P.M					
3	Temp°C	30.0					
4	рН	8.32	6.5-8.5				
5	DO (mg/l)	10.0	5 or more				
6	BOD (mg/l)	3.5	3 or less				
7	Total Coliform MPN/100 ml	1600					
8	Faecal Coliform MPN/100ml	1600	500 (Desirable) and 2500 (Max. Permissible)				
9	Faecal Streptococci MPN/100ml	94	100 (Desirable) and 500 (Max. Permissible)				

	Arasalar River Water Quality Data - 2024						
S.No Parameters Septem		September	Standard limit as per the Primary Water Quality Criteria for bathing water - Class of Water B (Water Used for Organised Outdoor Bathing) as per Environment (Protection) Rules, 1986				
1	Date of sampling	03.09.2024					
2	Time	06.50 A.M					
3	Temp°C	28.0					
4	pН	6.89	6.5-8.5				
5	DO (mg/l)	3.2	5 or more				
6	BOD (mg/l)	1.3	3 or less				
7	Total Coliform MPN/100 ml	900					
8	Faecal Coliform MPN/100ml	900	500 (Desirable) and 2500 (Max. Permissible)				
9	Faecal Streptococci MPN/100ml	84	100 (Desirable) and 500 (Max. Permissible)				

BDL - Below Detectable Limit; DL - Detection Limit MPN- Most Probable Number

ADOPTION OF GOOD IRRIGATION PRACTICE

- 1. It is proposed to cover more area under precision farming.
- 2. System of Rice Intensification (SRI) is popularized among the farming community as a water saving measure.
- 3. Sustainable Sugarcane Initiative (SSI) for reducing water consumption in sugarcane crops is also being popularized.
- 4. Attractive subsidy assistance is being extended to farmers for installation of Drip/Sprinkler irrigation devices.
- 5. Attractive subsidy assistance is being extended to farmers for laying underground pipelines for conveyance of irrigation water.

ANNEXURE-III

Reuse of Treated Water

Station	Purpose	Quantity	
Lawspet STP	Industrial usage	0.8 MLD	
	Fodder Grass raising		
	Coconut Plantation	6.0 MLD	
	Silk cotton trees		
	Natural recharging through impounding reservoir	9 MLD	
Dubrayapet STP	To Pondy Marina Hotel	0.3 MLD	
	Total	16.1 MLD	