No. 6836/NGT/SLMC/SCI/2023/ 7 52_ GOVERNMENT OF PUDUCIHERRY . DEPARTMENT OF SCIENCE, TECHNOLOGY AND ENVIRON

DEPARTMENT OF SCIENCE, TECHNOLOGY AND ENVIRONMENT PUDUCHERRY POLLUTION CONTROL COMMITTEE

3rd Floor, I-Housing Board Complex, Anna Nagar, Puducherry - 5. Telephone: (0413) 2201256; Telefax: (0413) 2203494

To /

Puducherry, the 17 JUL 2023

Shri.D.P.Mathuria
Executive Director (Tech)
National Mission for Clean Ganga
Ministry of Jai Shakti,
P' Floor, Major Dhyan Chand National Stadium,
India Gate, New Delhi — 110 002.

Sir,

Sub: DSTE/PPCC-Submission of Progress Report on Restoration of Polluted River Stretches-Reg.

Ref: Your Letter No. Legal/OA No. 673/2018/NMCG/2019 date 08.10.2020.

With reference to the above mentioned subject, Progress Report for the month of June, 2023 is enclosed for kind perusal.

Yours sincerely,

(Dr.N.RAMESH) Member Secretary PPCC

Enc1: as stated above

Copy to:

- The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, C.B.D. Cum-Office Complex, East Arjun Nagar, Delhi — 110 032.
- 2. Standing Guard File

Format for submission of Monthly Progress Report in the NGT Matter OA No.673 of 2018 (in compliance to NGT order dated 24.09.2020)

For the State of Puducherry

I. Overall status of the State (2011)

Total Puducherry Population : 1247953

Puducherry District Population : 950289

 Puducherry Urban Population
 : 657600 (950289x69.20%)

 Puducherry Rural Population
 : 292689 (950289x30.80%)

II. Estimated Sewage Generation (MLD): 71 MLD (URBAN)

III. Details of Sewage Treatment Plant:

1.	Existing no. of STPs and Treatment Capacity (in MLD): at Puducherry	3 Nos. of SBR - 51 MLD 2 Nos. of UASB - 5 MLD (under maintenance) Total - 56 MLD
	Net Treatment capacity of STP's $56 - 5 = 51$ MLD	51 MLD
2.	Capacity Utilization of existing STPs:	
	15.71+15.80+13.60= 45.11 MLD	45.11 MLD (88.45%)
	45.11/51= 88.45%	
3.	MLD of sewage being treated through Alternate technology: (71-56=15MLD)	15 MLD (on site sanitation like septic tank and soak pit etc.,)
4.	Gap in Treatment Capacity in MLD:	15 MLD
	(71-56 =15MLD)	Work order has been issued on 22.06.2023 to M/s. ECO Protection Engineers Pvt. Ltd., Chennai for an amount of Rs. 43,08,68,289/
5.	No. of Operational STPs:	3 Nos.
6.	No. of Complying STPs with respect to pH, TSS, COD & BOD	3

Details of each existing STP in the State

Sl. No.	Location	Existing STP Capacity	Capacity being Utilized	Operational Status of STP	Compliance Status of STP
1	Puducherry	56 MLD (5 MLD UASB is under maintenance)	88.45 %	3	3
2	Karaikal	-	-	-	-
3	Mahe	-	-	-	-
4	Yanam	-	-	-	-

Details of under construction STPs in the State

Sl. No.	Location	Capacity of the plant in KLD		Status of I & D or House sewer connections	Completion TimeLine
Nil					

Details of proposed STPs in the State

Sl. No.	Location	Capacity of the STP proposed in MLD	Status of Project (at DPR Stage/under Tendering/Work to be Awarded)	Likely Date of Completion
1.	Puducherry	3 MLD	Financial Bid was opened on 15.05.2023 and the same is under process.	
2.	Karaikal	11 MLD	The lowest bid is offered on EPC mode by M/s. Jayantisuper Construction Pvt. Ltd., Gujarat for an amount of Rs. 43,08,68,289/ Award of work is under process.	
3.	Mahe	Tender for setting up treatment system has response. Proposed to	tender.	
4.	Yanam		of 6 MLD STP has been floated on onse. Re-tendered on 14.06.2023.	

Idol immersion

- Idol immersion in U.T. of Puducherry is not carried out in fresh water bodies.
- Training program to the Local Administration Department and to the Commissioners, Commune Panchayat, Puducherry and Karaikal for ensuring effective implementation of revised guidelines for idol immersion was conducted by PPCC on 25.08.2021 (copy enclosed).
- Revised CPCB guidelines were also communicated on 13 .08.2021 and 11.08.2022 to the
 Collector, Puducherry and Karaikal Regions, the Sr. Superintendent of Police (L&O), the
 Superintendent of Police, Karaikal and to the Secretary, Sri Vinayaga Chaturthi Vizha
 Peravai, Puducherry and to the Local Administration Department, Puducherry to issue
 necessary instruction to the concerned to follow the guidelines.
- PPCC officials inspected Vinayaga idols manufacturing units on 19.08.2022 and found the idols were manufactured with waste paper, tapioca powder and water soluble colours.
 Revised CPCB guidelines were also issued to the manufacturer of idols by PPCC.
- Public Notice regarding environmental friendly idol immersion was published in leading newspapers on 13.08.2022.
- A meeting was conducted by the Collector on 07.09.2022 for the strict implementation of guidelines till the end of festival.

IV. <u>Details of Industrial Pollution:</u>

1.	No. of industries in the State:	3595
2.	No. of Effluent generating industries in the State:	97
3.	Quantity of effluent generated from the industries in MLD:	4.75 MLD
4.	Quantity of Hazardous Sludge generated from the Industries in TPD:	10 TPD
5.	Number of industrial units having ETPs:	97
6.	Number of industrial units connected to CETP:	Nil
7.	Number and total capacity of ETPs (details of existing/ under construction/ proposed)	Existing–97 Capacity-4.75MLD
8.	Compliance status of the ETPs:	96
9.	Number and total capacity of CETPs (details of existing / under construction /proposed)	Nil
10.	Status of compliance and operation of the CETPs	Nil

Town	No.of industries	Industrial discharge	Status of ETPs	Status of CETPs(existing, under construction & proposed)
Puducherry	3271	4746.2KLD	Existing-97	Nil

V. Solid Waste Management:

1.	Total number of Urban Local Bodies and their Population.	Annexure I
2.	Current Municipal Solid Waste Generation.	382.5 TPD
3.	Number, Installed capacity and utilization of existing MSW processing facilities in TPD (bifurcated by type of processing eg., -Waste to Energy (Tonnage and Power Output), Compost Plants (Windrow, Vermi, decentralized pit composting),biomethanation, MRF etc	 4 TPD Material Recovery Facility is operational in Dubraypet, Pondicherry Municipality 1 TPD Bio-methanation plant is operational in Oulgaret Municipality - 5 KWH 1 TPD Bio-methanation plant is operational in Karaikal Municipality - 2 KWH Composting technologies like Windrows method, Black Soldier Fly (BSF) and other aerobic technologies have been
		adopted by the new concessionaire in Karaikal and Yanam Municipality, and the communes of Puducherry and Karaikal.
4.	Installed Capacity and Current Utilization of processing facilities (if Gap> 20%).	Integrated Municipal Solid Waste Management projects including the scope of collection, transportation, processing and disposal are being implemented to handle all the types of waste generated in the ULBs – 610 MTs of waste from entire UT of Puducherry (urban local bodies and commune panchayats together) 1. Selection of concessionaire for IMSWM in Pondicherry and Oulgaret Municipalities is currently in process will address 100% processing. 2. 100% Processing happening in Karaikal Municipality 3. Concessionaire appointed for processing in Yanam Municipality. Identification of alternative land to set up Processing Facility is under progress in Yanam Municipality, 4. Mahe is practising in-situ wet waste management and the current concessionaire is taking care of dry waste separately.
5	No. and capacity of C&D waste processing Plants in TPD (existing, proposed and under construction).	Tender has been floated for setting up Integrated Municipal Solid Waste Management – the scope is inclusive of Collection, Transportation, Processing and Disposal of C&D waste for

		Pondicherry and Oulgaret Municipalities.				
		The w	ork order	has	been issu	ed for Karaikal and Yanam
		munici	nalities. P	าเสน	cherry and	d Karaikal communes also
			d under Ca		•	
6.	Total no. of wards, no. of wards	ULB	Number		or to	Source
0.	,		of	Do		Segregation
	having door to door collection		Wards		lection	
	service, no. of wards practicing			(D1	TDC)	
	segregation at source.	PM	42	100	0%	Nil
		ОМ	37	100)%	Nil
		KM	18	100)%	100%
		YM	14	100)%	Nil
		MM	15	100)%	100%
7.	Details of MSW treatment facilities		MSW			
,.	proposed and under construction	ULB	treatmer facilities		Capacity	Status
	(no. capacity and technology).		propose			
	PM – Puducherry Municipality	PM	Integrated		350	Tender has been floated.
	OM – Oulgaret Municipality	OM	SWM		TPD	Technical bid is proposed
						to open on 16.05.2023
		IZM	T		40 TDD	_
	KM – Karaiakal Municipality	KM	Integrated		40 TPD	Work order issued on
			SWM (Bio			22.11.2022 and the work
			methanatio	on,		has been commenced.
			BSF and			
			Windrows			
		XD.6	compostin		20 500	
	YM – Yanam Municipality	YM	Integrated		20 TPD	Work order was issued on 10.11.2021 and work has
			SWM (Bio			been commenced for
			methanatio	on,		Collection, segregation and
			BSF and			Transportation. Due to
			Windrows			certain administrative
			compostin	g)		reason the land is yet to be
						handed over to
						Concessionaire to set up
	MM – Mahe Municipality					the processing plant
	Pdy CP's – Puducherry Commune	MM	_			being practiced. There is no
	Panchayat	Pdy	requirement Integrated		of processing 150	ng plant. Work order was issued on
		CP's	Municipal		TPD	Work order was issued oil
		C1 5	Traincipal		1110	

			Solid Waste			22.11.2	022 and work has
			Processing			been co	mmenced.
			Project at				
			Puducherry				
			commune				
	Kkl CP's – Karaiakal Commune		panchayat				
	Panchayat	Kkl	Integrated	80	TPD	Work o	rder issued on
		CP's	Municipal			22.11.2	022 and work has
			Solid Waste			been co	mmenced
			Processing				
			Project at				
			Puducherry				
			commune				
			panchayat				
8.	No. and area (in acres) of uncontrolled	3Nos. o	of controlled La	andfi	lls		
	Garbage dumpsites and Sanitary	Puduch	nerry		:23.0) acre	
	Landfills.	Karaik	al		:8.32	2 acre	
		Yanam			:0.618 acre		
	No. and area (in acres) of legacy	Total	31.938	Acre	es		
9.	waste within 1km buffer of both side of the rivers.		Nil				
10	No. of drains falling into rivers and no. of drains having floating	No. of drains: 172					
	racks/screens installed to prevent solid waste from falling into the rivers.	rivers	were identified	lanc	l in-si	itu reme	parani and Arasalar diation of providing pleted in all the172

Status of ULB wise Management of Solid Waste

ULB	Total MSW generation in TPD	Total MSW being processed in TPD	Existing MSW facilities	Utilization Capacity of the existing MSW facilities	Proposed MSW Facilities & Completion Time line
5	382.5	58.02 TPD	3	15.1 %	6 months

Note on Status of Legacy Waste Management:

Out of 6.5 lakhs tons of legacy waste accumulated in the U.T. of Puducherry (Puducherry, Oulgaret, Karaikal and Yanam municipalities):

- 5.533 lakhs tons of legacy waste at Kurumbapet (for Pondicherry and Oulgaret Municipalities) was taken up for bio-mining and bio-remediation by M/S Zigma Global Environ Solution Pvt Ltd. The work has been completed.
- 77,850 MT of legacy waste is accumulated in Paravaipet, Karaikal Municipality.
- M/s. Srinivas Waste Management Services (P) Ltd. has started Bio-remediation and Bio-Mining works at Resource Recovery Park (RRP), Paravaipet, Karaikal on 02.06.2023 and processed as on 06.07.2023 4700 M.T. of legacy wastes and transported 1400 M.T. of materials from processing site.
- The work of the firm is being monitored on daily basis by the District Collector, Karaikal. He noticed that processing of 500 MT per day by the firm is not sufficient to meet the timeline given to the Hon'ble NGT. Hence, meeting of the MD of M/s. Srinivas Waste Management Services (P) Ltd. Chennai was convened on 16.06.2023 by the District Collector and the firm agreed to increase the processing capacity to 1200 MT per day. Additional lands for installations of two more lines was given to the firm on the eastern side outside compound wall of RRP, Paravaipet, which belongs to Parvatheeswarar Temple.
- The firm has installed another 200 MT of Processing unit on 04.07.2023, work for installation of another 500 MT machineries is in process and it is expected that it will also be commissioned within 10 days.
- Due to intermittent rains with effect from 18.06.2023 on every 4-5 days, the machineries could not be run to its maximum capacity.
- The tender file has been submitted for approval of the competent authority to clear 25306
 MT of legacy waste accumulated in Yanam.
- No legacy waste in Mahe Municipality.

- Inventorisation / Listing of Bulk Waste Generators in the ULB was done by the Pondicherry Municipality, Oulgaret Municipality and Karaikal
- Empanelment of authorised service providers was done by Oulgaret Municipality.
- Consultation meetings with BWGs was done by Oulgaret Municipality.

VI. Bio-medical Waste Management:

1	Total Bio-medical generation:	4638kg/day
2	No. of Hospitals and Health Care Facilities:	387
3	Status of Treatment Facility/CBMWTF:	One Common Bio-Medical Waste Treatment Facility functional.

VII. Hazardous Waste Management:

1	Total Hazardous Waste generation:	31101 TPA
2	No.of Industries generating Hazardous waste	139 industries obtained
		authorization.
3	Treatment Capacity of all TSDFs	-
4	Avg. Quantity of Hazardous waste reaching the TSDF and Treated.	TSDF: Land fillable Waste reached- M/s. Mother Earth Enviro Tech, Bangalore –Nil
5	Detail so for-going or proposed TSDF	The TSDF located in neighboring states is being shared.

VIII. Plastic Waste Management:

1	Total Plastic Waste generation:	25185 TPA
2	Treatment/Measures adopted for reduction or management of plastic waste:	GovernmentofPuducherryhasimposedtotalb anonsingleuseplasticswitheffectfrom02/08/2019.
		As per the Government of India Notification Addendum has been notified by the Government of Puducherry for imposing additional SUP items like
		(i) Ear buds with plastic sticks, plastic sticks for balloons, candy sticks and ice cream sticks;(ii) Polystyrene [Thermocol] for decoration;
		(iii) Plates, cups, glasses, cutlery such as forks, spoons, knives, trays, stirrers, wrapping or packing films around sweet boxes, invitation cards and cigarette packets (iv) Plastics or PVC banners less than 100
		micron; (v) Non-woven plastic carry bags less than 60 Gram per Square Meter (GSM).
		Standard Operating Procedure (SOP) for making SUP free Government office has been prepared and circulated to all the Government Departments and Industries.
		Surprise inspections are being carried out.
		As per the direction of MoEF & CC, GOI, "Action Plan on Elimination of Single Use
		Plastic (SUP)" in the Union Territory of Puducherry has been prepared with the approval of Special Task Force (STF).
		As per the order of Hon'ble NGT, Bahour Commune Panchayat (BCP) has been declared as Single Use Plastic Free
		Commune.

Public notice has been issued on 22.02.2022 in Local dailies for elimination of Single Use Plastics in English and vernacular language.

A circular dated 24.02.2022 has been issued to all colleges to declare their campus as SUP free campus as per the direction of CPCB, Delhi.

A consultation meeting on "Elimination of single use plastics' with Local Authorities like District Magistrate, Director, LAD, Supdt. of Police and Commissioners of all Local Bodies was convened on 11.04.2022. Conducted a Technical session on laying of road using waste plastics on 18.04.2022.

A pilot scale road was laid on 19.04.2022 for about 200mts at Edayarpalayam, Ariyankuppam Commune Panchayat in coordination with Prof. Dr.Vasudevaiah, Thiagarajar College of Engineering, Madurai.

Road making using waste plastics at Korkumedu, Ariyankuppam Commune Panchayat.

Hon'ble Chief Minister Inaugurated the LED van on 05.06.2022 for creating awareness on PWM.

21 drives were made and 27.1 kg of SUP items have been seized by Local bodies. Rs.8850/- was levied as fine.

Implementation of Single Use Plastic (SUP) as per the notification of MoEF&CC, GOI is being strictly implemented by Local bodies and monitored by PPCC.

	Interaction meeting with the Local bodies		
	of Puducherry, Karaikal, Mahe and		
	Yanam and demo of SUP Portal and Apps		
	of CPCB was held on 13.07.2022.		
	Interaction meeting with the Local bodies of Puducherry, Karaikal, Mahe and		
	Yanam and demo of SUP Portal and		
	APPS of CPCB was held on 13.07.2022.		
	Interaction meeting with the Local bodies of Karaikal, for demo of SUP Portal and Apps of CPCB was held on 10.08.2022. under the Chairmanship of the Collector, Karaikal.		
	For Setting up Material Recovery		
	Facility (MRF) for 20 TPD Recyclable		
	Plastic waste from Pondicherry and Oulgaret Municipality, MoU is under process. 4 th meeting of Special Task Force (STF) on elimination of Single use Plastic in the U.T		
	of Puducherry under the Chairmanship of the		

IX	Details of Alternate Treatment Technology being adopted by the State/UT	Nil		
X	Identification of polluting sources including	All the drains that reaches the		
	drains contributing to river pollution and	Sankaraparani and Arasalar rivers were		
	action as per NGT order on in-situ treatment:	identified and in-situ remediation of		
		providing grill grating, sandbar screen are		
		completed in all the 172drains.		
XI	Details of Nodal Officer appointed by	The Development Commissioner-cum-		
	Chief Secretary in the State/UT:	Senior Nodal Officer, Government of Puducherry		
XII	Details of meetings carried under the	Review meetings on compliance status of		
	Chairmanship of Chief Secretary in the	the Hon'ble NGT Order dated 24.11.2022,		
	State/UT:	in the matter of O.A No.606/2018 was		
		held on 23.01.2023, 11.05.2023 under the		
		Chairmanship of the Chief Secretary,		

Chief Secretary was held on 02.11.2022.

		Government of Puducherry.
XIII	Latest water quality of polluted river, distributaries, drains with flow details and ground water quality in the catchment of polluted river;	Common STP Water Quality Data and Chunnambar River water quality data are given in Annexure–II. Sufficient water is not available in Arasalar river, Karaikal for water sampling.
XIV	Ground water regulation:	Pondicherry Ground Water Authority had closed 6 Nos. of tube wells in Puducherry region and 2Nos.of tube wells in Karaikal Region during the past 5 years due to illegal extraction of ground water.
XV	Good irrigation practices being adopted by the State:	Annexure- III
XVI	Rain Water Harvesting:	The planning authorities while issuing occupancy certificate ascertain that the conditions stipulated in the building permits regarding rain water harvesting measures have been complied with. The Puducherry Ground Water Authority does not issues fresh permits/renews permits to any industries/ institutions unless Rain Water Harvesting System is installed in their respective buildings. 882 Rain Water Harvesting structure are constructed in the U.T of Puducherry by Department of Agriculture. No. of Rain Water Harvesting structure by PWD - 262.
XVII	Demarcation of Flood plain and removal of Illegal encroachments:	Demarcation of flood plain and removal of illegal encroachments in Karaikal region is to be prepared under FMBAP. The expert team from Central Water Commission, New Delhi has inspected the sites on 02.02.2023 for conducting field survey for sustainable water management in Karaikal Region. After getting necessary expert advice/recommendation from the expert team CWC, New Delhi necessary DPR will

		be prepared.
XVIII	Maintaining minimum –flow of river:	Special Task Team has been constituted under the chairmanship of Deputy Collector in each District for curtailing illegal sand mining and its transportation. 44 Cases have been booked against illegal sand miners and Rs. 9.1.lakhs were collected as fine during 2021-2022. 144 has been imposed on illegal sand mining prone area.
XIX	Plantation activities along the rivers:	For the development of green belt along Chunnambar, Forest Department has planted 4000 trees.
XX	Development of bio-diversity park:	The mangrove area to an extent of 11-09-30 Hectares belongs to the Government and the rest of the area to an extent of 10-39-00 Hectares belongs to private owners. Hence, proposal of providing chain link fencing around three sides in Mangroves plantation at Northern side of beach road in Karaikal has been dropped. It is proposed to construct wooden walkway with watch tower in the mangrove area considering ecological balance. Biodiversity Assessment in the Mangrove Forest of Karaikal was carried out for the period July 2021 to June, 2022.
XXI	Reuse of Treated Water:	Annexure-IV
XXII	Model River being adopted by the State& Action Proposed for achieving the bathing quality standards:	Chunnambar River -Sankarabarani
XXIII	Status of Preparation of Action Plan by the 13 Coastal States:	Action plan submitted to CPCB dt.24.02.2020.
XXIV	Regulation of Mining Activities in the State/UT:	Special Task Team has been constituted under the Chairmanship of Deputy Collector in each district for curtailing illegal sand mining and its transportation. 44 cases have been booked against illegal sand miners and Rs.9.1 lakhs were collected as fine. 144 has been imposed in illegal sand mining prone area.
XXV	Action against identified polluters, law violators and officers responsible for failure for vigorous monitoring.	-

Details of Solid Waste Generation in Urban Local Bodies (Municipalities)

Sl. No	Name of the Municipality	Total Population as per census2011	Total Quantity of waste generation in TPD
1.	Puducherry	2,44,700	155
2.	Oulgaret	3,00,104	155
3.	Karaikal	86,838	40
4.	Mahe	41,816	12.5
5.	Yanam	55,628	12
	Total	382.5	

	Chunnambar River Water Quality Data - 2023					
S.No	Parameters	Jun-23	Standard limit as per the Primary Water Quality Criteria for bathing water - Class of Water B			
1	Date of sampling	23.06.2023				
2	Time	12.15 P.M				
3	Temp°C	33.0				
4	рН	9.44	6.5-8.5			
5	DO (mg/l)	10.9	5 or more			
6	BOD (mg/l)	8.5	3 or less			
7	Total Coliform MPN/100 ml	170				
8	Faecal Coliform MPN/100ml	63	500 (Desirable) and 2500 (Max. Permissible)			
9	Faecal Streptococci MPN/100ml	38	100 (Desirable) and 500 (Max. Permissible)			

MPN- Most Probable Number

Sufficient water was not available for sampling in Arasalar River.



Report No.: TR/WTL/PHD/PWD/PDY/2023/W-0829 ULR-TC758022000000572F

Date: 20.06.2023

TEST REPORT

Customer Name & Address The Assistant Engineer,

Drainage Sub Division, PHD, PWD, Puducherry.

Customer Reference

: Test request dt:13.06.2023

Page 1 of 1

SAMPLE DETAILS

Sample Code Sample Name

2023/W-0829

Sampled by Sampled on

: Customer

: Waste Water

: 13.06.2023

Sample Description

Waste Water (Outlet)

Temperature at the time of

32.5°C

Sampling Location

: Lawspet Outlet water

Receipt Identification by Customer

: Sample - 2

Sampling Procedure

Sample Condition

: Fit for analysis

Sample Received on

: 13.06.2023 : 20.6.2023

Test Started on : 13.06.2023

Test Completed on

	TEST RESULTS					
SI.No.	Test Parameter	Test Method	Units	Results	NGT Standards for treated Sewage for discharge into surface water	
1	pH @ 25°C	APHA, 23rd Edition,2017,4500-H+B		6.76	5.5 to 9	
2	Total Suspended Solids @ 103 - 105°C	APHA, 23rd Edition, 2017, 2540 D	mg/L	<10	Less than 10	
3	Chemical Oxygen Demand	APHA, 23rd Edition, 2017, 5220 B	mg/L	21.0	Not more than 50	
- 44	Biochemical Oxygen Demand (3 days at 27°C)	IS 3025 Part44; (1994), RA2014	mg/L	8.7	Less than 10	
5	Total Phosphate as PO4	APHA, 23rd Edn,2017,4500-P B,C	mg/L	3.67		

.....End of Report.....

Authorized Signatory

Vimala Venkatachalam BIOCHEMIST WATER TESTING LABORATORY PUBLIC HEALTH DIVISION

Winds

Copy submitted to: The Executive Engineer.

PHD., PWD., Puducherry.

The test result relevant only to the item tested.

The tested report shall not be reproduced in full or part without written approval of WTL-PHOPWD.

3. The laboratory is not responsible for the authenticity of photocopied test report.

4. The test item will not be retained for more than 15 days from the date of issue of test report except in case as required by applicable regulations

5. The laboratory is not responsible for any legal dispute that may arise in future if the sample was not drawn by the laboratory personnel.

Report No.: TR/WTL/PHD/PWD/PDY/2023/W-0829(Annexe)

Date: 20.06.2023

TEST REPORT

Customer Name & Address : The Assistant Engineer,

Customer Reference

Drainage Sub Division, PHD, PWD, Puducherry. Test request dt:13.06.2023

Page 1 of 1

SAMPLE DETAILS

Sample	Code
Sample	Name
Sample	Description

2023/W-0829 Waste Water

Sampled by Sampled on

: Customer : 13.06.2023

: Waste Water (Outlet)

Temperature at the time of Receipt

: 32.5°C

Sampling Location

: Lawspet Outlet water

Identification by Customer

: Sample - 2

Sampling Procedure

: 13.06.2023

Sample Condition Test Started on

: Fit for analysis 13.06.2023

Sample Received on Test Completed on

20.6.2023

TEST	RESU	LTS
------	------	-----

1		TEST RESULTS				
SI.No.	Test Parameter	Test Method	Units	Results		
1	Phosphorus as P	APHA, 23rd Edn,2017, 4500-P B, C	mg/L	1.2		
2	Faecal Coliforms	WHO Guideliness for drinking water Quality - Vol3	MPN/100 ml	<200 MPN/100ml		

.....End of Report

Authorized Signatory

Vimala Venkatachalam

BIOCHEMIST WATER TESTING LABORATORY PUBLIC HEALTH DIVISION

Copy submitted to:

The Executive Engineer. PHD., PWD., Puducherry.

1. The test result relevant only to the item tested.

The tested report shall not be reproduced in full or part without written approval of WTL-PHDPWD.

The taboratory is not responsible for the authenticity of photocopied test report.

4. The test item will not be retained for more than 15 days from the date of issue of test report except in case as required by applicable regulations.

5. The laboratory is not responsible for any legal dispute that may arise in future if the sample was not drawn by the laboratory personnel.



Report No.: TRWTL/PHD/PWD/PDY/2023/W-0925

ULR-TC758022000000653F

Date: 28.06.2023

TEST REPORT

Customer Name & Address: The Assistant Engineer,

Drainage Sub Division, PHD, PWD, Puducherry.

Customer Reference : Test request dt:20.06.2023 Page 1 of 1

SAMPLE DETAILS

Sample Code : 2023/W-0925 Sampled by : Customer Sample Name : Waste Water Sampled on : 20.06.2023 Sample Description : Waste Water (Outlet) Sampling Location : Kanaganeri STP Outlet Temperature at the time of : 32.3°C Receipt Identification by Customer : Sample - 2 Sampling Procedure Sample Condition : Fit for analysis Sample Received on : 20.06.2023 Test Started on : 20.06.2023 Test Completed on : 28.6.2023 TEST RESULTS

-	1EGT REGOLIG				
SI.No.	Test Parameter	Test Method	Units	Results	NGT Standards for treated Sewage for discharge into surface water
1	рН @ 25°C	APHA, 23rd Edition,2017,4500-H+B	99.4	6.89	5.5 to 9
2	Total Suspended Solids @ 103 - 105°C	APHA, 23rd Edition, 2017, 2540 D	mg/L	<10	Less than 10
3	Chemical Oxygen Demand	APHA, 23rd Edition, 2017, 5220 B	mg/L	20	Not more than 50
4	Biochemical Oxygen Demand (3 days at 27°C)	IS 3025 Part44; (1994); RA2014	mg/L	8.6	Less than 10
5	Total Phosphate as PO4	APHA, 23rd Edn,2017,4500-P B,C	mg/L	3.78	

..... End of Report.....

Authorized Signatory

Vimala Venkatachalam BIOCHEMIST WATER TESTING LABORATORY PUBLIC HEALTH DIVISION

Copy submitted to: The Executive Engineer, PHD., PWD., Puducherry.

Terms and Conditions;

1. The test result relevant only to the item tested.

The tested report shall not be reproduced in full or part without written approval of WTL-PHDPWD.

The laboratory is not responsible for the authenticity of photocopied test report.

4. The test item will not be retained for more than 15 days from the date of issue of test report except in case as required by applicable regulations.

5. The laboratory is not responsible for any legal dispute that may arise in future if the sample was not grawn by the laboratory personnel.

Report No.: TR/WTL/PHD/PWD/PDY/2023/W-0925(Annexe)

Date: 28.06.2023

TEST REPORT

Customer Name & Address: The Assistant Engineer,

Drainage Sub Division, PHD, PWD, Puducherry.

Page 1 of 1

Customer Reference

: Test request dt:20.05.2023

SAMPLE DETAILS

Samp	mple Code : 2023/W-0925		Sampled by	: Customer	
Sample Name		: Waste Water	Sampled on	: 20.06.2023	
Sample Description Temperature at the time of		: Waste Water (Outlet)	Sampling Location	; Kanaganeri STP Outlet	
Receipt		: 32.3°C			
Identification by Customer		: Sample - 2	Sampling Procedure	1	
Sample Condition		: Fit for analysis	Sample Received on	: 20.06.2023	
Test Started on : 20.06.2023		: 20.06.2023	Test Completed on	: 28,6.2023	
TEST RESULTS					
SI.No.	Test Pa	rameter	Test Method	Units	Results
1	Phosphorus as P		APHA, 23rd Edn,2017, 4500-P B, C	mg/L	1.3
2	Faecal Coliforms		WHO Guideliness for drinking water Quality - Vol3	MPN/100 ml	<200 MPN/100ml

.....End of Report.....

Authorized Signatory

Vimala Venkatachalam BIOCHEMIST WATER TESTING LABORATORY PUBLIC HEALTH DIVISION

Copy submitted to:

The Executive Engineer, PHD., PWD., Puducherry.

Terms and Conditions:

- 1. The test result relevant only to the item tested.
- 2. The testeo report shall not be reproduced in full or part without written approval of WTL-PHDPWD.
- 3. The laboratory is not responsible for the authenticity of photocopied test report.
- 4. The test item will not be retained for more than 15 days from the date of issue of test report except in case as required by applicable regulations.
- 5 The laboratory is not responsible for any legal dispute that may anse in future if the sample was not drawn by the laboratory personnel



Report No.: TR/WTL/PHD/PWD/PDY/2023/W-0747

ULR-TC758022000000522F

Date: 20.06.2023

TEST REPORT

Customer Name & Address: The Assistant Engineer,

Drainage Sub Division, PHD, PWD, Puducherry.

Page 1 of 1

Customer Reference

: Test request dt:09.06.2023

: 2023/W-0747

Sampled by

: Customer

Sample Code Sample Name

: Waste Water

Sampled on

: 09.06.2023

Sample Description

: Waste Water (Outlet)

SAMPLE DETAILS

Temperature at the time of

: 32.7°C

Sampling Location

: Dubrayapet Outlet

Receipt

Identification by Customer

: Sample - B

Sampling Procedure

: 09.06.2023

Sample Condition

: Fit for analysis

Sample Received on

Test Started on

: 09.06.2023

Test Completed on

: 20.06.2023

IESI	RES	UL	:
------	-----	----	---

TEST RESULTS					
SI.No.	Test Parameter	Test Method	Units	Results	NGT Standards for treated Sewage for discharge into surface water
1	рН @ 25°C	APHA, 23rd Edition,2017,4500-H+B	**	7.04	5.5 to 9
2	Electrical Conductivity @ 25°C	APHA, 23rd Edition, 2017, 2510 B	μs/cm	2170	
3	Total Suspended Solids @ 103 - 105°C	APHA, 23rd Edition, 2017, 2540 D	mg/L	<10	Less than 10
4	Settleable Solids	APHA, 23rd Edition, 2017, 2540 F	mg/L	<10	
5	Chemical Oxygen Demand	APHA, 23rd Edition, 2017, 5220 B	mg/L	36.5	Not more than 50
4 6 1	Biochemical Oxygen Demand (3 days at 27°C)	IS 3025 Part44; (1994); RA2014	mg/L	13.8	Less than 10
	Total Phosphate as PO4	АРНА, 23rd Edn,2017,4500-Р В,С	mg/L	3.98	

.....End of Report.....

Authorized Signatory

Vimala Venkatachalam

BIOCHEMIST WATER TESTING LABORATORY PUBLIC HEALTH DIVISION

Copy submitted to:

The Executive Engineer, PHD., PWD., Puducherry.

1. The test result relevant only to the item tested.

2. The tested report shall not be reproduced in full or part without written approval of WTL-PHDPWD.

3. The laboratory is not responsible for the authenticity of photocopied test report.

The test item will not be retained for more than 15 days from the date of issue of test report except in case as required by applicable regulations.

5. The laboratory is not responsible for any legal dispute that may arise in future if the sample was not drawn by the laboratory personnel.

Report No.: TR/WTL/PHD/PWD/PDY/2023/W-0747(Annexe)

Date: 20.06.2023

TEST REPORT

Customer Name & Address: The Assistant Engineer,

Drainage Sub Division, PHD, PWD, Puducherry.

Page 1 of 1

Customer Reference

: Test request dt:09.06.2023

SAMPLE DETAILS

Sample Code Sample Name : 2023/W-0747 : Waste Water

Sampled by Sampled on : Customer

Sample Description

: Waste Water (Outlet)

: 09.06.2023

Temperature at the time of

Sampling Location

: Dubrayapet Outlet

Receipt

: 32.7°C

Identification by Customer

: Sample - B

Sampling Procedure Sample Received on

: 09.06.2023

Sample Condition Test Started on

: Fit for analysis : 09.06.2023

Test Completed on

: 20.06.2023

TEST RESULTS

TEST RESULTS					
SI.No.	Test Parameter	Test Method	Units	Results	
1	Total Dissolved Solids	APHA, 23rd Edition, 2017, 2540 C	mg/L	1328	
2	Phosphorus as P	APHA, 23rd Edn,2017, 4500-P B, C	mg/L	1.3	
3	Faecal Coliforms	WHO Guideliness for drinking water Quality - Vol3	MPN/100 ml	<200 MPN/100ml	

.....End of Report.....

Authorized Signatory

Vimala Venkatachalam **BIOCHEMIST**

WATER TESTING LABORATORY PUBLIC HEALTH DIVISION

Copy submitted to:

The Executive Engineer, PHD., PWD., Puducherry.

Terms and Conditions:

- 1. The test result relevant only to the item tested.
- 2. The tested report shall not be reproduced in full or part without written approval of WTL-PHDPWD.
- 3. The laboratory is not responsible for the authenticity of photocopied test report.
- 4. The test item will not be retained for more than 15 days from the date of issue of test report except in case as required by applicable regulations.
- 5. The laboratory is not responsible for any legal dispute that may arise in future if the sample was not drawn by the laboratory personnel.

ADOPTION OF GOOD IRRIGATION PRACTICE

- 1. It is proposed to cover more area under precision farming.
- 2. System of Rice Intensification (SRI) is popularized among the farming community as a water saving measure.
- 3. Sustainable Sugarcane Initiative (SSI) for reducing water consumption in sugarcane crops is also being popularized.
- 4. Attractive subsidy assistance is being extended to farmers for installation of Drip/Sprinkler irrigation devices.
- 5. Attractive subsidy assistance is being extended to farmers for laying underground pipelines for conveyance of irrigation water.

Reuse of Treated Water

Station	Purpose	Quantity	
Lawspet STP	Industrial usage	0.8 MLD	
	Fodder Grass raising		
	Coconut Plantation	6.0 MLD	
	Silk cotton trees		
	Natural recharging through impounding reservoir	9 MLD	
Dubrayapet STP	To Pondy Marina Hotel	0.3 MLD	
	Total	16.10 MLD	

An Ultrafiltration Plant of 0.50 MLD capacity for treating the STEW from Dubrayapet STP has already been installed at Dubrayapet and pumping mains for conveying the treated water at Botanical Garden and Bharathi Park has been laid at a total cost of `2.06 Crores under AMRUT scheme has been implemented as Pilot project and is to be commissioned immediately by which 0.50 MLD of Tertiary Treated Water will be reused in public parks. The system is ready and awaited for drawl of treated used water by Puducherry Municipality and Agriculture Department.