No. 6836/NGT/SLMC/SCI/2023/ 8 6 GOVERNMENT OF PUDUCIHERRY DEPARTMENT OF SCIENCE, TECHNOLOGY AND ENVIRONMENT PUDUCHERRY POLLUTION CONTROL COMMITTEE

3rd Floor, I-Housing Board Complex, Anna Nagar, Puducherry - 5. Telephone: (0413) 2201256; Telefax: (0413) 2203494

Puducherry, the 2 3 AUG 2023

To

Shri.D.P.Mathuria
Executive Director (Tech)
National Mission for Clean Ganga
Ministry of Jai Shakti,
P' Floor, Major Dhyan Chand National Stadium,
India Gate, New Delhi — 110 002.

Sir,

Sub: DSTE/PPCC-Submission of Progress Report on Restoration of Polluted River Stretches-Reg.

Ref: Letter received from MoJS, GOI vide No. Legal/OA No. 673/2018/NMCG/2019 date 08.10.2020.

With reference to the above mentioned subject, Progress Report for the month of July, 2023 is enclosed for kind perusal.

Yours sincerely,

N. Penns

(Dr.N.RAMESH) Member Secretary PPCC

Enc1: as stated above

Copy to:

- The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, C.B.D. Cum-Office Complex, East Arjun Nagar, Delhi — 110 032.
- 2. Standing Guard File

Format for submission of Monthly Progress Report in the NGT Matter OA No.673 of 2018 (in compliance to NGT order dated 24.09.2020)

For the State of Puducherry

I. Overall status of the State (2011)

Total Puducherry Population : 1247953

Puducherry District Population : 950289

Puducherry Urban Population : 657600 (950289x69.20%)
Puducherry Rural Population : 292689 (950289x30.80%)

II. Estimated Sewage Generation (MLD): 71 MLD (URBAN)

III. Details of Sewage Treatment Plants: Puducherry District

1.	Existing no. of STPs and Treatment Capacity (in MLD)	3 Nos. of SBR - 51 MLD 2 Nos. of UASB - 5 MLD (under maintenance) Total - 56 MLD
	Net Treatment capacity of STP's	56 – 5 = 51 MLD
2.	Capacity Utilization of existing STPs:	
	12.90+15.85+13.84= 42.59 MLD	42.59 MLD (83.51%)
	42.59/51= 83.51%	
	MLD of sewage being treated through Alternate technology: (71-56=15MLD)	15 MLD (on site sanitation viz., septic tank and soak pit)
4.	Gap in Treatment Capacity in MLD:	15 MLD
	(71-56 =15MLD)	Work order has been issued on 22.06.2023 to M/s. ECO Protection Engineers Pvt. Ltd., Chennai for an amount of Rs. 43,08,68,289/ Site clearance work and preparation are in progress.
5.	No. of Operational STPs:	3 Nos.
6.	No. of Complying STPs with respect to pH, TSS, COD & BOD	3

Details of existing STPs in the State

Sl. No.	Location	Existing STP Capacity	Capacity being Utilized	Operational Status of STP	Compliance Status of STP
1	Puducherry	56 MLD (5 MLD UASB is under maintenance)	83.51%	3	3
2	Karaikal	-	-	-	-
3	Mahe	-	-	-	-
4	Yanam	-	-	-	-

<u>Details of under construction STPs in the State</u>

Sl. No.	Location	Capacity of the plant in KLD		Status of I & D or House sewer connections	Completion TimeLine
			Nil		

Details of proposed STPs in the State

Sl. No.	Location	Capacity of the STP proposed in MLD	Status of Project (at DPR Stage/under Tendering/Work to be Awarded)	Likely Date of Completion
1.	Puducherry	3 MLD	Financial Bid was opened on 15.05.2023 and the same is under process.	
2.	Karaikal	11 MLD	The lowest bid is offered on EPC mode by M/s. Jayanti Super Construction Pvt. Ltd., Gujarat for an amount of Rs. 43,08,68,289/ Award of work is under process.	
3.	Mahe	Tender for setting up treatment system has response. Proposed to	tender.	
4.	Yanam	Tender for setting up 17.05.2023. No response		

Idol immersion

- Idol immersion in U.T. of Puducherry is not carried out in fresh water bodies.
- Training program to the Local Administration Department and to the Commissioners, Commune Panchayat, Puducherry and Karaikal for ensuring effective implementation of revised guidelines for idol immersion was conducted by PPCC on 25.08.2021 (copy enclosed).
- Revised CPCB guidelines were also communicated on 13.08.2021, 11.08.2022 and 14.08.2023 to the Collector, Puducherry and Karaikal Regions, the Sr. Superintendent of Police (L&O), the Superintendent of Police, Karaikal and to the Secretary, Sri Vinayaga Chaturthi Vizha Peravai, Puducherry and to the Local Administration Department, Puducherry to issue necessary instruction to the concerned to follow the guidelines.
- PPCC officials inspected Vinayaga idols manufacturing units on 19.08.2022 and found the idols were manufactured with waste paper, tapioca powder and water soluble colours.
 Revised CPCB guidelines were also issued to the manufacturer of idols by PPCC.
- Public Notice regarding environmental friendly idol immersion was published in leading newspapers on 13.08.2022.
- A meeting was conducted by the Collector on 07.09.2022 for the strict implementation of guidelines till the end of festival.

IV. <u>Details of Industrial Pollution:</u>

1.	No. of industries in the State:	3595
2.	No. of Effluent generating industries in the State:	97
3.	Quantity of effluent generated from the industries in MLD:	4.75 MLD
4.	Quantity of Hazardous Sludge generated from the Industries in TPD:	10 TPD
5.	Number of industrial units having ETPs:	97
6.	Number of industrial units connected to CETP:	Nil
7.	Number and total capacity of ETPs (details of existing/ under construction/ proposed)	Existing–97 Capacity-4.75MLD
8.	Compliance status of the ETPs:	96
9.	Number and total capacity of CETPs (details of existing / under construction /proposed)	Nil
10.	Status of compliance and operation of the CETPs	Nil

Town	No.of industries	Industrial discharge	Status of ETPs	Status of CETPs(existing, under construction & proposed)
Puducherry	3271	4746.2KLD	Existing-97	Nil

V. Solid Waste Management:

1.	Total number of Urban Local Bodies and their Population.	Annexure I	
2.	Current Municipal Solid Waste Generation.	382.5 TPD	
3.		Integrated MSWM is being taken up for all types of waste by the	
	of existing MSW processing facilities in	ULBs.	
	TPD (bifurcated by type of processing eg.,		
	-Waste to Energy (Tonnage and Power		
	Output), Compost Plants (Windrow, Vermi, decentralized pit composting),bio-	i i i i i i i i i i i i i i i i i i i	
	methanation, MRF etc	1 7	
	inctrialiation, What etc	 1 TPD Bio-methanation plant is operational in Karaikal Municipality 	
		Composting technologies like Windrows method and other	
		aerobic technologies have been adopted by the new	
		concessionaire in Karaikal and Yanam Municipality, and the	
		communes of Puducherry and Karaikal.	
4.	Action plan to bridge gap between	en Integrated Municipal Solid Waste Management projects	
	Installed Capacity and Current	including the scope of collection, transportation, processing	
	Utilization of processing facilities (if	and disposal are being implemented to handle all the types of	
	Gap> 20%).	waste generated in the $ULBs - 610 MTs$ of waste from entire	
		UT of Puducherry (urban local bodies and commune	
		panchayats together)	
		1. Selection of concessionaire for IMSWM in	
		Pondicherry and Oulgaret Municipalities is currently	
		in process which will address 100% processing.	
		2. 100% Processing happening in Karaikal Municipality	
		3. Concessionaire appointed for processing in Yanam	
		Municipality. Identification of alternative land to set	
		up Processing Facility is under progress in Yanam	
		Municipality,	
		4. Mahe is practicing in-situ wet waste management and the current concessionaire is taking care of dry waste separately.	

	Tender has been floated for setting up Integrated Municipal Solid			
· processing Plants in TDD (quisting proposed and Waste Management – the scope is inclusive	e of Collection,			
Plants in TPD (existing, proposed and under construction). Transportation, Processing and Disposal of	C&D waste for			
Pondicherry and Oulgaret Municipalities.				
The work order has been issued for Karai	kal and Yanam			
municipalities. Puducherry and Karaikal of	communes also			
included under C&D waste management.				
6. Total no. of wards, no. of wards ULB Number Door to Source				
having door to door collection of Door Segregation				
service, no. of wards practicing Wards collection				
segregation at source. (DTDC)				
PM 42 100% Nil				
OM 37 100% Nil				
KM 18 100% 100%				
YM 14 100% Nil				
MM 15 100% 100%				
7. Details of MSW treatment facilities MSW				
proposed and under construction ULB treatment Capacity Status				
(no. capacity and technology).				
PM – Puducherry Municipality PM Integrated 350 Tender has	been floated.			
OM Only and Manising Piter				
Work order	will be issued.			
KM Integrated 40 TPD Work order	issued on			
KM – Karaiakal Municipality SWM (Bio- 22.11.2022 a	and the work			
methanation, has been con	mmenced.			
BSF and				
Windrows				
composting)				
YM Integrated 20 TPD Work order	was issued on			
VM Vanam Municipality SWM (Bio-	and work has			
been comme				
PSE and	segregation and			
Windrows Transportati	on. Due to			
certain admi	inistrative			
composting) reason the la	and is yet to be			
handed over	to the			
Concessiona	aire to set un			
the processing	•			
MM – Mahe Municipality MM In-house composting is being practice				
requirement of processing plant.				

	Pdy CP's – Puducherry Commune	Pdy	Integrated	1:	50	Work o	rder was issued on
	Panchayat	CP's	Municipal	Tl	PD	22.11.2	022 and work has
			Solid Waste			been co	mmenced.
			Processing			ocen co	
			Project at				
			Puducherry				
			commune				
			panchayat				
	WILCON W. 111 C	Kkl	Integrated	80 7	ГРО	Work o	rder issued on
	Kkl CP's – Karaiakal Commune Panchayat	CP's	Municipal			22.11.2	022 and work has
	Tanenayat		Solid Waste				mmenced
			Processing			been co	
			Project at				
			Puducherry				
			commune				
			panchayat				
8.	No. and area (in acres) of uncontrolled	3Nos. o	of controlled La	andfil	lls		
	Garbage dumpsites and Sanitary	Puduch	nerry		.23 () acre	
	Landfills.	Karaika				2 acre	
		Yanam				8 acre	
	N 1 () (1	Total	31.938	Acre	S		
9.	No. and area (in acres) of legacy waste within 1km buffer of both side of the rivers.		Nil				
10	No. of drains falling into rivers and	No. of drains: 172 All the drains that reaches the Sankaraparani and Arasalar rivers were identified and in-situ remediation of providing Grill gratings and Bar screen are completed in all the 172 drains.					
	no. of drains having floating racks/screens installed to prevent solid waste from falling into the			diation of providing			
	rivers.						

Status of ULB wise Management of Solid Waste

ULB	Total MSW generation in TPD	Total MSW being processed in TPD	Existing MSW facilities	Utilization Capacity of the existing MSW facilities	Proposed MSW Facilities & Completion Time line
5	382.5	58.02 TPD	3	15.1 %	6 months

Note on Status of Legacy Waste Management:

Out of 6.5 lakhs tons of legacy waste accumulated in the U.T. of Puducherry (Puducherry, Oulgaret, Karaikal and Yanam municipalities):

- 5.533 lakhs tons of legacy waste at Kurumbapet (for Pondicherry and Oulgaret Municipalities) was taken up for bio-mining and bio-remediation by M/S Zigma Global Environ Solution Pvt Ltd. The work has been completed.
- 77,850 MT of legacy waste is accumulated in Paravaipet, Karaikal Municipality.
 - M/s. Srinivas Waste Management Services (P) Ltd. has started Bio-remediation and Bio-Mining works at Resource Recovery Park (RRP), Paravaipet, Karaikal on 02.06.2023 and processed as on 06.07.2023 4700 M.T. of legacy wastes and transported 1400 M.T. of materials from processing site.

The work of the firm is being monitored on daily basis by the District Collector, Karaikal. He noticed that processing of 500 MT per day by the firm is not sufficient to meet the timeline given to the Hon'ble NGT. Hence, meeting of the MD of M/s. Srinivas Waste Management Services (P) Ltd. Chennai was convened on 16.06.2023 by the District Collector and the firm agreed to increase the processing capacity to 1200 MT per day. Additional lands for installations of two more lines was given to the firm on the eastern side outside compound wall of RRP, Paravaipet, which belongs to Parvatheeswarar Temple.

- The firm has installed another 200 MT of Processing unit on 04.07.2023, work for installation of another 500 MT machineries is in process and it is expected that it will also be commissioned within 10 days.
- Work order will be issued shortly to clear 25306 MT of legacy waste accumulated in Yanam.
- No legacy waste in Mahe Municipality.
- Inventorisation / Listing of Bulk Waste Generators in the ULB was done by the Pondicherry Municipality, Oulgaret Municipality and Karaikal
- Empanelment of authorised service providers was done by Oulgaret Municipality.
- Consultation meetings with BWGs was done by Oulgaret Municipality.

VI. Bio-medical Waste Management:

1	Total Bio-medical generation:	4706.4kg/day	
2	No. of Hospitals and Health Care Facilities:	390	
3	Status of Treatment Facility/CBMWTF:	One Common Bio-Medical Waste Treatment Facility functional.	

VII. Hazardous Waste Management:

1	Total Hazardous Waste generation:	31101 TPA	
2	No.of Industries generating Hazardous waste	139 industries obtained	
		authorization.	
3	Treatment Capacity of all TSDFs	-	
4	Avg. Quantity of Hazardous waste reaching the TSDF and Treated.	TSDF: Land fillable Waste reached- M/s. Mother Earth Enviro Tech, Bangalore –Nil	
5	Detail so for-going or proposed TSDF	The TSDF located in neighboring states is being shared.	

VIII. Plastic Waste Management:

1	Total Plastic Waste generation:	31087 TPA
2	Treatment/Measures adopted for reduction or management of plastic waste:	Government of Puducherry has imposed total ban on single use plastics with effect from 02/08/2019.
		As per the Government of India Notification Addendum has been notified by the Government of Puducherry for imposing additional SUP items like
		(i) Ear buds with plastic sticks, plastic sticks for balloons, candy sticks and ice cream sticks; (ii) Polystyrene [Thermocol] for decoration; (iii) Plates cure classes outlery such as
		(iii) Plates, cups, glasses, cutlery such as forks, spoons, knives, trays, stirrers, wrapping or packing films around sweet boxes, invitation cards and cigarette packets
		(iv) Plastics or PVC banners less than 100 micron;(v) Non-woven plastic carry bags less than 60 Gram per Square Meter (GSM).
		Standard Operating Procedure (SOP) for making SUP free Government office has been prepared and circulated to all the Government Departments and Industries.
		Surprise inspections are being carried out.
		As per the direction of MoEF & CC, GOI,
		"Action Plan on Elimination of Single Use Plastic (SUP)" in the Union Territory of
		Puducherry has been prepared with the
		approval of Special Task Force (STF).
		As per the order of Hon'ble NGT, Bahour Commune Panchayat (BCP) has been
		declared as Single Use Plastic Free Commune.

Public notice has been issued on 22.02.2022 in Local dailies for elimination of Single Use Plastics in English and vernacular language.

A circular dated 24.02.2022 has been issued to all colleges to declare their campus as SUP free campus as per the direction of CPCB, Delhi.

A consultation meeting on "Elimination of single use plastics' with Local Authorities like District Magistrate, Director, LAD, Supdt. of Police and Commissioners of all Local Bodies was convened on 11.04.2022. Conducted a Technical session on laying of road using waste plastics on 18.04.2022.

A pilot scale road was laid on 19.04.2022 for about 200mts at Edayarpalayam, Ariyankuppam Commune Panchayat in coordination with Prof. Dr.Vasudevaiah, Thiagarajar College of Engineering, Madurai.

Road making using waste plastics at Korkumedu, Ariyankuppam Commune Panchayat.

Hon'ble Chief Minister Inaugurated the LED van on 05.06.2022 for creating awareness on PWM.

126 drives were made and 354.2 kg of SUP items have been seized by Local bodies. Rs.66,900/- was levied as fine.

Implementation of Single Use Plastic (SUP) as per the notification of MoEF&CC, GOI is being strictly implemented by Local bodies and monitored by PPCC.

Interaction meeting with the Local bodies
of Puducherry, Karaikal, Mahe and
Yanam and demo of SUP Portal and Apps
of CPCB was held on 13.07.2022.
Interaction meeting with the Local
bodies of Puducherry, Karaikal, Mahe and
Yanam and demo of SUP Portal and
APPS of CPCB was held on 13.07.2022.
Interaction meeting with the Local bodies
of Karaikal, for demo of SUP Portal and
Apps of CPCB was held on 10.08.2022.
under the Chairmanship of the Collector,
Karaikal.
For Setting up Material Recovery
Facility (MRF) for 20 TPD Recyclable
Plastic waste from Pondicherry and Oulgaret
Municipality, MoU is under process.

IX	Details of Alternate Treatment Technology being adopted by the State/UT	Nil		
X	Identification of polluting sources including drains contributing to river pollution and action as per NGT order on in-situ treatment:	All the drains that reaches the Sankaraparani and Arasalar rivers were identified and in-situ remediation of providing grill grating, sandbar screen are completed in all the 172drains.		
XI	Details of Nodal Officer appointed by Chief Secretary in the State/UT:	The Development Commissioner-cum- Senior Nodal Officer, Government of Puducherry		
XII	Details of meetings carried under the Chairmanship of Chief Secretary in the State/UT:	Review meetings on compliance status of the Hon'ble NGT Order dated 24.11.2022, in the matter of O.A No.606/2018 was held on 23.01.2023, 11.05.2023 under the Chairmanship of the Chief Secretary, Government of Puducherry.		

XIII	Latest water quality of polluted river, distributaries, drains with flow details and ground water quality in the catchment of polluted river; Ground water regulation:	Common STP Water Quality Data and Chunnambar and Arasalar River water quality data are given in Annexure–II. Pondicherry Ground Water Authority had closed 6 Nos. of tube wells in Puducherry region and 2Nos.of tube wells in Karaikal Region during the past 5years due to illegal extraction of ground water.
XV	Good irrigation practices being adopted by the State:	Annexure- III
XVI	Rain Water Harvesting:	The planning authorities while issuing occupancy certificate ascertain that the conditions stipulated in the building permits regarding rain water harvesting measures have been complied with. The Puducherry Ground Water Authority does not issues fresh permits/renews permits to any industries/ institutions unless Rain Water Harvesting System is installed in their respective buildings. 882 Rain Water Harvesting structure are constructed in the U.T of Puducherry by Department of Agriculture. No. of Rain Water Harvesting structure by PWD - 262.
XVII	Demarcation of Flood plain and removal of Illegal encroachments:	Demarcation of flood plain and removal of illegal encroachments in Karaikal region is to be prepared under FMBAP. The expert team from Central Water Commission, New Delhi has inspected the sites on 02.02.2023 for conducting field survey for sustainable water management in Karaikal Region. After getting necessary expert advice/recommendation from the expert team CWC, New Delhi necessary DPR will be prepared.

XVIII	Maintaining minimum –flow of river:	Special Task Team has been constituted under the chairmanship of Deputy Collector in each District for curtailing
		illegal sand mining and its transportation. 44 Cases have been booked against illegal sand miners and Rs. 9.1.lakhs were
		collected as fine during 2021-2022. 144 has been imposed on illegal sand mining prone area.
XIX	Plantation activities along the rivers:	For the development of green belt along Chunnambar, Forest Department has planted 4000 trees.
XX		The mangrove area to an extent of 11-09-30 Hectares belongs to the Government and the rest of the area to an extent of 10-39-00 Hectares belongs to private owners. Hence, proposal of providing chain link fencing around three sides in Mangroves plantation at Northern side of beach road in Karaikal has been dropped. It is proposed to construct wooden walkway with watch tower in the mangrove area considering ecological balance. Biodiversity Assessment in the Mangrove Forest of Karaikal was carried out for the period July 2021 to June, 2022.
XXI	Reuse of Treated Water:	Annexure-IV
XXII	Model River being adopted by the State& Action Proposed for achieving the bathing quality standards:	Chunnambar River -Sankarabarani
XXIII	Status of Preparation of Action Plan by	Action plan submitted to CPCB
	the13 Coastal States:	dt.24.02.2020.
XXIV	Regulation of Mining Activities in the	Special Task Team has been constituted
	State/UT:	under the Chairmanship of Deputy
		Collector in each district for curtailing
		illegal sand mining and its transportation.
		44 cases have been booked against illegal
		sand miners and Rs.9.1 lakhs were
		collected as fine. 144 has been imposed in
		illegal sand mining prone area.
XXV	Action against identified polluters, law violators and officers responsible for failure for vigorous monitoring.	-

Details of Solid Waste Generation in Urban Local Bodies (Municipalities)

Sl. No	Name of the Municipality	Total Population as per census2011	Total Quantity of waste generation in TPD
1.	Puducherry	2,44,700	155
2.	Oulgaret	3,00,104	155
3.	Karaikal	86,838	40
4.	Mahe	41,816	12.5
5.	Yanam	55,628	12
	Tota	382.5	

	Chunnambar River Water Quality Data - 2023					
S.No	Parameters	Jul-23	Standard limit as per the Primary Water Quality Criteria for bathing water - Class of Water B			
1	Date of sampling	24.07.2023				
2	Time	10:50 AM				
3	Temp°C	31.5				
4	рН	8.93	6.5-8.5			
5	DO (mg/l)	8.8	5 or more			
6	BOD (mg/l)	9.0	3 or less			
7	Total Coliform	1600				
8	Faecal Coliform MPN/100ml	1600	500 (Desirable) and 2500 (Max. Permissible)			
9	Faecal Streptococci MPN/100ml	210	100 (Desirable) and 500 (Max. Permissible)			
	Arasalar R	iver Water Qu	ality Data			
S.No	Parameters	Jul-23	Standard limit as per the Primary Water Quality Criteria for bathing water - Class of Water B			
1	Date of sampling	24.07.2023				
2	Time	6.20 A.M				
3	Temp°C	28.0				
4	рН	8.27	6.5-8.5			
5	DO (mg/l)	6.9	5 or more			
6	BOD (mg/l)	2.5	3 or less			
7	Total Coliform	1600				
8	Faecal Coliform MPN/100ml	1600	500 (Desirable) and 2500 (Max. Permissible)			
9	Faecal Streptococci MPN/100ml	140	100 (Desirable) and 500 (Max. Permissible)			

MPN- Most Probable Number



Report No.: TR/WTL/PHD/PWD/PDY/2023/W-0987

ULR-TC758022000000680F

Date: 20.07.2023

TEST REPORT

Customer Name & Address: The Assistant Engineer,

Drainage Sub Division, PHD, PWD, Puducherry.

Page 1 of 1

Customer Reference

: Test request dt:14.07.2023

SAMPLE DETAILS

Sample Code Sample Name : 2023/W-0987

Sampled by

: Customer

Sample Description

: Waste Water

Sampled on

: 14.07.2023

Temperature at the time of

: Waste Water (Outlet)

Sampling Location

: Dubrayapet STP Outlet

Receipt

: 32.3°C

Identification by Customer Sample Condition

: Sample - 2 : Fit for analysis Sampling Procedure Sample Received on

: 14.07.2023

Test Started on

: 14.07.2023

Test Completed on

: 20.07.2023

~	_	~	~	R	_	_		~	~
	-	٠,		14	-	•	11		

SI.No.	Test Parameter	Test Method	Units	Results	NGT Standards for treated Sewage for discharge into surface water
1	рН @ 25°C	APHA, 23rd Edition,2017,4500-H+B		7.39	5.5 to 9
2	Total Suspended Solids @ 103 - 105°C	APHA, 23rd Edition, 2017, 2540 D	mg/L	<10	Less than 10
3	Chemical Oxygen Demand	APHA, 23rd Edition, 2017, 5220 B	mg/L	27.6	Not more than 50
4	Biochemical Oxygen Demand (3 days at 27°C)	IS 3025 Part44; (1994), RA2014	mg/L	7.9	Less than 10
5	Total Phosphate as PO4	APHA, 23rd Edn,2017,4500-P B,C	mg/L	3.27	<u></u>

.....End of Report.....

Authorized Signatory

Whimil

Vimala Venkatachalam BIOCHEMIST WATER TESTING LABORATORY PUBLIC HEALTH DIVISION

Copy submitted to: The Executive Engineer, PHD., PWD., Puducherry.

The test result relevant only to the item tested.

The tested report shall not be reproduced in full or part without written approval of WTL-PHDPWD.

The laboratory is not responsible for the authenticity of photocopied test report.

The test item will not be retained for more than 15 days from the date of issue of test report except in case as required by applicable regulations.

The laboratory is not responsible for any legal dispute that may arise in future if the sample was not drawn by the laboratory personnel.

Report No.: TR/WTL/PHD/PWD/PDY/2023/W-0987(Annexe)

Date: 20.07,2023

TEST REPORT

Customer Name & Address: The Assistant Engineer,

Drainage Sub Division, PHD, PWD, Puducherry.

Page 1 of 1

Customer Reference

: Test request dt:14.07.2023

SAMPLE DETAILS

Sample Code

: 2023/W-0987

Sampled by

: Customer

Sample Name

: Waste Water

Sampled on

: 14.07.2023

Sample Description

: Waste Water (Outlet)

Sampling Location

: Dubrayapet STP Outlet

Temperature at the time of Receipt

: 32.3°C

Identification by Customer

: Sample - 2

Sampling Procedure Sample Received on

: 14.07.2023

Sample Condition Test Started on

: Fit for analysis : 14.07.2023

Test Completed on

: 20.07.2023

TEST RESULTS							
SI.No.	Test Parameter	Test Method	Units	Results			
1	Phosphorus as P	APHA, 23rd Edn, 2017, 4500-P B, C	mg/L	1.09			
2	Faecal Coliforms	WHO Guideliness for drinking water Quality - Vol3	MPN/100 ml	<200 MPN/100ml			

.....End of Report.....

Authorized Signatory

Villenita Vimala Venkatachalam

BIOCHEMIST WATER TESTING LABORATORY PUBLIC HEALTH DIVISION

Copy submitted to:

The Executive Engineer, PHD., PWD., Puducherry.

The test result relevant only to the item tested.

The tested report shall not be reproduced in full or part without written approval of WTL-PHDPWD

3. The laboratory is not responsible for the authenticity of photocopied test report.

4. The test item will not be retained for more than 15 days from the date of issue of test report except in case as required by applicable regulations.

5. The laboratory is not responsible for any legal dispute that may arise in future if the sample was not drawn by the laboratory personnel.

Report No.: TR/WTL/PHD/PWD/PDY/2023/W-0994(Annexe)

Date: 24.07.2023

TEST REPORT

Customer Name & Address: The Assistant Engineer,

Drainage Sub Division, PHD, PWD, Puducherry.

Page 1 of 1

Customer Reference

: Test request dt:17.07.2023

SAMPLE DETAILS

Sample Code	: 2023/W-0994	Sampled by	: Customer
Sample Name	: Waste Water	Sampled on	: 17.07.2023
Sample Description	: Waste Water (Outlet)		
Temperature at the time of Receipt	: 32.2°C	Sampling Location	: Kanaganeri Outlet
Identification by Customer	: Sample - 2	Sampling Procedure	; - "
Sample Condition	: Fit for analysis	Sample Received on	: 17.07.2023
Test Started on	: 17.07.2023	Test Completed on	: 24.07.2023

TEST RESULTS Results Units SLNo. Test Parameter **Test Method** 1.04 APHA, 23rd Edn, 2017, 4500-P B, C mg/L 1 Phosphorus as P WHO Guideliness for drinking water MPN/100 ml <200 MPN/100ml Faecal Coliforms 2 Quality - Vol3

.....End of Report.....

Authorized Signatory

Vimala Venkatachalam BIOCHEMIST WATER TESTING LABORATORY PUBLIC HEALTH DIVISION

Copy submitted to:

The Executive Engineer, PHD., PWD., Puducherry.

The test result relevant only to the item tested.

2. The tested report shall not be reproduced in full or part without written approval of WTL-PHDPWD.

The laboratory is not responsible for the authenticity of photocopied test report. 4. The test item will not be retained for more than 15 days from the date of issue of test report except in case as required by applicable regulations.

5. The laboratory is not responsible for any legal dispute that may arise in future if the sample was not drawn by the laboratory personnel.



Report No.: TR/WTL/PHD/PWD/PDY/2023/W-0994

ULR-TC758022000000712F

Date: 24.07.2023

TEST REPORT

Customer Name & Address: The Assistant Engineer,

Drainage Sub Division, PHD, PWD, Puducherry.

Page 1 of 1

Customer Reference

: Test request dt:17.07.2023

SAMPLE DETAILS

Sample Code

: 2023/W-0994

Sampled by

: Customer

Sample Name

: Waste Water

Sampled on

: 17.07.2023

Sample Description

: Waste Water (Outlet)

Temperature at the time of

Sampling Location

: Kanaganeri Outlet

Receipt

: 32.2°C

Identification by Customer Sample Condition

: Sample - 2

Sampling Procedure Sample Received on

; 17.07.2023

Test Started on

: Fit for analysis : 17.07.2023

Test Completed on

: 24.07.2023

	TEST RESULTS							
SI.No.	Test Parameter	Test Method	Units	Results	NGT Standards for treated Sewage for discharge into surface water			
1	pH @ 25°C	APHA, 23rd Edition,2017,4500-H+B		6.56	5.5 to 9			
2	Total Suspended Solids @ 103 - 105°C	APHA, 23rd Edition, 2017, 2540 D	mg/L	<10	Less than 10			
3	Chemical Oxygen Demand	APHA, 23rd Edition, 2017, 5220 B	mg/L	24.7	Not more than 50			
	Biochemical Oxygen Demand (3 days at 27°C)	IS 3025 Part44; (1994); RA2014	mg/L	6.9	Less than 10			
5	Total Phosphate as PO4	APHA, 23rd Edn,2017,4500-P B,C	mg/L	3.14				

....End of Report.....

Authorized Signatory

Vimala Venkatachalam **BIOCHEMIST** WATER TESTING LABORATORY PUBLIC HEALTH DIVISION

Copy submitted to: The Executive Engineer, PHD., PWD., Puducherry.

The test result relevant only to the item tested.
 The tested report shall not be reproduced in full or part without written approval of WTL-PHDPWD.
 The laboratory is not responsible for the authenticity of photocopied test report.
 The test item will not be retained for more than 15 days from the date of issue of test report except in case as required by applicable regulations.
 The laboratory is not responsible for any legal dispute that may arise in future if the sample was not drawn by the laboratory personnel.

Report No.: TR/WTL/PHD/PWD/PDY/2023/W-0996(Annexe)

Date: 24.07.2023

TEST REPORT

Customer Name & Address: The Assistant Engineer,

Drainage Sub Division, PHD, PWD, Puducherry.

Customer Reference : Test request dt:17.07.2023 Page 1 of 1

SAMPLE DETAILS

Sample Code Sample Name

: 2023/W-0996 : Waste Water

Sampled by Sampled on

: Customer

Sample Description

: Waste Water (Outlet)

: 17.07.2023

Temperature at the time of

Sampling Location

: Lawspet Outlet

Receipt

: 32.3°C

Identification by Customer Sample Condition

: Sample - 4 : Fit for analysis

Sampling Procedure Sample Received on

: 17.07.2023

Test Started on

: 17.07.2023

Test Completed on

: 24.07.2023

TEST RESULTS						
SI.No.	Test Parameter	Test Method	Units	Results		
1	Phosphorus as P	APHA, 23rd Edn,2017, 4500-P B, C	mg/L	1.29		
2	Faecal Coliforms	WHO Guideliness for drinking water Quality - Vol3	MPN/100 ml	<200 MPN/100ml		

.....End of Report.....

Authorized Signatory

Vimala Venkatachalam **BIOCHEMIST** WATER TESTING LABORATORY PUBLIC HEALTH DIVISION

Copy submitted to:

The Executive Engineer, PHD., PWD., Puducherry.

1. The test result relevant only to the item tested.

2. The tested report shall not be reproduced in full or part without written approval of WTL-PHDPWD.

3. The laboratory is not responsible for the authenticity of photocopied test report.

4. The test item will not be retained for more than 15 days from the date of issue of test report except in case as required by applicable regulations.

5 The laboratory is not responsible for any legal dispute that may arise in future if the sample was not drawn by the laboratory personnel.



Report No.: TR/WTL/PHD/PWD/PDY/2023/W-0996

ULR-TC758022000000714F

Date: 24.07.2023

TEST REPORT

Customer Name & Address: The Assistant Engineer,

Drainage Sub Division, PHD, PWD, Puducherry.

Customer Reference : Test request dt:17.07.2023 Page 1 of 1

SAMPLE DETAILS

Sample Code Sample Name 2023/W-0996

Sampled by

: Customer

: Waste Water

Sampled on

: 17.07.2023

Sample Description

: Waste Water (Outlet)

Temperature at the time of

: 32.3°C

Sampling Location

: Lawspet Outlet

Receipt Identification by Customer

: Sample - 4

Sampling Procedure

: 17.07.2023

Sample Condition Test Started on

: Fit for analysis : 17.07.2023

Sample Received on Test Completed on

: 24.07.2023

TEST RESULTS					
SLNo.	Test Parameter	Test Method	Units	Results	NGT Standards for treated Sewage for discharge into surface water
1	pH @ 25°C	APHA, 23rd Edition,2017,4500-H+B		7.37	5.5 to 9
2	Total Suspended Solids @ 103 - 105°C	APHA, 23rd Edition, 2017, 2540 D	mg/L	<10	Less than 10
3	Chemical Oxygen Demand	APHA, 23rd Edibon, 2017, 5220 B	mg/L	28.6	Not more than 50
4	Biochemical Oxygen Demand (3 days at 27°C)	IS 3025 Part44; (1994), RA2014	mg/L	8.9	Less than 10
5	Total Phosphate as PO4	APHA, 23rd Edn,2017,4500-P B,C	mg/L	3.88	

.....End of Report.....

Authorized Signatory

Vimala Venkatachalam

BIOCHEMIST WATER TESTING LABORATORY PUBLIC HEALTH DIVISION

Copy submitted to:

The Executive Engineer, PHD., PWD., Puducherry.

The test result relevant only to the item tested.

The tested report shall not be reproduced in full or part without written approval of WTL-PHDPWD.

The laboratory is not responsible for the authenticity of photocopied test report.

The test item will not be retained for more than 15 days from the date of issue of test report except in case as required by applicable regulations.

5 The taboratory is not responsible for any logal dispute that may arise in future if the sample was not drawn by the laboratory personnel

ADOPTION OF GOOD IRRIGATION PRACTICE

- 1. It is proposed to cover more area under precision farming.
- 2 System of Rice Intensification (SRI) is popularized among the farming community as a water saving measure.
- 3. Sustainable Sugarcane Initiative (SSI) for reducing water consumption in sugarcane crops is also being popularized.
- 4. Attractive subsidy assistance is being extended to farmers for installation of Drip/Sprinkler irrigation devices.
- 5. Attractive subsidy assistance is being extended to farmers for laying underground pipelines for conveyance of irrigation water.

Reuse of Treated Water

	Total	16.10 MLD
Dubrayapet STP	To Pondy Marina Hotel	0.3 MLD
	Natural recharging through impounding reservoir	9 MLD
	Silk cotton trees	
	Coconut Plantation	6.0 MLD
	Fodder Grass raising	
Lawspet STP	Industrial usage	0.8 MLD
Station	Purpose	Quantity

An Ultrafiltration Plant of 0.50 MLD capacity for treating the STEW from Dubrayapet STP has already been installed at Dubrayapet and pumping mains for conveying the treated water at Botanical Garden and Bharathi Park has been laid at a total cost of `2.06 Crores under AMRUT scheme has been implemented as Pilot project and is to be commissioned immediately by which 0.50 MLD of Tertiary Treated Water will be reused in public parks. The system is ready and awaited for drawl of treated used water by Puducherry Municipality and Agriculture Department.