No. 6836/NGT/SLMC/SCI/2024//642 GOVERNMENT OF PUDUCIHERRY

DEPARTMENT OF SCIENCE, TECHNOLOGY AND ENVIRONMENT PUDUCHERRY POLLUTION CONTROL COMMITTEE

3rd Floor, I-Housing Board Complex, Anna Nagar, Puducherry - 5. Telephone: (0413) 2201256; Telefax: (0413) 2203494

Puducherry, the 2 4 JUL 2024

To

8hri. Anup Kumar Srivastava Executive Director (Tech) National Mission for Clean Ganga Ministry of Jai Shakti, Ist Floor, Major Dhyan Chand National Stadium, India Gate, New Delhi — 110 002.

Sir,

Sub: DSTE/PPCC-Submission of Progress Report on Restoration of Polluted River Stretches-Reg.

Ref: Letter received from MoJS, GOI vide No. Legal/OA No. 673/2018/NMCG/2019 date 08.10.2020.

With reference to the above mentioned subject, Progress Report for the month of June, 2024 is enclosed for kind perusal.

Yours sincerely,

(Dr. N. Ramesh) Member Secretary (PPCC)

Enc1: as stated above

Copy to:

- 1. The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, C.B.D. Cum-Office Complex, East Arjun Nagar, Delhi — 110 032.
- 2. Standing Guard File

Format for submission of Monthly Progress Report in the NGT Matter OA No.673 of 2018 (in compliance to NGT order dated 24.09.2020)

For the State of Puducherry

I. Overall status of the State (2011)

Total UT of Puducherry Population : 1247953

Puducherry District Population : 950289

 Puducherry Urban Population
 : 657600 (950289x69.20%)

 Puducherry Rural Population
 : 292689 (950289x30.80%)

II. Estimated Sewage Generation (MLD): 71 MLD (URBAN)III. <u>Details of Sewage Treatment Plants:</u> Puducherry District

1.	Existing no. of STPs and Treatment Capacity (in MLD)	3 Nos. of SBR - 51 MLD 2 Nos. of UASB - 5 MLD 2.5 MLD capacity UASB STP at Dubrayapet is in operation on trial basis and the other one at Lawspet is under renovation.
	Net Treatment capacity of STP's	Total - 56 MLD $56 - 5 = 51$ MLD
2.	Capacity Utilization of existing STPs: (16.23+15.36+15.75) = 47.34 MLD 47.34/51= 92.82 %	47.34 MLD (92.82 %)
3.	MLD of sewage being treated through Alternate technology: (71-56=15 MLD)	15 MLD (on site sanitation like septic tank and soak pit etc.)
4.	Gap in Treatment Capacity in MLD: (71-56 =15MLD)	The construction of 15 MLD STP in Puducherry was commenced on 27.07.2023 and reached 40% physical progress and 10% financial progress. The construction will be completed by March, 2025.
5.	No. of Operational STPs:	3 Nos.
6.	No. of Complying STPs	Three STPs of 17 MLD capacity meets the NGT prescribed standards of pH, Total Suspended Solids, BOD, COD and Fecal Coliform. Two STP of UASB are not meeting the standards.

Details of existing STPs in the State

Sl. No.	Location	Existing STP Capacity	Capacity being Utilized	Operation al Status of STP	Compliance Status of STP
1	Puducherry	51 MLD	92.82 %	5	3

Details of under construction STPs in the State

Sl. No.	Location	Capacity of the plant in MLD	Physical Progress in%	Status of I & D or House sewer connections	Completion TimeLine
1	Puducherry	15	40	90 %	Mar, 2025
2	Karaikal	11	35	-	Mar, 2025

Details of proposed STPs in the State

Sl. No.	Location	Capacity of the STP proposed in MLD	Likely Date of Completion			
1.	Puducherry	3 MLD	Installation of 3 MLD STP along with FSTP in Villianur is under tender process.			
2.	Mahe	Tender is under MLD STP in M	30.06.2025			
3.	Yanam	STP in Yanam since the site for	Tender is floated 5 times for the construction of 6 MLD STP in Yanam. But no response had been received since the site for construction of STP is in low-lying area. The estimate has been revised and retender will be			

IV. <u>Details of Industrial Pollution:</u>

1.	No. of industries in the State:	3595
2.	No. of Effluent generating industries in the State:	115
3.	Quantity of effluent generated from the industries in MLD:	4.75 MLD
4.	Quantity of Hazardous Sludge generated from the Industries in TPA:	4828.8 kg/day
5.	Number of industrial units having ETPs:	115

6.	Number of industrial units connected to CETP:	Nil
7.	Number and total capacity of ETPs (details of existing/ under construction/ proposed)	Existing–115 Capacity-4.75 MLD
8.		Effluent sampling was carried out one unit in the month of June and it meets the discharge standards.
9.	Number and total capacity of CETPs (details of existing / under construction /proposed)	Nil
10.	Status of compliance and operation of the CETPs	Nil

Town	No. of industries	Industrial discharge	Status of ETPs	Status of CETPs (existing, under construction & proposed)
Puducherry	3271	4746.2 KLD	Existing- 115 nos.	Nil

V. Solid Waste Management:

1.	Total number of Urban Local Bodies and their Population.	5 U	LB's (7,	28,761, Cen	sus 2011	.)					
2.	Current Municipal Solid Waste Generation.	Total	solid wa	ste generatio	on - 382 '	TPD					
	waste deficiation.	Sl. No).	ULB		Tot	tal was	ste genera	ated (TPD)		
		1		PM		155	5				
		2		OM		155	5				
		3		KM		40					
1		4		MM		12					
		5		YM		20					-
				Total		382	2				
3.	Ni-milan Installad consider	T., 4	- 1 MCX	7) (i.e. la aise a 4	1	£	.11 4	C	h 4h III D		1
	Number, Installed capacity and utilization of existing		ULB	Processing	Bio	ior a	m type	MRF	MRF through	Total	Percentage
	MSW processing facilities				methana	atio	F	throug	informal		of
	in TPD (bifurcated by type of processing eg., -Waste				n			h formal sectors	sectors		processing
	to Energy (Tonnage and	1	PM	-	-		4	-	3.05	7.05	4.54%
	Power Output), Compost	2	OM	_	1		_	0.5	2.47	3.97	2.38%
	Plants (Windrow, Vermi, decentralized pit				1		-	0.5	2.47		
	decentralized pit composting),bio-	3	KM	40 (Bio compostin	-		-		-	40	100%
	methanation, MRF etc.,			g, Vermi, MRF)							
		4	MM	8.0	-		2	2	-	12.0	100%
				(Inhouse pipe							
				compostin							
				g)							

		5	YM	-	-	-	-	1	1	5%	
			Total	48.0	1	6	2.5	6.52	64.02	16.76	
4.	Action plan to bridge gap between Installed Capacity and Current	Composting technologies like Windrows method and other aerobic technologies have been adopted by the new concessionaire in communes of Puducherry and Karaikal. Integrated Municipal Solid Waste Management projects including the scope of collection, transportation, processing and disposal are being implemented to handle all the types of waste tgenerated in the ULBs – 477 MTs of waste from entire UT of Puducherry (urban local bodies and commune panchayats together) 1. In Puducherry, The Door to Door collection of solid waste is being carried out by M/s. Swatchatha Corporation, Bangalore. For processing of solid waste, letter of Award was issued on 29.09.2023 to M/s. Green Warrior, Chennai. Draft Concession Agreement was notified on 08.12.2023 by Ministry of Housing and Urban Development (MoHU), GoI. In line with the MoHU agreement pattern, Draft Concession Agreement has been framed and sent to Law Department for vetting on 09.12.2023. Preliminary work for establishment of machinery and equipments has commenced and processing of solid waste will be started in the first week of February, 2024. 2. For the district of Karaikal, the Letter of Award for Integrated Solid Waste Management project was issued on 22.11.2022 to M/s. HR Square LLP, Hyderabad. 100% of solid waste processing has commenced on 15.10.2023 which includes 1 TPD bio-methanation process and 4 TPD of vermicomposting. High calorific valued waste of 5.5 TPD is being sent for co-processing to the nearby cement factory. 3. In Yanam region, Letter of Award was issued on 26.10.2021 to M/s. HR Square LLP, Hyderabad. The Land for processing of solid waste was identified and handed over to concessionaire on 08.12.2023. Yanam is a very small region with an area of only 30 sq.km surrounded by water bodies, marshy land and mangroves. Public objection hindered the works badly for setting up of processing facility. Door to Door collection of solid waste and transportation has commenced since 08.12.2021. Processing has commenced on 20.01.2024.									
			separate		is taking ca	10 01 1		door, segregation	ni and di	y waste to	
5	No. and capacity of C&D waste processing Plants in TPD (existing, proposed and under construction).			nd commune their scope o		in Pud	ucherry a	and Karaikal inc	eludes C&	D waste	
6	Total no. of wards, no. of wards having door to door collection service, no. of	ULB		mber of Wards	Door to			Ground St Seg	atus on S regation	Source	
	wards practicing segregation at source.	PM		42	100)%		43 % (15 wards	by Recity	·)	
		OM		37	100)%		5.4 % (20 wards	by OM)		
		KM 18 100% 50%									
		YM	YM 14 100% 10%								
		MM		15	100)%		Weekly basis in and monthly bas			
		(100%	segrega	tion is repor	ted in all 5 U	LB's S	Swaththa	m SBM portal)			

7.	Details of MSW treatment facilities proposed and under	ULB	MSW treatment facilities proposed	Capacity proposed		Status
	construction (no. capacity and technology). Pdy CP's – Puducherry Commune Panchayat Kkl CP's – Karaiakal Commune Panchayat	Pdy CP's	Integrated Municipal Solid Waste Processing Project at Puducherry commune panchayat		M/s. HR for proce Constructi compost establishm & machine and the H waste ha 22.01.202	platform and ment of other equipments eries has been completed Processing of wet solid as commenced since 4.
	Commune Panchayat	Kkl CP's	Integrated Municipal Solid Waste Processing Project at Puducherry commune panchayat	15 TPD	Solid Was was issue M/s. HR 3 100% of has communich ir methanation vermicom valued was sent for	of Award for Integrated ste Management project ed on 22.11.2022 to Square LLP, Hyderabad. solid waste processing menced on 15.10.2023 acludes 1 TPD biopon process and 4 TPD of posting. High calorificate of 5.5 TPD is being co-processing to the ment factory.
8.	No. and area (in acres) of uncontrolled	3Nos. of cor	atrolled Landfills			
	Garbage dumpsites and Sanitary Landfills.	Puducherry Karaikal Yanam Total		:23.0 acre :8.32 acre :2 acre :33.32 acr	,	
9.	No. and area (in acres) of legacy waste within 1km buffer of both side of the rivers.	Nil		1.55.52 uci	-	
10.	No. of drains falling into rivers and no. of drains having floating racks/screens installed to prevent solid waste from falling into the rivers.		s: 172 as that reaches the Sankaraparani a of providing Grill gratings and Ba			

Status of ULB wise Management of Solid Waste

Region	Solid waste generated (TPD)	Processed /Recovered (TPD)	Gap (TPD)	Time line
Pondicherry	310	Processed -1	300	Commenced

(Urban)		Recovered – 9		
Pondicherry	70	70	_	Commenced
(Rural)	70	70	_	Commenced
Karaikal	65	65	1	Commenced
Mahe	12	12	-	Commenced
Yanam	20	20	-	Commenced
Total	477	197	300	

Status of Legacy Waste Management:

Sl.	Region	Accumulated Quantity in	Bio mined in	Balance	Timeline for
No.		\mathbf{MT}	MT	in MT	completion
1	Puducherry	(Phase – I) 5.53 lakh tons	5.53 lakh tons	Nil	Completed during April, 2023
	Ĭ	(Phase – II) 3,48,989 MT commenced on 13.10.2023	322128	26861	15.08.2024
2	Karaikal 85350 commenced on 01.06.2023 85350		Nil	Completed during May 2024	
3	Yanam	21600	14554	7046	15.08.2024

Mahe Municipality:

• No legacy waste in Mahe Municipality is reported.

VI. Bio-medical Waste Management:

1	Total Bio-medical generation:	4828.8 kg/day	
2	No. of Hospitals and Health Care Facilities:	442	
		One Common Bio-Medical	
3	Status of Treatment Facility/CBMWTF:	Waste Treatment Facility functional.	

VII. Hazardous Waste Management:

1	Total Hazardous Waste generation:	29740 TPA
2	No.of Industries generating Hazardous waste	134 industries obtained authorization.
3	Treatment Capacity of all TSDFs	-

4	Avg. Quantity of Hazardous waste reaching the TSDF and Treated.	TSDF: Land fillable Waste reached – 95.2 MT to M/s. Kalyana Karnataka Waste Management Project Private Limited, Karnataka	
5	Detail so for-going or proposed TSDF	The TSDF located in neighboring states is being shared.	

VIII. Plastic Waste Management:

1	Total Plastic Waste generation:	31087 TPA
2	Treatment/Measures adopted for	Government of Puducherry has imposed total ban
	reduction or management of plastic waste:	on single use plastics with effect from 02/08/2019.
		As per the Government of India Notification
		Addendum has been notified by the Government
		of Puducherry for imposing additional SUP items
		like
		(i) Ear buds with plastic sticks, plastic sticks for
		balloons, candy sticks and ice cream sticks;
		(ii) Polystyrene [Thermocol] for decoration;
		(iii) Plates, cups, glasses, cutlery such as forks,
		spoons, knives, trays, stirrers, wrapping or
		packing films around sweet boxes, invitation cards
		and cigarette packets
		(iv) Plastics or PVC banners less than 100 micron;
		(v) Non-woven plastic carry bags less than 60 Gram per Square Meter (GSM).
		Orani per square ivicier (OSIVI).
		Standard Operating Procedure (SOP) for making
		SUP free Government office has been prepared
		and circulated to all the Government Departments
		and Industries.
		Surprise inspections are being carried out.
		As per the direction of MoEF & CC, GOI, "Action
		Plan on Elimination of Single Use Plastic (SUP)" in
		the Union Territory of Puducherry has been

prepared with the approval of Special Task Force (STF).

As per the order of Hon'ble NGT, Bahour Commune Panchayat (BCP) has been declared as Single Use Plastic Free Commune.

Public notice has been issued on 22.02.2022 in Local dailies for elimination of Single Use Plastics in English and vernacular language.

A circular dated 24.02.2022 has been issued to all colleges to declare their campus as SUP free campus as per the direction of CPCB, Delhi.

A consultation meeting on "Elimination of single use plastics' with Local Authorities like District Magistrate, Director, LAD, Supdt. of Police and Commissioners of all Local Bodies was convened on 11.04.2022.

Conducted a Technical session on laying of road using waste plastics on 18.04.2022.

A pilot scale road was laid on 19.04.2022 for about 200mts at Edayarpalayam, Ariyankuppam Commune Panchayat in co-ordination with Prof. Dr.Vasudevaiah, Thiagarajar College of Engineering, Madurai.

Road making using waste plastics at Korkumedu, Ariyankuppam Commune Panchayat.

Hon'ble Chief Minister Inaugurated the LED van on 05.06.2022 for creating awareness on PWM.

4 drives were conducted and 2.6 kgs of SUP items have been seized by Local bodies. Rs. 2000/- was levied as fine.

Implementation of Single Use Plastic (SUP) as per the notification of MoEF &CC, GOI is being strictly implemented by Local bodies and monitored by PPCC.

	_	7
		Interaction meeting with the Local bodies of Puducherry, Karaikal, Mahe and Yanam and demo of SUP Portal and Apps of CPCB was held on 13.07.2022. Interaction meeting with the Local bodies of Puducherry, Karaikal, Mahe and Yanam and demo of SUP Portal and APPS of CPCB was held on 13.07.2022. Interaction meeting with the Local bodies of Karaikal for demo of SUP Portal and Apps of CPCB was held on 10.08.2022 under the Chairmanship of the Collector, Karaikal. For Setting up Material Recovery Facility (MRF) for 20 TPD Recyclable Plastic waste from Pondicherry and Oulgaret Municipality, MoU is under process. 5th meeting of Special Task Force (STF) on elimination of Single use Plastic in the U.T of Puducherry under the Chairmanship of the Chief Secretary was held on 10.11.2023. Minutes of the meeting communicated to the concerned line Department.
IX	Details of Alternate Treatment Technology being adopted by the State/UT	Nil
X	Identification of polluting sources including drains contributing to river pollution and action as per NGT order on in-situ treatment:	All the drains that reaches the Sankaraparani and Arasalar rivers were identified and in-situ remediation of providing grill grating, sandbar screen are completed in all the 172 drains.
XI	Details of Nodal Officer appointed by Chief Secretary in the State/UT:	The Development Commissioner-cum- Senior Nodal Officer, Government of Puducherry
XII	Details of meetings carried under the Chairmanship of Chief Secretary in the State/UT:	A Review meeting was held on 23.04.2024, on the compliance status of Hon'ble NGT order, dated 25.01.2024 in the matter of O.A.No.606 of

		2018, under the Chairmanship of the Finance Secretary cum Senior Nodal Officer.
XIII	Latest water quality of polluted river, distributaries, drains with flow details and ground water quality in the catchment of polluted river	Common STP Water Quality Data, Chunnambar and Arasalar River water quality data are given in Annexure–I.
XIV	Ground water regulation:	Pondicherry Ground Water Authority had closed 6 Nos. of tube wells in Puducherry region and 2 Nos.of tube wells in Karaikal Region during the past 5years due to illegal extraction of ground water.
XV	Good irrigation practices being adopted by the State:	Annexure- II
XVI	Rain Water Harvesting:	The planning authorities while issuing occupancy certificate ascertain that the conditions stipulated in the building permits regarding rain water harvesting measures have been complied with. The Puducherry Ground Water Authority does not issues fresh permits/renews permits to any industries/ institutions unless Rain Water Harvesting System is installed in their respective buildings. 886 Rain Water Harvesting structure are constructed in the U.T of Puducherry by Department of Agriculture, Ground Water Authority and PWD.
XVII	Demarcation of Flood plain and removal of Illegal encroachments:	Demarcation of flood plain and removal of illegal encroachments in Karaikal region is to be prepared under FMBAP. The expert team from Central Water Commission, New Delhi has inspected the sites on 02.02.2023 for conducting field survey for sustainable water management in Karaikal Region. After getting necessary expert advice/recommendation from the expert team CWC, New Delhi necessary DPR will be prepared.

XVIII	Maintaining minimum e–flow of river:	Illegal sand miming affect e-flow in the rivers. Hence, orders u/s 144 of CrPc were issued on 1 st April, 2019 prohibiting lorries, vans, two wheelers, bullock carts and any similar sand carrying vehicles. Check dams were constructed to regulate the flow.
XIX	Plantation activities along the rivers:	For the development of green belt along Chunnambar, Forest Department has planted 4000 trees.
XX	Development of bio-diversity park:	The mangrove area in Karaikal to an extent of 11-09-30 Hectares belongs to the Government and the rest of the area to an extent of 10-39-00 Hectares belongs to private owners. Deputy Collector (Revenue), Karaikal informed that as the matter is presently under court case, notification of Mangrove Forest area as Bio-diversity park will not be feasible till the outcome of the judgement.
XXI	Reuse of Treated Water:	Annexure-III
XXII	Model River being adopted by the State& Action Proposed for achieving the bathing quality standards:	Chunnambar River -Sankarabarani
XXIII	Status of Preparation of Action Plan by the 13 Coastal States:	Action plan was submitted to CPCB dt.24.02.2020. NCCR was requested to carry out marine sampling in the first consultative meeting held on 05.07.2022 and subsequently reminded vide mail dt. 11.10.2022.
XXIV	Regulation of Mining Activities in the State/UT:	Illegal sand miming affect e-flow in the rivers. Hence, orders u/s 144 of CrPc were issued on 1 st April, 2019 prohibiting lorries, vans, two wheelers, bullock carts and any similar sand carrying vehicles. Check dams were constructed to regulate the flow.
XXV	Action against identified polluters, law violators and officers responsible for failure for vigorous monitoring.	-



Report No.: TR/WTL/PHD/PWD/PDY/2024/W-1035

ULR-TC758024000000549F

Date: 19.06.2024

TEST REPORT

Customer Name & Address: The Assistant Engineer,

Drainage Sub Division, PHD, PWD, Puducherry.

Page 1 of 1

Customer Reference

Test Completed on

4

: Letter dated:11.06.2024

: 19.06.2024

SAMPLE DETAILS

Identification by Customer

Sample Code	: 2024/W-1035			
Product Category	Pollution & Environment	Sampled by	: Customer	
Sample Name	: Waste Water (Outlet)	Sampling Procedure	:-	
Temperature at the time of Receipt	: 31.3°C	Sample Description	: Waste Water (Outlet)	
Sample Condition	: Fit for analysis	Compliant continu	1077.0 # 1	
Sample Received on	: 11.06.2024	Sampling Location	: Lawspet STP Outlet	
Test Started on	: 11.06.2024	Date of Sampling	: 11.06.2024	

SI.No.	Test Parameter	Test Method	Units	Results	NGT Standards for treated Sewage for discharge into surface water		
1	pH @ 25°C	APHA, 23rd Edition,2017,4500-H+B	-	7.14	5.5 to 9		
2	Total Suspended Solids @ 103 - 105°C	APHA, 23rd Edition, 2017, 2540 D	mg/L	<10	Less than 10		
				-	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		

Chemical Oxygen Demand APHA, 23rd Edition, 2017, 5220 B mg/L 15.6 Not more than 50 Biochemical Oxygen Demand IS 3025 Part44; (1994); RA2014 mg/L 5 Less than 10 (3 days at 27°C)

.....End of Report.....

Authorized Signatory

: Sample 2

Vunda Vimala Venkatachalam BIOCHEMIST WATER TESTING LABORATORY PUBLIC HEALTH DIVISION

Copy submitted to:

The Executive Engineer, PHD., PWD., Puducherry.

- Terms and Conditions:

 1. The test result relevant only to the item tested.

 2. The tested report shall not be reproduced in full or part without written approval of WTL-PHDPWD.

 3. The laboratory is not responsible for the authenticity of photocopied test report.

 4. The test item will not be retained for more than 15 days from the date of issue of test report except in case as required by applicable regulations.

 5. The laboratory is not responsible for any legal dispute that may arise in future if the sample was not drawn by the laboratory personnel.

Report No.: TR/WTL/PHD/PWD/PDY/2024/W-1035(Annexe)

Date: 19.06.2024

TEST REPORT

Customer Name & Address: The Assistant Engineer,

Drainage Sub Division, PHD, PWD, Puducherry.

Page 1 of 1

Customer Reference

Receipt Sample Condition : Letter dated:11.06.2024

: Fit for analysis

SAMPLE DETAILS

Sample Code	: 2024/W-1035
Product Category	Pollution & Environment
Sample Name	: Waste Water (Outlet)
Temperature at the time of Receipt	: 31.3°C

Sampling Procedure

Sampling Location

Sampled by

Information provided by the Customer

: Waste Water (Outlet) Sample Description

: Customer

: Lawspet STP Outlet

Sample Received on : 11.06.2024 Test Started on : 11.06.2024 : 11.06.2024 Date of Sampling Test Completed on : 19.06.2024 Identification by Customer : Sample 2

	TEST RESULTS							
SI.No.	Test Parameter	Test Method	Units	Results				
1	Faecal Coliforms	WHO Guideliness for drinking water Quality - Vol3	MPN/100 ml	70 MPN/100ml				

.....End of Report.....

Authorized Signatory

Ullmile Vimala Venkatachalam BIOCHEMIST WATER TESTING LABORATORY PUBLIC HEALTH DIVISION

Copy submitted to: The Executive Engineer, PHD., PWD., Puducherry.

- Terms and Conditions:

 1. The test result relevant only to the item tested.

 2. The tested report shall not be reproduced in full or part without written approval of WTL-PHDPWD.

 3. The laboratory is not responsible for the authenticity of photocopied test report.

 4. The test item will not be retained for more than 15 days from the date of issue of test report except in case as required by applicable regulations.

 5. The laboratory is not responsible for any legal dispute that may arise in future if the sample was not drawn by the laboratory personnel.



Report No.: TR/WTL/PHD/PWD/PDY/2024/W-1037

ULR-TC758024000000551F

Date: 19.06.2024

TEST REPORT

Customer Name & Address: The Assistant Engineer,

Drainage Sub Division, PHD, PWD, Puducherry.

Page 1 of 1

Customer Reference

: Letter dated:11.06.2024

SAMPLE DETAILS

Sample Code	: 2024/W-1037	Information provided by the Customer		
Product Category	Pollution & Environment	Sampled by	: Customer	
Sample Name	: Waste Water (Outlet)	Sampling Procedure	:-	
Temperature at the time of Receipt	: 31°C	Sample Description	: Waste Water (Outlet)	
Sample Condition	: Fit for analysis	6		
Sample Received on	: 11.06.2024	Sampling Location	: Dubrayapet STP Outlet	
Test Started on	: 11.06.2024	Date of Sampling	: 11.06.2024	
Test Completed on	: 19.06.2024	Identification by Customer	: Sample 2	

SI.No.	Test Parameter	Test Method	Units	Results	NGT Standards for treated Sewage for discharge into surface water
1	pH @ 25°C	APHA, 23rd Edition,2017,4500-H+B	-	7.26	5.5 to 9
2	Total Suspended Solids @ 103 - 105°C	APHA, 23rd Edition, 2017, 2540 D	mg/L	<10	Less than 10
3	Chemical Oxygen Demand	APHA, 23rd Edition, 2017, 5220 B	mg/L	16.5	Not more than 50
4	Biochemical Oxygen Demand (3 days at 27°C)	IS 3025 Part44; (1994); RA2014	mg/L	6.0	Less than 10

.....End of Report.....

Authorized Signatory

Vimala Venkatachalam BIOCHEMIST WATER TESTING LABORATORY PUBLIC HEALTH DIVISION

V. Umily

Copy submitted to:

The Executive Engineer, PHD., PWD., Puducherry.

- Terms and Conditions:

 1. The test result relevant only to the item tested.

 2. The tested report shall not be reproduced in full or part without written approval of WTL-PHDPWD.

 3. The laboratory is not responsible for the authenticity of photocopied test report.

 4. The test item will not be retained for more than 15 days from the date of issue of test report except in case as required by applicable regulations.

 5. The laboratory is not responsible for any legal dispute that may arise in future if the sample was not drawn by the laboratory personnel.

Report No.: TR/WTL/PHD/PWD/PDY/2024/W-1037(Annexe)

Date: 19.06.2024

TEST REPORT

Customer Name & Address: The Assistant Engineer,
Drainage Sub Division, PHD, PWD, Puducherry.

Customer Reference

: Letter dated:11.06.2024

Page 1 of 1

SAMPL	E DE	TAILS
-------	------	-------

Sample Code	: 2024/W-1037	Information provided by the Customer		
Product Category	Pollution & Environment	Sampled by	: Customer	
Sample Name	: Waste Water (Outlet)	Sampling Procedure		
Temperature at the time of Receipt	: 31°C	Sample Description	: Waste Water (Outlet)	
Sample Condition	: Fit for analysis			
Sample Received on	: 11.06.2024	Sampling Location	: Dubrayapet STP Outlet	
Test Started on	: 11.06.2024	Date of Sampling	: 11.06.2024	
Test Completed on	: 19.06.2024	Identification by Customer	: Sample 2	

TEST RESULTS					
SI.No.	Test Parameter	Test Method	Units	Results	
1	Faecal Coliforms	WHO Guideliness for drinking water Quality - Vol3	MPN/100 ml	60 MPN/100ml	

.....End of Report.....

Authorized Signatory V. Venily

Vimala Venkatachalam

BIOCHEMIST WATER TESTING LABORATORY PUBLIC HEALTH DIVISION

Copy submitted to:

The Executive Engineer, PHD., PWD., Puducherry.

- Terms and Conditions:

 1. The test result relevant only to the item tested.

 2. The tested report shall not be reproduced in full or part without written approval of WTL-PHDPWD.

 3. The laboratory is not responsible for the authenticity of photocopied test report.

 4. The test item will not be retained for more than 15 days from the date of issue of test report except in case as required by applicable regulations.

 5. The laboratory is not responsible for any legal dispute that may arise in future if the sample was not drawn by the laboratory personnel.



Report No.: TR/WTL/PHD/PWD/PDY/2024/W-1040

ULR-TC758024000000543F

Date: 14.06.2024

TEST REPORT

Customer Name & Address: The Assistant Engineer,

Drainage Sub Division, PHD, PWD, Puducherry.

Page 1 of 1

: Letter dated:11.06.2024 **Customer Reference**

SAMPLE DETAILS

Sample Code	: 2024/W-1040	Information provided by the	Customer
Product Category	Pollution & Environment	Sampled by	: Customer
Sample Name	: Waste Water (Outlet)	Sampling Procedure	: -
Time of Sample Collection	: 9.00 AM	Sample Description	: Waste Water (Outlet)
Sample Condition	: Fit for analysis	Sampling Location	: Kanaganeri STP Outlet
Sample Received on	: 11.06.2024	Camping Location	. Nanaganen 317 Oddet
Test Started on	: 11.06.2024	Date of Sampling	: 11.06.2024
Test Completed on	: 14.06.2024	Identification by Customer	: Sample 3

	TEST RESULTS					
SI.No.	Test Parameter	Test Method	Units	Results	NGT Standards for treated Sewage for discharge into surface water	
1	pH @ 25°C	APHA, 23rd Edition,2017,4500-H+B	-	7.56	5.5 to 9	
2	Electrical Conductivity @ 25°C	APHA, 23rd Edition, 2017, 2510 B	μs/cm	2540	-	
3	Chemical Oxygen Demand	APHA, 23rd Edition, 2017, 5220 B	mg/L	18.4	Not more than 50	
4	Biochemical Oxygen Demand (3 days at 27°C)	IS 3025 Part44; (1994); RA2014	mg/L	12.9	Less than 10	

.....End of Report.....

Authorized Signatory

Vimala Venkatachalam BIOCHEMIST WATER TESTING LABORATORY

V. V mich.

PUBLIC HEALTH DIVISION

Copy submitted to:

The Executive Engineer, PHD., PWD., Puducherry.

Terms and Conditions:

1. The test result relevant only to the item tested.

2. The tested report shall not be reproduced in full or part without written approval of WTL-PHDPWD.

3. The laboratory is not responsible for the authenticity of photocopied test report.

4. The test item will not be retained for more than 15 days from the date of issue of test report except in case as required by applicable regulations.

5. The laboratory is not responsible for any legal dispute that may arise in future if the sample was not drawn by the laboratory personnel.

Report No. TR/WTL/PHD/PWD/PDY/2024/W-1040(Annexe)

Date: 14.06.2024

Customer Name & Address : The Assistant Engineer,

Drainage Sub Division, PHD, PWD, Puducherry.

Page 1 of 1

200 MPN/100ml

Customer Reference

Si.No.

: Letter dated:11.06.2024

SAMPLE DETAILS

Sample Code	: 2024/W-1040	Information provided by the	Customer		
Product Category	Pollution & Environment	Sampled by	: Customer		
Sample Name	: Waste Water (Outlet)	Sampling Procedure			
Time of Sample Collection	: 9.00 AM	Sample Description	: Waste Water (Outlet)		
Sample Condition : Fit for analysis Sample Received on : 11.06.2024		Sampling Location	: Kanaganeri STP Outlet		
Test Started on	11.06.2024	Date of Sampling	: 11.06.2024		
Test Completed on	: 14.06.2024	identification by Customer	; Sample 3		
		TEST RESULTS			
		1 COT RESULTS		A STATE OF THE	
Si.No. Test P	arameter	Test Method	Units	Results	

..... End of Report.....

WHO Guideliness for drinking water

Quality-Vol3

Authorized Signatory

MPN/100 ml

U.Varde Vimala Venkatachalam BIOCHEMIST WATER TESTING LABORATORY PUBLIC HEALTH DIVISION

Copy submitted to: The Executive Engineer, PHD PWD Puducherry.

1 Faecal Coliforms

Terms and Conditions.

The lost result relevant only to the item tested.

The lost result relevant only to the item tested.

The tested report shall not be reproduced in full or part without written approval of WTL-PHDPWD.

The tested army is not responsible for the authenticity of photocopied test report.

The tested army is not be retained for more than 15 days from the data of issue of test report except to caus as required by applicable regulations.

The tested term is it not be retained for more than 15 days from the data of issue of test report except to cause as required by applicable regulations.

The tested term is to not be retained for more than 15 days from the data of issue of test report except to cause as required by applicable regulations.

ADOPTION OF GOOD IRRIGATION PRACTICE

- 1. It is proposed to cover more area under precision farming.
- 2. System of Rice Intensification (SRI) is popularized among the farming community as a water saving measure.
- 3. Sustainable Sugarcane Initiative (SSI) for reducing water consumption in sugarcane crops is also being popularized.
- 4. Attractive subsidy assistance is being extended to farmers for installation of Drip/Sprinkler irrigation devices.
- 5. Attractive subsidy assistance is being extended to farmers for laying underground pipelines for conveyance of irrigation water.

ANNEXURE-III

Reuse of Treated Water

Station	Purpose	Quantity
Lawspet STP	Industrial usage	0.8 MLD
	Fodder Grass raising	
	Coconut Plantation	6.0 MLD
	Silk cotton trees	
	Natural recharging through impounding reservoir	9 MLD
Dubrayapet STP	To Pondy Marina Hotel	0.3 MLD
	Total	16.1 MLD