

**GOVERNMENT OF PUDUCHERRY**  
**PUDUCHERRY POLLUTION CONTROL COMMITTEE**  
**3<sup>rd</sup> Floor, PHB Building, Anna Nagar, Puducherry – 605 005.**  
**Telephone: (0413) 2201256 ; Telefax: (0413) 2203494**  
\*\*\*

Puducherry, the

**40 DEC 2025**

**NOTICE INVITING QUOTATION FOR SUPPLY OF EV CHARGING KIT FOR**  
**GSDP – EV CHARGING INSTALLATION TECHNICIAN**

Puducherry Pollution Control Committee, Puducherry invites quotation from eligible firms to supply of EV Charging Kit for EV charging installation as per the specification details below for organizing the Green Skill Development Programme (GSDP) on the topic of EV Charging Installation Technician.

Sl. No.	Name of the Tools	Make	Required Qty in Nos.
1	<b>3.3 Kw socket charger</b> (3.3 kw Socket charger with OCCP support)	Maxx Energy Model No.: AC001 Internal ID: 2853898438173	1 No.
2	<b>11 Kw Charger</b> (11 Kw 3 ph charger with OCCP support)	Maxx Energy Model No.: Nil - Type 2 Commercial	1 No.
3	<b>CRM software</b>	MaxBill EV charging billing software	1 No.
4	<b>Cable for 3.3 kw</b> (2.5 sq.m.m Copper Armoured Cable)	Polycab	As per site requirement
5	<b>Cable for 11 Kw charger</b> <ul style="list-style-type: none"><li>• 4 core 10 sqmm copper flexible cable</li><li>• 1 core 6 sqmm copper flexible cable</li><li>• Flexible conduit</li></ul>	Polycab	As per site requirement

**Note:**

- ❖ The Quotation should include the charges for GST and any extra charges, **no additional charges** will be paid above the quoted amount.
- ❖ The product should be supplied within 7 days from the issue of supply order.

In this regard, interested Firms may submit their quotation in a sealed cover superscribed as “**Quotation for EV Charging Kit for GSDP - EV Charging Installation Technician**” and the same should reach to the below address on or before **16.12.2025, 5:30 P.M.**

**The Member Secretary,  
Puducherry Pollution Control Committee,  
3<sup>rd</sup> Floor, PHB Building,  
Anna Nagar,  
Puducherry – 605 005.**



**(Dr. N. RAMESH)**  
**MEMBER SECRETARY – PPCC**