

No. M-17057/10/O/o – Director /DSTE/449  
GOVERNMENT OF PUDUCHERRY  
DEPARTMENT OF SCIENCE, TECHNOLOGY & ENVIRONMENT  
PUDUCHERRY POLLUTION CONTROL COMMITTEE  
3<sup>rd</sup> FLOOR, PHB BUILDING, ANNA NAGAR, PUDUCHERRY – 605 005.  
Telephone: (0413) 2276222 ; Telefax: (0413) 2203494  
\* \* \*

Puducherry, the

14 MAY 2026

**NOTICE INVITING QUOTATIONS**

\*\*\*

Puducherry Pollution Control Committee, Puducherry invites quotation for the supply of Certified Reference Material (CRM) for use of this Environmental Analytical Laboratory in a sealed cover superscribed as “**Quotation for Certified Reference Material**” so as to reach this office on or before 22.05.2026 accepting the following conditions in case an order is placed with you.

Sl. No.	Description	Brand Product No.	Capacity	Qty. No's.
1.	Conductivity Solution 1412 µmhos/cm	Merck COND 1412 µmhos/cm	500 ml	1
2.	pH Buffer Solution – 6.86	Merck EM01862	500 ml	1

1. **Certified Reference Material (CRM) shall be provided in accordance with ISO 17034 along with Certificate of Analysis with minimum shelf life of 2 years.**
2. **PAYMENT:** Payment will be made within 30 days after receipt of the material in good condition.
3. **VALIDITY:**
  - a) The rates once quoted and approved will be final for supply or till the date of acceptance and no deviation in rates will be allowed.
  - b) Supply should be made within 15 days from the date of receipt of our supply order.
  - c) The materials should be supplied strictly in accordance with the specifications given in the requirement. The items that are not conforming to the specifications will be received back by the supplier at their own cost.
  - d) Quotations received either in person / by post after the time prescribed above will be summarily rejected.
4. **DELIVERY:** Delivery should be made in Freight on road at Puducherry.



(Dr. N. Ramesh)  
Member Secretary  
PPCC